

Buyer's Guide To The Latest Printers

# COMPUTE!

\$3.00

June

1986

Issue 73

Vol. 8, No. 6

\$3.95 Canada

02193


ISSN 0194-357X



The Leading Magazine Of Home, Educational, And Recreational Computing

## Atari ST Hints & Tips

How To Customize Icons,  
Autorun Programs,  
And More



## Miami Ice

A Slick Action Game  
For Commodore 64,  
128, Atari, And Apple



## Looking Glass

Add Window Commands  
To The Commodore 64

## Atari Password

Protect Your Programs  
From Prying Eyes

## Automatic Typist

Using Exec Files  
On The Apple II

## Meet ED:

The AmigaDOS Text Editor

## Minding Memory From IBM BASIC


Put An End To RAM Wars



71486 02193

# MichTron

SCORE  
10 12



BATTERIES INCLUDED



# MIGRAPH




# EPYX



# SIERRA



# ACTIVISION



# SPINNAKER

Said to your girlie opens  
and in walks Della,  
Smiling mysteriously,  
"Looks to me like you had  
yourself a female visitor  
last night, Perry.  
Entertaining a new  
client?"



# DIGITAL RESEARCH



# subLOGIC



# INFOCOM

You have:  
no tea  
a loose pile of junk mail  
a toothbrush  
a flathead screwdriver  
your spoon (being worn)  
It looks like your gown contains:  
pocket fluff

The vast yellow ships thunder across the sky, spreading waves of terror and panic in their wake. The voice of the Legion Captain glares across the country, insisting that the planning charts and demolition orders have been available at the local planning office in Alpha Centauri for fifty years and it's too late to start making a fuss about it now.

# THE **ST** COMPUTER LINE FROM ATARI.

## IT'S ALREADY KNOWN BY THE COMPANY IT KEEPS.

It's only natural that the hottest new computers in America are attracting the hottest software companies in the business.

The library of innovative business, education, entertainment, system management, and integrated package software for the 520ST™ and the new 1040ST™ is already impressive, with literally dozens of new programs being introduced almost every week.

In fact, the software companies who are committing their time, money, and expertise to the ST are the same companies who regularly show up on all the software hit lists.

And it's no wonder that the leading software developers are excited by the power and speed of the ST Computers.

Stoneware®, for example, checked out the speed of the ST Disk Drive in data base applications and flipped. Instead of having to wait forever to manipulate data, thousands of records can be sorted in a fraction of the time that it takes on other computers. And instant responsiveness is the name of the game, not waiting.

Sierra On-Line®, on the other hand, took one look at our incredible high speed, high resolution graphics and was ecstatic. The result is a whole series of games that are more realistic and lifelike than ever before.

For their needs, Activision® focused on the built-in MIDI ports for attaching synthesizers and other musical instruments. This enabled them to design the ultimate program for playing and composing music.

The list goes on and on. But a designer for Spinnaker® perhaps summed up the capabilities of the 520ST and the new 1040ST best:

"I feel like a painter," he said, "who at last has a canvas large enough to let my creativity run free."

So if you're looking for a computer system that combines the very best in software with the very best in hardware at the very best price . . . you're looking for an ST from Atari.



**ATARI®**





**T**hompson offers a whole new world of graphics capabilities for your Commodore or Apple IIC or IIE computers. And Thomson offers you more than the competition.

Thomson monitors offer these advantages:

- Compatible with IBM®, Apple®, Commodore®, Atari™ and others
- The choice of monochrome or color monitors with TV grade to high resolution text and graphics
- Monochrome text editing mode for color monitors
- Alternate use as cable or VCR monitor
- Broad range of the features you need at the prices you want

Because of its versatility and compatibility, you can still use your Thomson monitor if you switch computers; you'll never outgrow the capabilities of a Thomson monitor.

Who is Thomson? Thomson is a six billion dollar multi-national company. Unlike our competition, we design and manufacture our own monitors; so the quality you get is constant and superb.

Your Apple or Commodore computer is a great body. Choose a Thomson monitor, and give it a beautiful face.

For the name of the Thomson dealer nearest you, call 1-800-325-0464. In California call 1-213-568-1002. (Monday-Friday, 9 a.m. to 5:00 p.m. PST)

**THOMSON**   
A SIGHT FOR SORE EYES.™

© 1986 Thomson Consumer Products Corporation 5731 W. Slouson Avenue, Suite 111, Culver City, CA 90230

Thomson is a trademark of Thomson S.A. Apple is a registered trademark of Apple Computer, Inc. Commodore is a registered trademark of Commodore Electronics Limited. Atari is a trademark of Atari, Inc. IBM is a registered trademark of International Business Machines Corp.

# HOW DO YOU TOP APPLE, COMMODORE, OR IBM BEAUTIFULLY?

## SEE YOUR THOMSON DEALER.

### **Alabama**

Mel's Photo Shop, Montrose  
Mail Ted, Mobile  
Conrad Computer, Birmingham  
Command Computer, Birmingham

### **Alaska**

Fred Meyer Photo Electronic Centers:  
Juneau, Anchorage, Fairbanks  
Hy-Tech Systems, Juneau

### **Arizona**

Compu Save, Phoenix  
National Business Software, Tempe

### **California**

Bill's TV, Santa Clara  
P.C. Edge, Santa Clara  
Grand Central Software, Watsonville  
Los Altos PC, Los Altos  
Davis Office Systems, Merced  
Computer Biz: San Jose, Cupertino  
Computer Nook, San Bernardino  
Personal Computer Service,  
Marina del Rey

### **Colorado**

Software Etc., Denver  
Computer Dynamics, Colorado Springs  
Computer Interface, Golden  
MSR Inc., Denver  
Classic Computers, Fort Collins  
CRT, Fort Collins  
Computer Source, Boulder  
Alpha Center, Denver

### **Connecticut**

Crazy Eddie's, All Locations

### **Florida**

Random Access, Ft. Walton Beach  
Office World, Sarasota  
AA Computer, Jacksonville  
Computer Base, Tampa  
Discount Disc, Shalimar  
G.C.C.E., Panama

### **Hawaii**

Computer House, Honolulu  
PC Price Busters, Honolulu

### **Idaho**

Fred Meyer Photo Electronic Centers:  
Boise, Pocatello, Idaho Falls

### **Illinois**

Aardvark Computer, Chicago Heights  
Protecto, Barrington

### **Kansas**

Computer Center Inc., Olathe

### **Minnesota**

Computer Exercise World, Minneapolis

### **Mississippi**

Enterprise Unlimited, Jackson

### **Missouri**

Micronomics, Winchester

### **Nevada**

Computer House, Sparks

### **New Jersey**

Computer Software Sales, Ocean  
Super Software, E. Brunswick  
Crazy Eddie's, All Locations

### **New Mexico**

Suntec Computers, Albuquerque  
Omega Business Products, Albuquerque

### **New York**

Sysut Computers, Brooklyn  
Crazy Eddie's, All Locations

### **North Carolina**

Triad Computer, Greensboro  
Hamilton Computer, Greensboro  
Chips Computer, Fayetteville  
Two M. Systems, Jacksonville

### **North Dakota**

Computerland, Fargo

### **Ohio**

Microwave Magic, Fairfield  
Electronic Connection, Centerville  
Fairborn Home Computers, Fairborn  
Quality Computer Application, Toledo

### **Oklahoma**

Master Systems Ltd., Bethany

### **Oregon**

Schad's Electronics, Eugene  
Fred Meyer Electronic Centers:  
Portland, Albany, Beaverton,  
Coos Bay, Salem, Gresham, Medford,  
Roseburg, Eugene

### **Pennsylvania**

Data Softique Computer, Pittsburgh

### **South Carolina**

S.F. Enterprises, Sandy Springs  
Bytes & Bits, Columbia  
Con Current Technology, Travelers Rest  
Software Haus, Charleston Heights  
Micro Computer Depot, Sumpter

### **Tennessee**

Electronic Warehouse, Decherd  
Data World, Knoxville  
Computers International, Hixson  
Computer King, Knoxville

### **Texas**

Permian Micromart, Odessa  
Turnkey Computer Systems, Houston

### **Utah**

Fred Meyer Electronic Centers:  
Drem, Ogden, Logan, Salt Lake City  
Digital World, West Valley City  
Burgoyne Computer Inc.,  
South Salt Lake City  
Research Micro Systems, Provo

### **Virginia**

Shelken Associates, Inc.,  
Fredericksburg

### **Washington**

Fred Meyer Photo Electronic Centers:  
Seattle, Tacoma, Bellevue,  
Bellingham, Longview

### **Wisconsin**

Micro Age, Milwaukee  
Inacomp, Madison

### **Wyoming**

Cheyenne Computer, Cheyenne

**THOMSON**   
A SIGHT FOR SORE EYES.™

© 1986 Thomson Consumer Products Corporation  
Corporate Address:  
5737 West Simpson Avenue, Suite 111, Culver City, CA 90230  
(213) 563-1022  
(800) 325-0454 (Outside CA)



# Children's Software from Springboard.™

The best way to introduce your child to the computer.

## Early Games for Young Children.™

This popular program offers a delightful collection of games designed to teach children ages 2½ to 6 a variety of important basic skills in a fun and friendly way.

Children learn to distinguish shapes, recognize letters, say the alphabet, count, add, subtract, even spell their names!



Large, colorful letters, gentle hints and a picture menu help children learn without adult supervision.

It's the perfect way to introduce your child to the computer.



Early Games

### Satisfaction Guaranteed

At Springboard, we stand behind our products.

That's why we offer a full 30-day money-back guarantee. Look for these and other Springboard products for all ages at your favorite software store.

Now Available For:

**Macintosh**

Apple II+, IIe, IIc, IBM PC, PCjr,  
Commodore 64/128



Easy as ABC

## Easy as ABC.™

Learning the alphabet is a wonderful new adventure with Easy as ABC. Five fun games introduce children ages 3 to 6 to letter recognition, alphabetical sequence and upper/lower case letters.

Delightful animals present the alphabet in a variety of ways. Jumping frogs, buzzing bees and soaring rockets fascinate your children as they learn. And multiple skill levels keep them interested so they learn more.

No other program teaches your children the alphabet as thoroughly.



**SPRINGBOARD**



# COMPUTE!

JUNE 1986  
VOLUME 8  
NUMBER 6  
ISSUE 73

## FEATURES

- |    |   |                |
|----|---|----------------|
| 17 | The Changing Face of Printer Technology | Joan Rouleau   |
| 24 | Buyer's Guide to the Printers of 1985   | Kathy Yakal    |
| 34 | Miami Ice                               | Jeff Kulczycki |
| 56 | Invasion for IBM and Amiga              | John Robinson  |

## REVIEWS

- |    |   |                         |
|----|---|-------------------------|
| 62 | Skyfox for Commodore and Apple                    | Richard Mansfield       |
| 62 | The Battle of Antietam                            | James V. Trunzo         |
| 65 | OnLine! for Amiga                                 | Phillip I. Nelson       |
| 68 | Hippo Computer Almanac for Atari ST               | George Miller           |
| 67 | Zoomracks for Atari ST                            | Arthur Leyenberger      |
| 70 | Stickybear Learning Games for Apple and Commodore | Karen G. McCullough     |
| 71 | Kennedy Approach for Commodore and Atari          | David and Robin Minnick |

## COLUMNS AND DEPARTMENTS

- |     |   |                                     |
|-----|---|-------------------------------------|
| 6   | The Editor's Notes  | Robert Lock                         |
| 11  | Readers' Feedback   | The Editors and Readers of COMPUTE! |
| 102 | HOTWARE   |                                     |
| 103 | The Beginner's Page: More String Arithmetic                             | Tom R. Halfhill                     |
| 104 | AmigaView: Printers for the Amiga                                       | Charles Brannon                     |
| 105 | IBM Personal Computing: Softstripping                                   | Donald B. Trivette                  |
| 106 | Telecomputing Today: Online Etiquette                                   | Arlan R. Levitan                    |
| 107 | INSIGHT: ST—ST System Software, Inside Out                              | Bill Wilkinson                      |
| 108 | Computers and Society: Printers and Computers                           | David D. Thornburg                  |
| 109 | The World Inside the Computer:<br>A Multimedia Workstation for Teachers | Fred D'ignazio                      |
| 110 | Programming the TI: Printing a Schedule of Events                       | C. Regena                           |
| 112 | INSIGHT: Atari—Atari Printer Trivia                                     | Bill Wilkinson                      |

## THE JOURNAL

- |     |   |                                   |
|-----|---|-----------------------------------|
| 73  | Sideways Text for Atari   | Bill Morris                       |
| 74  | Loading and Linking Commodore Programs, Part 4                    | Jim Butterfield                   |
| 77  | Custom Title Bars for ST BASIC                                    | George Miller                     |
| 78  | Looking Glass: Windows for the 64                                 | James E. Hosek                    |
| 82  | ST Hints & Tips   | George Miller                     |
| 85  | Minding Memory from BASIC   | D. W. Neuendorf                   |
| 87  | Meet ED: The AmigaDOS Editor                                      | Christopher J. Flynn              |
| 90  | Converting IBM ML to BASIC DATA                                   | Mark Russinovich with Dennis Moul |
| 92  | 64 Fleet List   | Buck Childress                    |
| 94  | Automatic Typist: Using Apple Exec Files                          | Mike Miyake                       |
| 96  | Atari Password  | Glenn Anderson                    |
| 101 | ProDOS File Converter for Apple SpeedScript                       | Leh-Wen Yau                       |
| 111 | COMPUTE! Modifications or Corrections to Previous Articles        |                                   |
| 114 | News & Products   |                                   |
| 117 | COMPUTE!'s Guide to Typing in Programs                            |                                   |
| 120 | MLX: Machine Language Entry Program<br>for Commodore 64 and Apple |                                   |
| 128 | Advertisers Index   |                                   |

NOTE: See page 117  
before typing in  
programs.

## GUIDE TO ARTICLES AND PROGRAMS

128/64/AT/AP/  
PC/PCjr/AM

64/AP/AM/Mac  
64/AP/AT  
AM  
ST  
ST  
AP/64  
64/128/AT

AM  
PC/PCjr

ST

TI  
AT

AT  
64/128/VIC/+4/16  
ST  
64  
ST  
PC/PCjr  
AM  
PC/PCjr  
64/128  
AP  
AP  
AT

AP Apple, Mac Macintosh, AT  
Atari, ST, Atari ST, V VIC-20, 64  
Commodore 64, +4 Commodore  
Plus/4, 16 Commodore 16, 128  
Commodore 128, PC PCjr/IBM, TI  
Toshiba Instruments, PC IBM PC, PCjr  
IBM PCjr, AM Amiga, General  
Interest.

TOLL FREE Subscription Order Line  
800-247-5470 (In IA 800-532-1272)

**COMPUTE!** Publications, Inc. 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies

ABC Publishing, President, Robert G. Burton  
1330 Avenue of the Americas, New York, New York 10019

COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by  
COMPUTE! Publications, Inc., 825 7th Ave., New York, NY 10019 USA. Phone: (212) 265-8360.  
Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic  
Subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to: COMPUTE! Magazine, P.O.  
Box 10955, Des Moines, IA 50390. Second class postage paid at Greensboro, NC 27403 and  
additional mailing offices. Entire contents copyright ©1986 by COMPUTE! Publications, Inc. All rights  
reserved, ISSN 0194-357X.



## A New Challenge For ST Programmers

If you're an Atari ST enthusiast, we've got some fantastic news for you.

There's only one catch. We can't tell you what the news is—yet. All we can say is that COMPUTE! is preparing a major surprise that we think you'll enjoy. And to make this surprise as fantastic as possible, we need your help.

If you have access to an ST, and if you're a skillful programmer or writer, we want to see your work. We're looking for ST-oriented articles on a wide variety of topics: tutorials, application programs, utilities, games, educational programs, or almost anything else that we think will be of interest to the several hundred thousand people who already own and use Atari ST computers.

And to break things really wide open, in this instance we're modifying a longstanding COMPUTE! policy regarding program submissions. Up to now, for the most part, we've restricted the programs we publish to either BASIC or machine language, and we've also restricted their length. This has forced us to turn down some otherwise outstanding submissions, but we've had good reasons for it.

These reasons have to do with the realities of magazine publishing. We've insisted that programs be written in BASIC or ML because those are the only two languages that everybody owns. Practically every personal computer comes with BASIC, and ML is every computer's native language. If we publish a program written in some other language—such as Pascal, C, CO-MAL, Forth, or whatever—the number of readers who can use the program suddenly shrinks to a tiny minority. Realistically, a magazine that wants to stay in business has to appeal to a majority of its readers most of the time. Thus, we've avoided programs written in "nonstandard" languages, although it's been frustrating to all of us.

A related problem is the restriction we've traditionally placed on the length of programs. Again, this has to do with an unpleasant side of magazine publishing. Sadly, we've had to reject some excellent programs merely because they were too long to print. There's a

limit to how much typing a reader is willing to undertake, even to get an exceptional program. Recently we've stretched this limit near the bursting point. We believe that programs like our *SpeedScript* word processor and *SpeedCalc* spreadsheet—with versions for Commodore, Atari, and Apple computers—are the best applications ever offered by a computer magazine. But both programs were written entirely in ML and required readers to spend many hours typing in thousands of numbers. Our MLX machine language entry utility is a partial solution. So is our COMPUTE! DISK. But we can't assume every reader is going to buy the disk, so we still have to restrict the length of programs to keep them accessible to all of our readers.

The new generation of high-powered, low-cost personal computers—exemplified by the Atari ST series—is allowing us to rethink our approach to program publishing. As the hardware grows more powerful, so does the software. The programs printed in magazines have to keep up, too. Some people go so far as to say that the days of program-oriented magazines are coming to an end. We strongly disagree. Consistently, reader feedback tells us that our programs and programming tutorials are the most popular features of our magazines. We feel that many useful programs can still be written in BASIC, and that BASIC will continue to be the language of choice for home programmers for some time to come. But to turn out really exceptional pieces of work, more and more programmers will be forced to turn to alternatives—particularly compilers. And their programs will grow larger and larger.

To meet this challenge, we're taking an exciting new approach. The details of this approach are part of the surprise we're preparing. For now, however, we can say this much:

*We'll consider Atari ST program submissions written in practically any programming language you want. Have you written a utility in C for designing character fonts? Have you discovered a way to implement drop-down menus in ST BASIC? Have you written a general-purpose database manager in Prolog?*

*Or an educational program in Pascal? Or a terminal program in Forth? Or an arcade-style game in machine language? Or a text editor in Modula-2?*

Whatever it is, we'd like to see it. But don't get the idea that we're not picky. As always, we're interested in obtaining only the best-quality programs and articles we can find. If necessary, these programs can be much longer than ones we'd ordinarily publish in printed form. Of course, we still prefer to see programs which are as efficiently written as possible, so don't get carried away.

There's only one restriction: *The executable object code of the program must be legally usable by someone who doesn't own a copy of the language.* For instance, if you write a program with a compiled language, the compiled code must be a self-standing run-time package that anyone can load and run, whether or not they own the compiler. And we must be able to legally distribute the run-time package without becoming entangled in licensing fees and so forth. If you aren't sure about this, check with the company which produces the language.

Aside from this minor restriction, the gates are wide open. As a further incentive, we can hint that because of the way we'll be publishing these programs, some significant royalties may be in store for those whose work is accepted.

This is going to be an exciting experiment for all ST enthusiasts—readers, programmers, and those of us at COMPUTE!. Let's all make it a success.

Tom R. Halfhill, Editor

### ASSISTANT TECHNICAL EDITOR

COMPUTE! Publications, Inc. is seeking an Assistant Technical Editor to join its staff. Position requires extensive experience with microcomputers, knowledge of machine language. Experience or training in editing or writing skills necessary. Undergraduate degree preferred; experience in lieu of degree will be considered. Send resume and salary history in complete confidence to:

Personnel Director  
COMPUTE! Publications, Inc.  
P.O. Box 5406  
Greensboro, NC 27403



# It speaks for itself.



The Shanner Planner™ gives you and comes with:

- Storage for four disks - 3½" or 5¼" (specify preference when ordering)
- 5 x 8" Notepad - can also accommodate documentation up to 300 pages
- Pen and Pencil Compartment
- Ruler Slot
- Business Card Section
- 5 Year Calendar
- Full Function Memory Calculator
- Each Shanner Planner comes with either four 3½" disks or four 5¼" diskettes

The unique velcro locking system ensures that your important media and contents are safely secured in their compartments at all times.

Measuring approximately the size of a normal executive portfolio, The Shanner Planner will fit comfortably into any size attache or carrying case, and comes packaged in an attractive gift giving box.

## The Shanner Planner™

# \$39<sup>95</sup>

Dealer Inquiries Accepted  
Call 800/828-6637

Remember the expression "A picture is worth a thousand words?" Take a second look. The Shanner Planner™ is the first ever full system portfolio created specifically for the computer user. Designed to address the individual needs of the computer industry, The Shanner Planner is tastefully constructed of long lasting, durable, textured nylon (*it's the in thing today*) to maintain its smart appearance over time.

Please send me \_\_\_\_\_ Shanner Planner(s).

I am enclosing \$ \_\_\_\_\_  
(CA residents add \$2.60 tax per Planner)  
Please make check or money order payable to:  
Shanner International Corp.  
453 Ravendale Drive  
Mountain View, CA 94030

Canadian Orders:  
Canadian cost per Planner is \$49.95.  
(Ontario residents add \$3.50 PST per Planner) Please direct orders to:  
Shanner Sales & Marketing, Inc.  
450 Garyway Drive  
Weston, Ontario

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

### SHANNER INTERNATIONAL CORP.

The Shanner Planner™ is a creation of, marketed worldwide by, and is a Trademark of SHANNER INTERNATIONAL CORP.

For all orders: Please add \$3.00 per Planner for shipping and handling. C.O.D.'s and purchase orders will not be accepted. Please allow 21 days for delivery.

<b>Publisher</b> Founder/Editor in Chief Senior Editor Managing Editor Executive Editor	James A. Casella Robert C. Lock Richard Mansfield Kathleen Mortinek Selby Boterman
<b>Editor</b> Assistant Editor Production Director Production Editor Editor, COMPUTE!'s GAZETTE Technical Editor Assistant Technical Editor Program Editor Editor, COMPUTE!'s GAZETTE Assistant Features Editor Programming Supervisor Editorial Programmers Research/Copy Editor Submissions Reviewer Programming Assistants	Tom R. Hathill Philip Nelson Tony Roberts Gail Cowper Lance Elko Otis R. Cowper George Miller Charles Brannon Todd Helmreich Kathy Yakal Patrick Porish Tim Victor, Kevin Mykityn Joan Rouleau Mark Tuffie David Fiorance, David Hensley Debi Nash Julia Fleming, Iris Brooks, Mary Hunt, Sybil Agee Jim Butterfield Toronto, Canada Harvey Harmon Greensboro, NC Fred D'Ignazio Birmingham, AL David Thornburg Los Altos, CA Bill Wilkinson
<b>Executive Assistant</b> <b>Administrative Assistants</b>	
<b>Associate Editors</b>	

<b>Contributing Editor</b>	
<b>COMPUTE!'s Book Division</b> Editor Assistant Editors Director, Book Sales & Marketing	Stephen Levy Gregg Keltzer, Ann Davies Steve Voyatzis
<b>Production Manager</b> Art & Design Director Assistant Editor, Art & Design Mechanical Art Supervisor Artists Typesetting Illustrator	Irmo Swain Janice R. Fary Lee Noel De Potter Dorothy Gray, Dabney Kefrow Terry Cash, Carole Dunton Harry Blair
<b>Director of Advertising</b> Sales Associate Advertising Director Production Coordinator	Peter Johnsmeyer Bernard J. Theobald, Jr. Kathleen Hanlon
<b>Promotional Assistant</b>	Caroline Dark
<b>Customer Service Manager</b> Dealer Sales Supervisor Individual Order Supervisor Receptionist Warehouse Manager	Diane Longo Orchid Tamayo Cassandra Green Anita Armfield John Williams
<b>Data Processing Manager</b>	Leon Stokes
<b>James A. Casella, President</b> Richard J. Marino, Vice President, Advertising Sales	

COMPUTE! Publications, Inc. publishes:



## COMPUTE! Books

**COMPUTE!'s GAZETTE DISK**

## COMPUTE!'s Apple Applications Special

<b>Editorial offices:</b>	324 West Wendover Avenue Suite 200 Greensboro, NC 27408 USA
<b>Corporate offices:</b>	825 7th Avenue New York, NY 10019 212-265-8360
<b>Customer Service:</b>	800-346-6757 (In NY 212-887-8525)
<b>Hours:</b>	9:30 A.M.-4:30 P.M. Monday-Friday

## Coming In Future Issues

**Hex War: Strategic Simulation For Commodore 64, 128, Atari 400/800/XL/XE, Atari ST And Others**

**The Top Five Public-Domain Programs For Your Computer**

**Super-Wide Printouts For Commodore: A Better Way To Print Spreadsheets And Wide Documents**

**Atari Sound Development System For Atari 400/800/XL/XE**

**The Screen Machine II Menu-Driven Drawing Program For IBM PC, PCjr, Compatibles**

**Apple Printer Master Get Full Power From Your Printer**

## Subscription Orders

**COMPUTE!**  
P.O. Box 10954  
Des Moines, IA 50340

**TOLL FREE**  
**Subscription Order Line**  
**800-247-5470**  
In IA 800-532-1272

**COMPUTE!**  
**Subscription Rates**  
**(12 Issue Year):**

US (one yr.) \$24  
(two yrs.) \$45  
(three yrs.) \$65  
Canada and Foreign  
Surface Mail \$30  
Foreign Air  
Delivery \$65




Audit Bureau of Circulations



Magazine Publishers Association

## Advertising Sales



**1. New England**  
Jonathan Just  
Regional Manager  
212-315-1665

**2. Mid Atlantic**  
Jonathan Just  
Regional Manager  
212-315-1665

**3. Southeast & Foreign**  
Harry Blair  
419-275-9809

**4. Midwest**  
Gordon Benson  
312-362-1821

**5. Northwest/Mountain/Texas**  
Phoebe Thompson  
Dani Nunes  
408-354-5553

**6. Southwest**  
Ed Winchell  
213-378-B361

**Director of Advertising Sales:**  
Peter Johnsmeyer

**Associate Advertising Director:**  
Bernard J. Theobald, Jr.

**COMPUTE! Home Office 212-887-8460.**

**Address all advertising materials to:**  
Kathleen Hanlon  
Advertising Production Coordinator  
**COMPUTE! Magazine**  
324 West Wendover Avenue  
Suite 200  
Greensboro, NC 27408

The COMPUTE! subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTE! P.O. Box 10955, Des Moines, IA 50305. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE! are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE!, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTE! Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1986, COMPUTE! Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTE! will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing, each page of your article should bear the title of the article, date and name of the author. COMPUTE! assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTE!.

PET, CBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc. and/or Commodore Electronics Limited. Apple is a trademark of Apple Computer Company. IBM PC and PCjr are trademarks of International Business Machines, Inc.

ATARI is a trademark of Atari, Inc. TI-99/4A is a trademark of Texas Instruments, Inc. Radio Shack Color Computer is a trademark of Tandy, Inc.

# GET FREE SOFTWARE WITH BOWATER PAPER AND BROWN DISC SCHOLAR DISKETTES!



"Ean, our computer scholar, has helped my wife, Brandi, understand how many valuable incentives come with Bowater computer paper and Brown Disc **SCHOLAR** diskettes. Ean already has Ben printing banners and graphics from his new software programs given free with these products.

"We get free Brown diskettes with the purchase of Bowater paper and free Bowater paper with the purchase of Brown Disc's **SCHOLAR** diskettes. And now, WE CAN CHOOSE FROM 3 DIFFERENT SOFTWARE PROGRAMS TO GET ONE FREE WITH EACH 1000 SHEET PACKAGE OF BOWATER COMPUTER PAPER OR WITH A TEN PACK OF BROWN DISC **SCHOLAR** DISKETTES.

"Even Ryan enjoys coloring the graphics that Ben printed out, and Brandi prefers the children use the computer to entertain themselves... rather than watch TV.

"Best of all, the kids are working with the new software to surprise me. Thanks Bowater and Brown Disc... you really give a family **REAL VALUE**."

Phil Wismer  
Husband, father and business professional

You too can receive valuable incentives by purchasing Bowater computer paper and Brown Disc **SCHOLAR** diskettes. **See the listing on the reverse side of this ad to find our dealers in your area.**

**BOWATER**  
BOWATER COMPUTER FORMS INC.

P.O. Box 869020  
Plano, TX 75086-9020  
1-800/527-3412  
In Texas Call Collect 214/578-2000

**SCHOLAR**  
by brown disc

1110 Chapel Hills Drive  
Colorado Springs, CO 80918  
1-800/654-4871  
303/593-1015 Inside CO



# CLIP THIS PAGE TO FIND YOUR CLOSEST BOWATER AND BROWN DISC DEALERS CARRYING OUR NEW FREE SOFTWARE OFFER!

## BOWATER COMPUTER FORMS INC.

## BROWN DISC MANUFACTURING, INC.

TO LOCATE SCHOLAR DEALERS IN YOUR AREA CALL:

### CALIFORNIA

TECHNO  
ALBA — 415/225-9404  
ALBA OFFICE SUPPLY  
BIRMINGHAM — 415/641-356  
SIERRA COMPUTER SUPPLIES  
CAMBRIDGE — 408/374-7810  
MICRO AGE COMPUTER STORE  
DALLAS — 415/581-888  
WORLD OF COMPUTERS  
DUBLIN — 415/825-1571  
WORLD OF COMPUTERS  
DUBLIN — 415/829-7211  
KINGS OFFICE PRODUCTS  
DALLAS — 702/427-2933  
DEAN MARK OFFICE SUPPLY, INC.  
FREMONT — 415/791-0344  
DEAN MARK OFFICE SUPPLY, INC.  
FREMONT — 415/490-7448  
LEGENDS COMPUTER & OFFICE SUPPLY  
FREMONT — 415/792-9600  
DISCOUNT OFFICE SUPPLIES  
MT. VIEW — 415/962-8900  
COMPUTER STORE OF OAKLAND  
OAKLAND — 415/763-7000  
WORLD OF COMPUTERS  
OAKLAND — 415/451-0212  
COMPUTER STATION SYSTEMS  
PALO ALTO — 415/326-7970  
DEAN MARK OFFICE SUPPLY, INC.  
EAGLE CREEK — 415/428-0282  
ALAMO COMPUTER  
SAN JOSE — 408/227-0891  
COMPUTER SUPPLIES UNLIMITED  
SAN JOSE — 408/283-1000  
DEAN MARK OFFICE SUPPLY, INC.  
SAN JOSE — 408/436-1833  
SAN JOSE — 408/436-1833  
SAN JOSE — 408/435-7330  
N & M OFFICE SUPPLY  
SAN RAMON — 415/829-7283  
SANTA ROSA COMPUTER  
SANTA ROSA — 707/528-1231  
SANTA ROSA COMPUTER  
SANTA ROSA — 707/525-1419  
PALACE ART & OFFICE SUPPLY  
SUNNYVALE — 408/476-3799  
FISH ELECTRONICS  
SUNNYVALE — 408/733-1770  
SUNNYVALE STATIONERS  
SUNNYVALE — 408/739-0000  
WORLD OF COMPUTERS  
WILMOT CREEK — 415/946-1070  
WORLD OF COMPUTERS  
WILMOT CREEK — 415/946-1070  
FLORIDA  
ACS SERVICES INC.  
TALLAHASSEE — 904/681-6566  
GEORGIA  
B & W ENTERPRISES  
WYCHESSE — 412/285-7286  
INDIANA  
DISCOUNT DATA SYSTEMS  
INDIANAPOLIS — 317/297-5177  
KANSAS  
OFFICE SUPPLY  
COTY — 913/462-3923  
COMPUTER INC.  
ODDGE CITY — 316/225-2628  
MICROBORGED COMPUTER SYSTEMS  
EMPIRIA — 316/342-0221  
BAAN TECH BUSINESS PRODUCTS INC.  
GARDEN CITY — 316/775-7741  
COMPUTER TEK OFFICE PRODUCTS  
GARDEN CITY — 316/775-7514  
COMPTONLAND OF OAKLAND  
GREAT BEND — 517/792-3524  
WESTERN OFFICE SUPPLY  
NEW YORK — 913/625-0200  
COMPTONLAND OF HUTCHINSON  
HUTCHINSON — 316/662-6832  
THE COMPUTER GENERATION  
INTERDEPENDENCE — 316/381-0003  
COMPUTERARK  
LAWRENCE — 913/841-0084  
EIGHT SOLUTIONS OF COMPUTER OUTLET  
LAWRENCE — 913/842-7526  
CUSTOM BUSINESS SYSTEMS INC.  
LAWRENCE — 913/842-3036  
ADVANCE COMPUTER TECH  
MAGNUSON — 316/241-8800  
MICROBORGED COMPUTER  
COMPTONLAND OF SALINA  
SALINA — 913/825-1555  
MICROAGE OF SALINA  
SALINA — 913/823-7980  
COMPUTRAIN INC.  
SALINA — 913/823-7980  
MECKS INC.  
TOPEKA — 913/712-7570  
STAFFER EQUIPMENT & SUPPLY CO  
TOPEKA — 913/295-1157  
THOROUGHGOOD COMPUTERS  
TOPEKA — 913/232-8008  
SOUTH CENTRAL BUSINESS FORMS INC.  
WICHITA — 316/264-0220  
WILBUR E. WALLER CO., INC.  
WICHITA — 316/267-2231  
ABEL SERVICES  
WINDFORD — 316/221-7577

VARIETY HAUS  
WYCHESSE — 316/356-3820  
KENTUCKY  
NATIONAL OFFICE SUPPLY  
CINCINNATI — 502/431-0000  
SUPERIOR PAPER COMPANY  
LOUISVILLE — 502/583-1647  
MASSACHUSETTS  
COMPUTER DISCOUNT  
NORWALK — 617/528-4186  
MICHIGAN  
DIGITAL COMPUTER CENTER, INC.  
BIRMINGHAM — 313/644-4820  
TIERIA  
LANSING — 313/626-2511  
DIGITAL COMPUTER CENTER, INC.  
FARMINGTON HILLS — 313/626-3240  
LANSING — 313/626-3240  
GARDEN CITY — 313/422-2570  
OFFICE  
BRAND HARBOR — 616/451-8561  
MICRO WORLD COMPUTER CENTER  
LAWSON — 313/427-0102  
MICRO WORLD COMPUTER CENTER  
MILFORD — 313/685-7786  
COMMUNICAPRIX, INC.  
ROSELAND — 313/445-8970  
MICRO WORLD COMPUTER CENTER  
ROSELAND — 313/445-8970  
MICRO WORLD COMPUTER CENTER  
ROSELAND — 313/445-8970  
LAKES INC.  
UNION LAKE — 313/360-0681  
MINNESOTA  
CORNET SOFTWARE  
CRYSTAL — 612/335-4369  
COMPUTER SATISFACTION  
EL WEAVER — 612/444-4225  
TEAM ELECTRONICS  
MANKATO — 507/387-7937  
PARAGON COMPUTERS  
ROCHESTER — 507/285-1999  
SOFTWARE CENTER INTERNATIONAL  
ROCHESTER — 512/631-3800  
NEW JERSEY  
MAC COMPUTER STORE  
ENGLISHTOWN — 201/462-4800  
FISH ELECTRONICS  
HOWELL — 201/363-6270  
STONEHENGE COMPUTER  
SUMMIT — 201/277-1000  
COMPUTER SERVICES CO.  
UPPER SADDLE BROOK — 201/327-8811  
COMPUTER OUTLET  
WESTWOOD — 201/666-8608  
NEW MEXICO  
LOS ALAMOS — 505/662-0031  
800/522-0127 to the mountain lake zone  
NEW YORK  
COMPUTER SORT STORE  
BREWSTER — 914/279-5001  
CORNET BUSINESS MFG SYSTEMS  
BROOKLYN — 914/655-7615  
PRIME TIME COMPUTER  
BROOKLYN — 914/732-7770  
SYSTU COMPUTER  
BROOKLYN — 718/743-8303  
VIDEO COMPUTER INC.  
BROOKLYN — 718/241-1983  
BA COMPUTER PRODUCTS  
BUFFALO — 716/854-0004  
MICROCAM CAMERA & COMPUTER  
BROOKLYN — 914/782-8525  
COMPUTER OUTLET  
NEW YORK — 914/693-3600  
COMPTON PRINTING & OFFICE SUPPLIES  
NEW YORK — 212/406-1323  
GERSTEN BUSINESS MACHINE  
NEW YORK — 212/764-5500  
HI TEK COMPUTER  
NEW YORK — 212/374-1008  
INPUT COMPUTER  
NEW YORK — 212/725-9561  
SMPLY COMPUTER & OFFICE PRODUCTS  
NEW YORK — 212/732-9336  
STATIONERY OFFICE SUPPLY  
NEW YORK — 212/713-0700  
VENUS OFFICE SUPPLY CORP.  
NEW YORK — 212/732-2000  
COMPUTER CENTER  
ROCHESTER — 716/262-3166  
COMPUTER CENTER  
ROCHESTER — 716/262-3166  
BA COMPUTER PRODUCTS  
EL PASO — 915/425-1414  
COMPUTER CENTRE  
WHITE PLAINS — 914/646-0500  
NORTH CAROLINA  
MICRO BASICS  
CHARLOTTE — 704/527-1370  
OHIO  
STAFFER SYSTEMS  
ACRON — 216/696-2976  
WEST-MID MICRO  
EL PASO — 513/662-5488  
R. L. STEINMAN & SON  
ARLINGTON — 419/365-5555  
SOFTWARE CENTRAL  
CANTON — 216/492-9163  
COPY SOURCE  
CINCINNATI — 513/489-8821

IMAGING SUPPLIES  
CINCINNATI — 513/671-5255  
MIDWEST COMPUTER SUPPLIES  
CINCINNATI — 513/481-0020  
SCHAR COMPUTER SUPPLIES  
CINCINNATI — 513/729-5522  
DISCOUNT SOFTWARE  
COLUMBIA — 814/231-3910  
BEST TITLE WAREHOUSE  
COLUMBIA FALLS — 216/920-1136  
CAX CAM  
DAYTON — 513/293-3381  
EXPRESS BUSINESS FORMS  
DAYTON — 513/866-1788  
IC NETWORKS  
DAYTON — 513/435-2256  
TETRA SYSTEMS  
DAYTON — 513/299-3476  
COMPUTER WAREHOUSE  
EUGLE — 216/481-5515  
SOFTWARE CONNECTION  
MAYFIELD HEIGHTS — 216/472-2722  
VALCOM  
MAYFIELD HEIGHTS — 216/449-4030  
FREDERICK COMPUTER PRODUCTS  
MIDDELTON — 513/424-3233  
COMPUTER SHOWCASE  
MIDDELTON — 513/424-3233  
SOFTWARE CENTER  
MIDDELTON — 216/734-4575  
BIG BYTE COMPUTERS  
PLAIN — 216/758-0000  
COMPUTER DISCOUNTS  
REYNOLDSBURG — 614/863-8701  
PENNSYLVANIA  
WEIN ASSOCIATES  
CONROSBOROUGH — 215/834-0866  
SUBURBAN OFFICE SUPPLIES  
LANSDALE — 215/362-6510  
SOUTH CAROLINA  
C & P, INC.  
SARTO — 803/786-5600  
MICRO COMPUTER DEPOT  
SUNTER — 803/775-5166  
HARDWARE  
ELECTRIC SOLUTIONS CORPORATION  
CLEVELAND — 615/336-3638  
CLOCK OFFICE SUPPLY  
SHIRVER OFFICE SUPPLY  
ALICE — 512/664-2638  
SHIRVER OFFICE SUPPLY  
AUSTIN — 512/258-7668  
INFORMATION PROCESSING SUPPLY  
AUSTIN — 512/445-7223  
KELLY OFFICE PRODUCTS  
CEDAR PARK — 512/258-1556  
A & D OFFICE SUPPLY  
CORPUS CHRISTI — 512/883-1865  
EL PASO MICRO MART INC.  
EL PASO — 915/959-1188  
STEELE OFFICE PRODUCTS  
DALLAS — 512/872-9636  
DICK OFFICE SUPPLY  
NARLEIGH — 512/882-1221  
COMBUST, INC.  
HOUSTON — 713/556-1331  
EXCEL BUSINESS SYSTEMS, INC.  
HOUSTON — 713/556-0236  
COOK OFFICE MACHINES  
MALLIN — 512/686-9576  
COOK OFFICE SUPPLY  
MALLIN — 512/682-6306  
COMAL OFFICE PRODUCTS  
NORTH DALLAS — 915/225-9108  
FERMAN MICRO MART  
DALLAS — 915/367-6179  
ALL AMERICAN OFFICE SUPPLY  
DALLAS — 915/424-8824  
WILCOAT COMPUTING, INC.  
PLANO — 214/424-3583  
HOUSE OF SUPPLIES  
RAYMONDVILLE — 512/688-2524  
AB COMPUTER ELECTRONICS CENTER  
SANDUSKY — 512/231-0090  
THE COMPUTER STORE  
SAN ANGELO — 915/942-7505  
AMERICAN OFFICE PRODUCTS  
SAN ANTONIO — 512/684-8080  
AZTEC BUSINESS FORMS  
SAN ANTONIO — 512/684-7969  
BROWN DISC MANUFACTURING, INC.  
SAN ANTONIO — 512/820-0103  
PAUL ANDERSON CO.  
DALLAS — 512/734-8111  
PREMIER BUSINESS PRODUCTS  
SAN ANTONIO — 512/680-4149  
PROFESSIONAL BUSINESS PRODUCTS  
SAN ANTONIO — 512/822-5544  
TA OFFICE SUPPLY  
SAN ANTONIO — 512/737-3500  
WAGNER BROTHERS COMPUTER STORE  
SAN ANTONIO — 512/657-2012  
COMMERCIAL OFFICE PRODUCTS  
SAN ANTONIO — 512/657-3331  
KILLIP BUSINESS PRODUCTS  
SAN ANTONIO — 512/396-5635  
STEFAN OFFICE PRODUCTS  
SEBUI — 512/372-3950  
VICTORIA OFFICE EQUIPMENT  
VICTORIA — 512/673-4371

NATIONWIDE  
ALVIN/MONROE SCHOOL SUPPLY  
1-800/234-2329  
CT 203/443-8881  
RICHARD YOUNG OFFICE PRODUCTS  
1-800-325-0130  
FL 305/979-3100  
NASCORP, INC.  
1-800-321-3883  
TN 615/774-1831  
NORTHWEST  
EETEL CORP.  
1-800-431-2488  
WA 206/872-7636  
RHYTHM MOUNTAIN  
COMPUTER SERVICES BROKER  
1-800-1088 at dial tone 770-185  
CO 303/687-0561  
ALABAMA  
DUCHESSE COMPUTER PRODUCTS  
BAND BAY — 205/685-6324  
INTERSTATE SCHOOL SUPPLY & EQUIPMENT COMPANY OF ARKANSAS, TENNESSEE, ALABAMA  
1-800-222-8600  
MS 601/948-8600  
ARIZONA  
INTERSTATE SCHOOL SUPPLY & EQUIPMENT COMPANY OF ARKANSAS, TENNESSEE, ALABAMA  
1-800-222-8600  
MS 601/948-8600  
COLORADO  
COLBORN'S  
BENDER — 303/778-1220  
FLORIDA  
GRANDS HART  
N MIAMI — 305/624-5400  
COLLEGE MANAGEMENT SERVICE, INC.  
FL 305/783-3100  
DUCHESSE COMPUTER PRODUCTS  
FL 205/685-6324  
INTERSTATE SCHOOL SUPPLIERS  
1-800-241-4336  
GA 404/997-6714  
GEORGIA  
DUCHESSE COMPUTER PRODUCTS  
FL 205/685-6324  
INTERSTATE SCHOOL SUPPLIERS  
1-800-241-4336  
ATLANTA — 404/997-6714  
ILLINOIS  
DUCHESSE COMPUTER PRODUCTS  
FL 205/685-6324  
MIDWEST COMPUTER SUPPLY  
WEST CHICAGO — 312/231-1112  
INDIANA  
COLLEGE MANAGEMENT SERVICE, INC.  
FL 305/783-3100  
MIDWEST COMPUTER SUPPLY, INC.  
IL 312/231-1112

KENTUCKY  
MENTOR SYSTEMS  
LEXINGTON — 606/231-9519  
LOUISIANA  
INTERSTATE COMPANIES OF LOUISIANA  
1-800-272-8800  
BATON ROUGE — 504/387-5131  
NEW ORLEANS — 504/581-9500  
MARYLAND  
DUCHESSE COMPUTER PRODUCTS  
AL 205/685-6324  
MISSISSIPPI  
DUCHESSE COMPUTER PRODUCTS  
AL 205/685-6324  
MISSISSIPPI SCHOOL SUPPLY COMPANY OF MISSISSIPPI  
1-800-222-8600  
JACKSON — 601/948-8600  
MONTANA  
COLBORN'S  
BILLINGS — 406/245-3158  
NEBRASKA  
COLLEGE MANAGEMENT SERVICE, INC.  
NE 308/783-3100  
NEW JERSEY  
COLLEGE MANAGEMENT SERVICE, INC.  
NJ 303/783-3100  
NEW MEXICO  
COLBORN'S  
ALBUQUERQUE — 505/292-3225  
SPARTAN II ELECTRONICS, INC.  
ALBUQUERQUE — 505/345-3479  
NORTH DAKOTA  
GRAND FORKS — 701/746-5441  
SOUTH CAROLINA  
INTERSTATE SCHOOL SUPPLIERS  
1-800-241-4336  
GA 404/997-6714  
TEXAS  
DUCHESSE COMPUTER PRODUCTS  
AL 205/685-6324  
INTERSTATE SCHOOL SUPPLY & EQUIPMENT COMPANY OF ARKANSAS, TENNESSEE, ALABAMA  
1-800-222-8600  
FL 305/783-3100  
TEXAS  
SPARTAN II ELECTRONICS, INC.  
1-800-241-4336  
WYOMING  
COLBORN'S  
CASPER — 307/765-5028

Ask about other BROWN DISC AND BOWATER SPECIAL OFFERS. BROWN DISC ALSO GIVES YOU 100 SHEET PACKAGES OF FREE BOWATER COMPUTER PAPER WITH THE PURCHASE OF A SCHOLAR 2 PACK.

AND, BOWATER GIVES YOU 1 FREE BROWN DISKETTE WITH 500 SHEETS AND 2 FREE BROWN DISKETTES WITH 2500 SHEETS OF BOWATER COMPUTER PAPER. So, see our dealers today to receive these value packed products!



# Readers Feedback

The Editors and Readers of COMPUTE!

If you have any questions, comments, or suggestions you would like to see addressed in this column, write to "Readers' Feedback," COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

## SpeedScript's Lineage

What are the differences between SpeedScript 3.0, 3.1, 3.2, and so on?

Leo Mitchener

Here's the genealogy of SpeedScript for the Commodore 64: The original 64 SpeedScript (now called version 1.0) appeared in the January 1984 issue of COMPUTE!'s GAZETTE. A slightly modified version (1.1) appeared in COMPUTE!'s Second Book of Commodore 64. The next major update, SpeedScript 2.0, appeared only on the premier GAZETTE DISK in May 1984. Like the original, its title screen did not include a version number; however, it can be distinguished from other versions by its custom character set and help screen.

Version 3.0 made its debut in the March 1985 issue of COMPUTE! and on the special COMPUTE! DISK for that month. It can easily be distinguished from its predecessors because the command line says SpeedScript 3.0. Corrections for several minor bugs were published in the May 1985 "CAPUTE!" column. With these enhancements, the title on the screen indicates version 3.1. It was this version which appeared in the book SpeedScript: The Word Processor for the Commodore 64 and VIC-20, and on the companion disk for that book. Further corrections—most notably a fix for an underlining bug—appeared in the article "SpeedScript 3.0 Revisited" in the December 1985 issue of COMPUTE!; these enhancements changed the version number on the screen to 3.2. Version 3.2 also appeared on the January 1986 COMPUTE! DISK. The corrections in the December article included the changes from version 3.1, so it is possible to upgrade directly from 3.0 to 3.2.

As in many other areas of personal computing, there isn't any official rule that dictates how program versions are to be numbered. For SpeedScript we've fol-

lowed what seems to be the most common convention. In general, a whole number difference (such as 2.0 versus 3.0) signals a major enhancement, while a fractional change (3.0 versus 3.2) indicates minor enhancements. Unless otherwise indicated, a reference to one member of a group is also applicable to the others. We usually use SpeedScript 3.0 to refer to all members of the version 3 family: 3.0, 3.1, and 3.2. For example, the 3.0 version of the POKES given in the January "Readers' Feedback" to make SpeedScript default to disk or tape also works for 3.2, even though this was not stated explicitly.

For a description of how SpeedScript 3.0 differs from previous versions in terms of features, see the article in the March 1985 issue of COMPUTE!.

The VIC-20 version of SpeedScript 3.0 appeared in the April 1985 issue of COMPUTE!. The Atari and Apple versions of SpeedScript start with version 3.0 and made their debut in the May 1985 and June 1985 issues of COMPUTE!, respectively.

## Machine Language Delays

I have recently written a program in 6502 machine language for the VIC-20. I want to have a one- or two-second pause between the title screen and the main program, but I don't know how to make one.

Stephen Brown

One way to create a delay in machine language (ML) is to use a do-nothing loop much as you would in BASIC. For instance, the BASIC loop shown here pauses for about one second on a VIC:

```
FOR TD=1 TO 1000:NEXT
```

A similar machine language loop looks like this:

```
LDY #0
WAIT DEY
      BNE WAIT
      RTS
```

This loop creates a delay, but only for a fraction of a second. To produce a longer delay, you could use two nested loops:

```
LDY #0
LDX #0
WAIT DEY
      BNE WAIT
      DEX
```

BNE WAIT  
RTS

This loop delays for about a second. For longer delays you can use more nested loops combining different memory locations and registers. Some computers have a built-in clock that's available for the same purpose. On the Commodore 64 and VIC-20, for instance, location 162 is incremented every 1/60 second by the computer's hardware interrupt routine. To create a delay with the built-in clock, store a zero in location 162, then wait until it reaches the number of seconds you want to delay divided by 60. This short routine creates a three-second delay:

```
LDA #0
STA 162
WAIT LDA 162
      CMP #180
      BNE WAIT
      RTS
```

## Changing Apple Proofreader's Checksum

I am using an Apple IIe with a color TV as a monitor. One problem with the TV is that reverse characters are difficult if not impossible to read. Is there any way to modify the "Apple Automatic Proofreader" so the checksum numbers appear normal instead of reverse? I am not the best typist in the world and was delighted to find a Proofreader program. But the checksum numbers are so hard to read that I can't use it at all.

Robert A. Love

## Attention Programmers

COMPUTE! mogazine is currently looking for quality articles on Commodore, Atari, Apple, and IBM computers (including the Commodore Amigo and Atari ST). If you have on interesting home application, educational program, programming utility, or game, submit it to COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines."

It's easy to defeat the reverse video effect for Apple computers. Run the Proofreader as usual, then enter this line in direct mode (without a line number):

POKE 804,176: POKE 806,186: POKE 822,176: POKE 824,186

The checksum numbers appear in the usual screen location in normal video. Since this modification makes the checksum harder to distinguish from other numbers on the screen, you probably won't want to make this change unless it's absolutely necessary.

## Scrolling Atari Messages

I am an Atari 1200XL owner. I would like to know how to move a message like 1=LOAD 2=LOCK 3=UNLOCK across the screen.

Bobby Chan

The following BASIC program scrolls any message up to 100 characters across the top of the screen. The variable MESS\$ in line 20 contains the message to be printed. You can reposition the scrolling message to any line on the screen by changing the POSITION statement in line 30.

```

KK 5 DIM MESS$(100),TEMP$(20)
01:L=1
EC 10 PRINT " (CLEAR) ":POKE 8
2,0:POKE 752,1
J0 20 MESS$="TYPE LETTER TO
RUN, OR 1=LOAD 2=LOCK
3=UNLOCK 4=EXIT...":N=
LEN(MESS$)
FE 25 TEMP$(1,N)=MESS$:TEMP$
(N+1,2*N)=MESS$
J0 30 POSITION 0,0:PRINT TEM
P$(L,L+39)
AM 40 L=L+1:IF L>2*N-40 THEN
L=1
EB 50 FOR TO=1 TO 50:NEXT TO
:GOTO 30

```

## IBM BASIC Directory

Can you tell me how to read and display the disk directory on an IBM PC from within a BASIC program?

Kamal Ashour

There are two simple ways to approach this. The first is simply to print the directory to the screen at the appropriate time in your BASIC program. A second method would be to read the directory into a string array for use by your program at some later point. Here's a short routine that employs the first method:

```

EB 100 REM FSPEC$="A:*.":GOTO 1
40
N0 110 PRINT:PRINT"Select drive:
('':COLOR 16,15:PRINT"A
B'':COLOR 7,0:PRINT CHR$(
29)CHR$(29)"/"CHR$(28)"/"
N0 120 DRIVES$=INKEY$+"":A=ASC(
DRIVE$):IF (A OR 32)<97 OR
(A OR 32)>98 THEN 120
IF 130 DRIVE$=CHR$(A AND 223)+":

```

" :FSPEC\$=DRIVE\$+"\*.":

```

00 140 ON ERROR GOTO 150:FILES F
SPEC$=ON ERROR GOTO 0:END
JL 150 BEEP:COLOR 31:CLS:PRINT "
Cannot read directory":CD
LOR 7:ON ERROR GOTO 0:END

```

This routine will ask you from which drive (A: or B:) you want to read the directory. If you have a single-drive system (drive A: only), remove the REM from line 100. Here's another routine that uses the second method:

```

KJ 1000 REM FSPEC$="A:*.":GOTO
1040
LW 1010 PRINT:PRINT"Select drive
: ('':COLOR 16,15:PRINT"A
B'':COLOR 7,0:PRINT CHR$(
29)CHR$(29)"/"CHR$(28)"/"
HC 1020 DRIVES$=INKEY$+"":A=ASC(
DRIVE$):IF (A OR 32)<97
OR (A OR 32)>98 THEN 102
0
NE 1030 DRIVE$=CHR$(A AND 223)+":
:FSPEC$=DRIVE$+"*.":
LN 1040 DEF SEG=0:WIDTH 80
IF 1050 HEAD=1050:TAIL=1052:BUFF
ER=1054
OJ 1060 CLS:COLOR 23,0,0:PRINT"R
eading disk directory"
DE 1070 COLOR 0:ON ERROR GOTO 10
90
EJ 1080 FILES FSPEC$:ON ERROR GO
TO 0:GOTO 1100
IL 1090 BEEP:COLOR 31:CLS:PRINT
"Cannot read directory":
COLOR 7:ON ERROR GOTO 0:
END
HF 1100 DIM TT$(24):LOCATE 3,1:C
OLOR 7:ROWS=0
OJ 1110 POKE HEAD,30:POKE TAIL,3
4:POKE BUFFER,0:POKE BUF
FER+1,79:POKE BUFFER+2,1
3:POKE BUFFER+3,28:"Put
code for End, Enter into
keyboard
DE 1120 LINE INPUT TT$(ROWS):IF
TT$(ROWS)<>" " THEN ROWS=
ROWS+1:GOTO 1110
DN 1130 IF NOT DIMMED THEN DIM F$
$(ROWS*4-1):DIMMED=0
JF 1140 ROWS=ROWS-1:FOR I=0 TO R
OWS:FOR J=0 TO 3
KE 1150 T$=MID$(TT$(I),J*8+1,12)
)
KD 1160 IF T$<>" " THEN F$(ENTRI
E$)=T$:ENTRIES=ENTRIES+1
KA 1170 NEXT J:NEXT I:ERASE TT$:
ENTRIES=ENTRIES-1:DEF SE
G:RETURN

```

This routine reads the filenames from the disk directory into an array named F\$. One advantage of this method is that you need to look only once at the directory. Once the directory information is stored in a string, you can extract the filenames whenever it's convenient and print them in any format you like. With a little more programming, you could cursor through the directory to access a particular file, sort the directory entries alphabetically, catalog all your disks, or whatever. Again, remove the REM from line 1000 if you have a single-drive system.

## 64 RAM Report

Can you give me a short program that tests the RAM in my 64? I have had trouble running a particular BASIC program and think that my computer must have a defective RAM chip.

Fred Wayne

Though it's tempting to blame the hardware when things go awry, RAM chips rarely fail. Every time you turn on a Commodore 64, it performs a RAM verification as part of its normal power-up sequence. It tests every RAM address from location 1024 (the start of screen memory) upward until it hits a ROM (Read Only Memory) location that can't be written to. Unless a cartridge is installed, the test includes all of the BASIC programming space (locations 2048-40959).

Here's how the power-up test works. After saving the original contents of the tested memory location, the computer stores the value 85 (\$55) there, then reads the contents back to make sure the operation was successful. Then it stores the value 170 (\$AA) there and reads the contents again. To understand why those particular values are used, look at them in binary form:

```

01010101 = $55 = 85
10101010 = $AA = 170

```

As you can see, every one bit in the first number is a zero bit in the second and vice versa. While you could test a location by successively writing and reading back every value from 0 to 255 (the maximum range for a single address), this method checks whether you can write and read back a one and a zero in each of the location's eight bits—which amounts to much the same thing. If a RAM address passes both tests, the 64 restores its original contents and proceeds to the next higher location, stopping as soon as it finds a read-back value that doesn't match what was just written. This normally happens at location 40960, the start of BASIC ROM. The location just below that (40959) is used as the top of BASIC memory.

Later in the startup sequence, the 64 subtracts 2048 from the top-of-memory value to calculate the number of bytes free for the startup message. Since 40959 - 2048 = 38911, the familiar message 38911 BASIC BYTES FREE tells you that the 64 just wrote and read back two values for every address in BASIC program space without detecting any errors.


If you're not convinced by the built-in test, here's a short ML program that tests the 64's RAM somewhat more thoroughly, writing and reading back every value from 0 to 255 before it concludes that a RAM address is functional. Be sure to save the program before you run it since



# Two Exciting New Books



from  
**COMPUTE!**



## **COMPUTE!'s First Book of the Commodore 128**

A spectacular collection of articles and programs exclusively for the Commodore 128 *In 128 mode*.

Edited

The editors at COMPUTE! Publications have collected some of the best games, programs, and tutorials for the Commodore 128 from *COMPUTE!* and *COMPUTE!'s Gazette*, plus some never-before-published articles and programs. Learn how to create windows, program sound, and make disks autoloading. You'll even find a map of all the important memory locations. There's something for every 128 user. All programs run in 128 mode. *A disk is available which includes programs in the book, \$12.95.*

**\$14.95** ISBN 0-87455-059-9

## **Electronic Computer Projects**

Learn how to build all kinds of new devices to interface with your computer from inexpensive, available parts.

For the Commodore 64, 128, VIC, and any eight-bit Atari personal computer.

Soori Sivakumaran

This introduction to digital electronics and computer interfacing is the easy way to learn how computers interact with the outside world. Using a Commodore 64, 128, VIC, or any eight-bit Atari computer and *Electronic Computer Projects*, you'll be guided through the steps to building a joystick, light pen, game paddle, and numerous other devices. And since each project is independent from the others, you can choose only those projects that interest you. All the projects can be built at home and most require fewer than half a dozen parts.

**\$9.95** ISBN 0-87455-052-1

Visit your local book or computer store for these new titles. Or order directly from COMPUTE! Books. Call toll-free 800-346-6767 (in NY 212-887-8525) or write COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Please include \$2.00 per book (\$5.00 air mail) for shipping and handling. NC residents add 4.5 percent sales tax. Allow 4-6 weeks from receipt of order for delivery.

**COMPUTE! Publications, Inc.** 

Part of ABC Computer Publications, Inc.  
One of the ABC Publishing Companies  
125 7th Avenue, 6th Floor, New York, NY 10019

Publisher of COMPUTE!, COMPUTE!'s Gazette, C-Magazine, and the COMPUTE! Book and the COMPUTE! Apple Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3NN, England, and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 2Z5.

# COMPU CRAZY

"Ready for an adventurous challenge?  
We're a team. And Nellie  
doesn't horse around."

# COMPU SERVE GAMES

You never know  
who you'll be up against  
when you go online  
with CompuServe.

To buy your CompuServe Subscription Kit,  
see your nearest computer dealer.  
Suggested retail price \$39.95.

To request our free brochure or order direct,  
call or write: **800-848-8199**  
(In Ohio, call 614-457-0802)

**CompuServe®**

1000 Arlington Centre Blvd  
Columbus, OH 43220

the ML portion erases the BASIC loader:

```
FK 10 ADR=49152
JG 20 READ 8YT:IF 8YT<>256 THE
N POKE ADR,8YT:ADR=ADR+1
:CK=CK+8YT:GOTO 20
RC 30 IF CK<>11516 THEN PRINT"
ERROR IN DATA STATEMENTS
--CHECK TYPING":END
JA 40 PRINT "PRESS RETURN TO C
HECK BASIC RAM":PRINT
PB 50 PRINT "SYS 49152*CHR$(14
5)CHR$(145)CHR$(145)
DR 49152 DATA 169,0,133,251,16
9,8,133,252,32,220,25
1
PD 49158 DATA 208,58,166,251,1
65,252,32,205,189,169
,32
SQ 49164 DATA 32,210,255,160,0
,162,0,202,138,145,25
1
FP 49170 DATA 209,251,240,18,1
52,72,138,72,169,72,1
60
JA 49176 DATA 192,32,30,171,10
4,170,104,168,76,59,1
92
DQ 49182 DATA 224,0,200,226,23
0,251,200,2,230,252,1
65
RQ 49188 DATA 252,201,160,200,
193,96,157,95,18,66,6
5
BX 49194 DATA 68,146,32,0,256
```

This program checks the 51199 RAM locations from 2048 to 53247, which includes all of BASIC program space as well as the 8K of RAM underneath BASIC ROM and the 4K RAM zone from 49152 to 53247. If a location passes the test, its address is printed. If not, you'll see the message BAD in reverse video with an arrow pointing to the address. Since it performs over 13 million (51199\*256) read/write operations, this program takes about 15 minutes to run. You can cut it short by pressing any key.

## Format With PRINT USING

I am having difficulty formatting an amortization table on my PCjr that will display dollars to two decimal places (to the cents place). Currently, my program drops the trailing zeros following a decimal point. Do you have a solution for this?

Keith Bovee

The answer is to substitute PRINT USING for the more common PRINT statement. PRINT USING is very versatile and can be used to format the output of string or numeric data. The general format for this command is:

**PRINT USING format; expression(s)**

Replace format with a string constant or variable containing special formatting characters (listed in your BASIC manual). The formatting characters tell the computer exactly how it should print the expression that follows the semicolon. The expression may be either string or

numeric data, and you may include more than one expression.

Perhaps the most common use of PRINT USING is to format numeric data, a task that requires only two formatting characters. The number sign (#) reserves a digit position within the output string, and the dollar sign (\$) stands for a dollar sign. For instance, type the following lines in direct mode (without line numbers):

```
X = 1234.00
```

```
PRINT X
```

```
PRINT USING "$####.##";X
```

The first PRINT statement strips the decimal places, printing 1234. That's normal in BASIC, but undesirable in a program that requires dollars and cents format. The PRINT USING statement prints \$1234.00 complete with a dollar sign and two decimal places. You can find additional examples of how to use PRINT USING in the IBM BASIC manual.

### Disabling Atari BASIC

I recently purchased an Atari 800XL and some programs for it. One of the programs, *Micro League Baseball*, doesn't work because of the built-in BASIC. Is there an easy way to disable the computer's built-in BASIC temporarily?

Chris Greatens

To disable the built-in BASIC on an Atari 600XL, 800XL, or XE, hold down the OPTION key when turning on the computer. On an Atari 400, 800, or 1200XL, simply unplug the BASIC cartridge. ©

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.


# COMPUTOUGH




"Anyone who wants to win MegaWars has to dominate entire planetary systems. And me."

# COMPUFUN

"'You Guessed It!?' It's just like a TV game show. Answer questions—win prizes. And I can play right here in the living room!"







# The Changing Face Of Printer Technology

Joan Rouleau, Research/Copy Editor

*Today's printers are better than ever. They're faster, quieter, more versatile, less expensive, and produce higher-quality output than even their recent predecessors.*

*Innovative new technologies—such as lasers and LED arrays—are offering more choices for home computer owners, while the more established technologies—such as dot-matrix, daisywheel, and ink-jet printers—have been greatly refined. Here's a look at some of the changes that are reshaping the printer marketplace.*

Just five years ago, a 40-characters-per-second daisywheel printer was advertised in this magazine for almost \$2,000—and that was a discount price. Today, that same cash can buy a silent, six-page-per-minute, multiple-font laser printer. Similarly, it wasn't very long ago that the blocky, awkward type produced by dot-matrix printers was appropriate only for printing draft copy. Now, with print resolution as great as 300 dots per inch in some new models, dot-matrix printers are reaching true letter quality. Better yet, the intense competition among manufacturers and retailers continues to push prices down and spawn a wider selection of features.


Printers are becoming such an integral part of the home computerist's workroom that only in a technical sense can they still be considered peripherals. The percentage of home computer owners with a printer nearly doubled between 1983 and 1985: from 28 percent to 53 percent, according to

Link Resources, a New York market research firm. This trend is tied to an increase in word processing and business applications in the home, says the Link study.

Not only are more people buying printers, but they're also expecting more from the printers they buy. In particular, more and more people want better-quality print. A recent survey by another market research firm, Frost & Sullivan of New York, named print clarity as the single most important factor among those choosing a letter-quality printer. Other factors were ease of repair, long life, and then price.

Answering this demand for better print is a wide array of new nonimpact printers and substantial improvements in dot-matrix printers. Laser printers, once affordable only by large businesses, have just begun to drop in price. Within a couple of years, they, too, may become a contender in the home printer arena.

## The expected explosion of computerized graphics in the office...



\* Billions of Dollars

source: The Yankee Group

This document was created using the Apple LaserWriter and MacDraw.

A sample of near-typeset quality output from a laser printer.

**L**aser printers were originally developed about a decade ago for use with mainframe computers, and they work much like photocopy machines. In a photocopy, the original is illuminated with a bright light that transfers the image of the page onto a light-sensitive drum. Through a thermal and electrochemical process, the drum then fuses the image onto another sheet of paper.

A laser printer works in a similar way, but uses a low-power laser to scribe the images onto the drum. Therefore, it is a *page printer*—it prints a whole page at a time rather than a single character at a time, like most printers. The newest laser printers can print up to a fleeting 12 pages per minute. And unlike most

dot-matrix or daisywheel printers, they run quietly.

In the last couple of years, improvements in laser and photocopy technology brought the price of laser printers down to the \$7,000 range, making them accessible to considerably more businesses. Then, last fall, QMS of Mobile, Alabama, introduced its Kiss laser printer for only \$1,995, bringing this technology within reach of small businesses and some home users.

Among the other manufacturers who are developing laser printers in the \$2,000 to \$3,000 range are Okidata, Canon, Mannesmann Tally, Dataproducts, and ITT Qume. Many industry watchers predict that a \$1,000 laser printer will be available by the end of 1987.


Others, however, are more skeptical about how soon the laser printer will become a mainstay in the home. Laser printers are still quite costly to manufacture, they argue, and it may be some time before these costs go down. Virtually all of the mechanisms for laser printers are made in Japan, and the devaluation of the dollar against the yen may keep laser printers more expensive for a while.

**P**erhaps in light of these considerations, some manufacturers are looking to other nonimpact technologies for their page printers. Particularly favored among several manufacturers is the light-emitting diode (LED) array. LEDs are tiny semiconductors that emit light when energized by a pulse of current, often seen as power indicator lights on stereos and computers. LED printers work something like laser printers, except they use an LED array to print the page instead of a laser. LED array printers are comparable in speed to laser printers, and because they have fewer moving parts, they are cheaper to produce and transport. Among the manufacturers who have chosen LED technology for their page printers are IBM and Datasouth.

Another nonimpact technology, *ion deposition*, also is making its debut. Instead of using light to transfer the image onto a drum, these printers shoot ion beams onto an electrically conductive drum.



# \$29.95. A SMALL PRICE TO PAY TO FIRE UP YOUR INVESTMENTS.



Invest it in the Dow Jones News/Retrieval® Membership Kit, and sample the nation's premier online financial information resource. With five free hours\* to explore, a User's Guide to point the way, and a subscription to *Dowline*—the magazine of News/Retrieval, filled with case studies and insights—the Membership Kit will show you how to find fuel for your investment ideas.

Monitor current stock quotes, or track historical trends for companies or industries that interest you. Call up earnings and economic forecasts, and reports from major brokerage houses. Get breaking news as early as 90 seconds after it appears on the newswires, and news from *The Wall Street Journal* (online exclusively with News/Retrieval) back to January 1, 1984—to see what impact government or world events are having on the marketplace.

You can access News/Retrieval with almost any computer and modem, terminal or communicating word processor.

The Dow Jones News/Retrieval Membership Kit. Use it to kindle your success. Without getting burned.

To order or for more information, call **1-800-345-8500, Ext. 337.** (Alaska, Hawaii and foreign, call 1-215-789-7008, Ext. 337.) Or use the coupon today.

#### YES! I want my investments fired up!

Send me the Dow Jones News/Retrieval® Membership Kit.

- ☐ **Personal offer - \$29.95 Each** includes: • 5 Free Hours\* • Single Password  
• User's Guide • 1 Year of *Dowline* • \$12 Annual service fee waived for one year
- ☐ **Corporate offer (for multiple users) - \$49.95 Each** includes: • 8 Free Hours\*  
• Multiple Passwords • User's Guide • 1 Year of *Dowline*  
• \$12 Annual service fee waived for one year

#### ☐ Send more information

\$\_\_\_\_\_ ENCLOSED (Check or Money Order)

☐ Bill me later    Charge to: ☐ AmExp    ☐ MC    ☐ VISA

Card No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Daytime Phone Number \_\_\_\_\_

Computer Make & Model \_\_\_\_\_

Mail to: DJN/R Membership Kit, P.O. Box 300, Princeton, NJ 08543-0300  
ATTN: John McGovern 5C00506E

## Dow Jones News/Retrieval®

*Fuel for your ideas.*

**\$29.95 Membership Kit also available at computer retailers and selected bookstores.**

\*Per account. Limited to new subscribers only. Free time (5 hours per Personal offer; 8 hours per Corporate offer) must be used within 30 days after receipt of password(s). Certain data bases have fees over and above usage charges which are excluded from free time offer.

Copyright © 1986 Dow Jones & Company, Inc. All rights reserved. Dow Jones News/Retrieval is a registered service mark of Dow Jones & Company, Inc.



*Axiom's TX 2000 can print out a hard-copy of any video display.*

Unlike laser or LED printers, ion deposition printers do not use heat as part of the transfer process. Companies investigating this technology include Star Micronics, Mannesmann Tally, and C. Itoh. Mannesmann's director of marketing, John Roberts, predicts that ion deposition printers are "the nonimpact technology that will probably come closest to replacing impact printers."

On another front, ink-jet printers continue to evolve and generate interest. These printers, as the name implies, spray a jet of ink from several tiny nozzles onto the paper. When first introduced, they could only produce draft-quality copy which had a tendency to smudge. Now major manufacturers

such as Canon and Diablo are perfecting this technology and are reportedly developing high-resolution ink-jet printers.

Nonimpact technology is still in its infancy and will likely undergo a great many changes—in speed, price, and sophistication—over the next few years. "Lasers have opened the door. We're finding that there are other doors," says Tom Bongiorno, director of marketing for Star Micronics. "Just as when the first dot-matrix printer came out, it was certainly a breakthrough. Then print quality became better, prices dropped to one third or less than initially...the quality continues to pick up and prices will probably still drop."

**D**oes this surge of new nonimpact printers aimed at the home market mean the demise of dot-matrix? Not anytime soon. Dot-matrix printers are still considerably cheaper and have improved quite a lot over the past couple of years. Says Dennis Cox of Epson America, "There's continued optimism and growth in the dot-matrix industry. We're seeing more products become available, improved features, and new price levels."


Just in the last year, the resolution of dot-matrix print has greatly improved. All dot-matrix printers use a printhead which consists of a vertical row of stacked wires. As the printhead moves across the page, these wires are hammered onto the paper in different patterns to form characters in a rectangular matrix. When dot-matrix printers were first introduced, characters were formed in a 5 × 7 or 8 × 8 matrix (see the accompanying figure). Now several printers are on the market which have 18 or even 24 wires in their printheads. This allows the printer to form characters which are much better defined, and produce better graphics as well. Improvements have also been made which enable better positioning of the printhead, so even nine-wire printheads can produce higher-quality print than ever before.

Among the new high-resolution dot-matrix printers are Toshiba's P321 (\$699), which features a 24-wire printhead, 80-column carriage, and multiple type font


*A 5 × 7 character from a 8-pin printhead.*




*A 24 × 30 character from a 24-pin printhead.*



# C-128<sup>™</sup> and C-64<sup>™</sup> REQUIRED READING




Detailed guide presents the 128's operating system, explains graphics chips, Memory Management Unit, 80 column graphics and commented ROM listings. 500pp \$19.95



Get all the inside information on BASIC 7.0. This exhaustive handbook is complete with commented BASIC 7.0 ROM listings, Coming Summer '88. \$19.95



Filled with info for everyone. Covers 80 column hi-res graphics, windowing, memory layout, Kernel routines, sprites, software protection, auto-starting. 300pp \$19.95




Insider's guide for novice & advanced users. Covers sequential & relative files, a direct access commands. Describes DOS routines. Commented listings. \$19.95




Learn fundamentals of CAD while developing your own system. Design objects on your screen to dump to a printer. Includes listings for '84 with Simon's Basic. 300pp \$19.95




Introduction to programming; problem analysis; thorough description of all BASIC commands with hundreds of examples; monitor commands; utilities; much more. \$16.95



Presents dozens of programming quick-hitters. Easy and useful techniques on the operating system, stacks, zero-page, pointers, the BASIC interpreter and more. \$16.95



Essential guide for everyone interested in CPM on the 128. Simple explanation of the operating system; memory usage, CPM utility programs, submit files and more. \$19.95



**ANATOMY OF C-64** Insider's guide to the '64 Internals. Graphics, sound, I/O, kernel, memory maps, more. Complete commented ROM listings. 300pp \$19.95

**ANATOMY OF 1541** DRIVE Best handbook on floppy explains all. Many examples and utilities fully commented 1541 ROM listings. 500pp \$19.95

**MACHINE LANGUAGE C-64** Learn 6510 code write fast programs. Many samples and listings for complete assembler, monitor, & simulator. 200pp \$14.95

**GRAPHICS BOOK C-64** - best reference covers basic and advanced graphics. Sprites, animation, hires, Multicolor, lightpen, 3D graphics, IRO, CAD, projections, curves, more. 350pp \$19.95

**TRICKS & TIPS FOR C-64** Collection of easy-to-use techniques: advanced graphics, improved data input, enhanced BASIC, CPM, more. 275pp \$19.95

**1541 REPAIR & MAINTENANCE** Handbook describes the disk drive hardware, includes schematics and techniques to keep 1541 running. 200pp \$19.95

**ADVANCED MACHINE LANGUAGE** Not covered elsewhere - video controller, interrupts, timers, clocks, I/O, real time, extended BASIC, more. 210pp \$14.95

**PRINTER BOOK C-64/VIC-20** Understand Commodore, Epson-compatible printers and 1520 plotter. Packed: utilities; graphics dump; 3D plot; commented MP\$801 ROM listings, more. 300pp \$19.95

**SCIENCE/ENGINEERING ON C-64** In depth intro to computers in science. Topics: chemistry, physics, biology, astronomy, electronics, others. 85pp \$19.95

**CASSETTE BOOK C-64/VIC-20** Comprehensive guide; many sample programs. High speed operating system fast file loading and saving. 225pp \$14.95

**IDEAS FOR USE ON C-64** Themes: auto expenses, calculator, recipe file, stock lists, diet planner, window advertising, others. Includes listings. 200pp \$12.95

**COMPILER BOOK C-64/C-128** All you need to know about compilers: how they work; designing and writing your own; generating machine code. With working example compiler. 300pp \$19.95

**Adventure Gameworkers Handbook** Step-by-step guide to designing and writing your own adventure games. With automated adventure game generator. 200pp \$14.95

**PEEK & POKES FOR THE C-64** Includes in-depth explanations of PEEK, POKE, USR, and other BASIC commands. Learn the "inside" tricks to get the most out of your '64. 200pp \$14.95

**Optional Diskette for books** For your convenience, the programs contained in each of our books are available on diskette to save you time entering them from your keyboard. Specify name of book when ordering. \$14.95 each

## Abacus Software

P.O. Box 7219 Grand Rapids, MI 49510 - Telex 709-101 - Phone (616) 241-5510

Call now for the name of your nearest dealer. Or to order directly by credit card, MC, AMEX or VISA call (616) 241-5510. Other software and books are available—Call and ask for your free catalog. Add \$4.00 for shipping per order. Foreign orders add \$10.00 per book. Dealer inquiries welcome—1400+ nationwide.

C-128 and C-64 are trademarks of Commodore Business Machines Inc.





The first laser printer for under \$2,000: The new Kiss from QMS.

cartridges. Okidata's 2410 (\$2,395) also has a 24-wire printhead and can print 136 columns across. Star Micronic's NB-15 (\$1,449), another 24-wire printer, produces letter quality at 100 characters per second (cps) and draft quality at 300 cps, and has a 16K buffer. NEC has a new line of dot-matrix printers which includes the 24-wire Pinwriter P5 (\$1440-\$1560). Fujitsu America's 24-wire dot-matrix printer has a liquid crystal display which shows the print status. Recently released 18-wire dot matrix printers include Mannesmann Tally's MT490 and Datasouth's DS440 (prices haven't been released for either machine). While these may still be a little too expensive for many home users, the prognosis for less costly high-resolution dot-matrix printers over the next few years is very good.

Dot-matrix printers are also improving in speed and other features. "What we feel is the trend for the dot-matrix market right now is that more and more features are being built into printers," says Frank Rexach, product manager for C. Itoh. Some of the features in C. Itoh's new C310 are 300 cps draft printing, paper feeding from the top, bottom, and rear, and all control keys located on the front panel.

The dot-matrix printer's chief rival, the daisywheel, stands a chance of being superseded by the letter-quality dot-matrix printers and the new nonimpact devices. Daisywheel printers work much like typewriters and used to be the only way to get letter-quality print. Now many manufacturers have slowed or stopped their production of daisywheels while expanding into the dot-matrix and nonimpact areas.

As Mannesmann Tally's John Roberts says, "Daisywheel manufacturers are the most subject to displacement by the laser printer." Or, as another manufacturer puts it, "I wouldn't want to be *only* in the daisywheel market right now."

**A**nyone who ever tried to use a printer for graphics knows how difficult it can be. While virtually all dot-matrix printers have some graphics capability, there are no standard control codes for accessing this feature. Programs that print graphics have a hard time supporting all the different printers that are available.

This situation has led to the development of *page description languages*. With a page description language, your software can access features like graphics and text in

several fonts without knowing what kind of printer you have. All that's necessary is that your printer understand the page description language that your software is generating. One of the most popular of these is *PostScript* by Adobe Systems, which can be used with the Apple LaserWriter and other printers.

Thanks to *PostScript*, high-quality printing is available to those who can't justify the expense of a laser printer for occasional printing jobs. A document description can be sent over a phone line with a modem, and some professional typesetting machines understand *PostScript*. So in some areas, it's already possible to create and lay out a document, upload it to a print shop that has one of these typesetters, and have it typeset without leaving your home.

Other new developments in the area of printer graphics include the *digital videoprinter*—a printer which makes hardcopy from any type of raster-scan video display (including computer monitors and TVs). The TX 2000 videoprinter, recently released by Axiom Corporation, can capture a moving video image and even rotate or reverse the image. The TX 2000 lists for \$1,995.

A number of new color printers are also opening up new graphics possibilities for home computers. Juki has just released a nine-wire color dot-matrix printer which can produce up to seven colors from a four-color ribbon. Fujitsu America is offering a color version of its 24-wire dot-matrix printer. And a few companies are developing color laser printers for use with personal computers. It'll be a while before these devices are found in many homes, though—color laser printers, like color photocopiers, are still very expensive.


Advances in printer technology continue at a rapid pace, and the printers that have been recently announced demonstrate just how quickly the market is progressing. Whether you need a simple and inexpensive dot-matrix printer for casual use or a state-of-the-art laser printer for near-typeset quality documents, the latest printers provide unprecedented performance at far lower prices. ©

# '128 and C-64™

# SPECTACULAR SOFTWARE




The complete compiler and development package. Speed up your programs 5x to 35x. Many options: flexible memory management; choice of compiling to machine code, compact p-code or both. '128 version: 40 or 80 column monitor output and FAST-mode operation. '128 Compiler's extensive 80-page programmer's guide covers compiler directives and options, two levels of optimization, memory usage, I/O handling, 80 column hi-res graphics, faster, higher precision math functions, speed and space saving tips, more. A great package that no software library should be without. **128 Compiler \$59.95**  
**64 Compiler \$39.95**




Remarkably easy-to-use interactive drawing package for accurate graphic designs. New dimensioning features to create exact scaled output to all major dot-matrix printers. Enhanced version allows you to input via keyboard or high quality lightpen. Two graphic screens for COPYING from one to the other. DRAW, LINE, BOX, CIRCLE, ARC, ELLIPSE available. FILL objects with preselected PAT-TERNS; add TEXT; SAVE and RECALL designs to/from disk. Define your own library of symbols/objects with the easy-to-use OBJECT MANAGEMENT SYSTEM—store up to 104 separate objects. **C-128 \$59.95**  
**C-64 \$39.95**

TECHNICAL ANALYSIS SYSTEM—store up to 104 separate objects.




Fast loading (8 sec. 1571, 18 sec. 1541); Two standard I/O libraries plus two additional libraries—math functions (sin, cos, sqrt, etc.) & 20+ graphic commands (line, fill, dot, etc.).

For school or software development. Learn C on your Commodora with our in-depth tutorial. Compile C programs into fast machine language. C-128 version has added features: Unix™-like operating system; 60K RAM disk for fast editing and compiling. Linker combines up to 10 modules; Combine MML and C using CALL; 51K available for object code; C-128 \$79.95  
**C-64 \$79.95**



Not just a compiler, but a complete system for developing applications in Pascal with graphics and sound features. Extensive editor with search, replace, auto, renumber, etc. Standard J & W compiler that generates fast machine code. If you want to learn Pascal or to develop software using the best tools available—SUPER Pascal is your first choice. **C-128 \$59.85**  
**C-64 \$59.95**



Easily create professional high quality charts and graphs without programming. You can immediately change the scaling, labeling, axis, bar-filling, etc. to suit your needs. Accepts data from CalcResult and MultiPlan. C-128 version has 3X the resolution of the '64 version. Outputs to most printers. **C-128 \$39.95**  
**C-64 \$39.95**

## PowerPlan

One of the most powerful spreadsheets with integrated graphics. Includes menu or keyword selections, online help screens, field protection, windowing, trig functions and more. PowerGraph, the graphics package, is included to create integrated graphs & charts. **C-64 \$39.95**

**COBOL Compiler for the C-64 \$39.95**  
**Ada Compiler for the C-64 \$39.95**  
**VideoBasic Language for the C-64 \$39.95**

## OTHER TITLES AVAILABLE:

### Technical Analysis System

Sophisticated charting and technical analysis system for serious investors. Charting and analyzing past history of a stock, TAS can help pinpoint trends & patterns and predict a stock's future. Enter data from the keyboard or from online financial services. **C-64 \$59.95**

### Personal Portfolio Manager

Complete portfolio management system for the individual or professional investor. Easily manage your portfolios, obtain up-to-the-minute quotes and news, and perform selected analysis. Enter quotes manually or automatically through Warner Computer Systems. **C-64 \$39.95**

### Xper

XPER is the first "expert system" for the C-128 and C-64. While ordinary data base systems are good for reproducing facts, XPER can derive knowledge from a mountain of facts and help you make expert decisions. Large capacity. Complete with editing and reporting. **C-64 \$59.95**

C-128 and C-64 are trademarks of Commodore Business Machines Inc. Unix is a trademark of Bell Laboratories.

# Abacus Software

P.O. Box 7219 Grand Rapids, MI 49510 - Telex 709-101 - Phone (616) 241-5510

Call now for the name of your nearest dealer. Or to order directly by credit card, MC, AMEX or VISA call (616) 241-5510. Other software and books are available—Call and ask for your free catalog. Add \$4.00 for shipping per order. Foreign orders add \$12.00 per item. Dealer inquiries welcome—1400+ nationwide.

# Buyer's Guide To The PRINTERS OF 1986

If you already know how you'll be using a printer and what features you'll need before you start shopping, the hard part is over. There are many good printers available for a variety of applications, and prices continue to drop as manufacturers expand their hardware lines.

We've gathered information on printers in the under-\$800 price range and listed some of the most important features in the following chart. Any omissions are not an editorial judgment of quality.

Here's a brief explanation of the major categories on the chart:

**Compatibility.** Chances are your computer has either a serial or parallel port (or both) that hooks up to a printer. Some printers come in either serial or parallel versions; some offer both interfaces; and some are available in parallel or serial only. If the printer you want comes only in a version that doesn't support your computer, you should be able to buy a separate interface that allows that configuration. Also, many printer manufacturers sell interfaces designed specifically for certain computers, avoiding any compatibility problems.

Be careful here. In some situations, a particular interface will let you print text, but will be incapable of producing graphics. If there's any doubt, it's best to try and test your setup at a computer dealer.

**Print technology.** This refers to how characters and graphics are

actually transferred from printer to paper. There are three types in this price range: impact, thermal, and ink-jet.

**Impact** printers form characters by striking the paper through an inked ribbon, either with a *daisy-wheel* (a small wheel whose spokes have letters and numbers on their tips), or with a printhead containing a column of tiny wires or pins that form characters and graphics (*dot-matrix*). **Thermal** printers use either a column of hot pads that change the color of heat-sensitive paper, or a column of tiny spark plugs that evaporate a special aluminum coating onto the paper, exposing an underlying dark surface. Thermal printers require special paper, which often costs more than regular paper and has a shorter life. **Thermal transfer** printers work with any kind of paper because they use ribbons; heat from the printhead melts a waxlike ink onto the paper. **Ink-jet** printers spray ink onto the paper through tiny holes.

**Speed.** How fast does the printer operate? This can vary if the printer offers different modes. **Draft mode** is usually the fastest, but produces rougher, fainter type. **Near letter quality (NLQ)**, or **correspondence mode**, takes longer to print, but looks more polished. Some printer speeds vary depending on the type of *font* (for example, pica or elite) used. In our chart, a wide speed range, like 30-120 characters per second (cps), indicates that the

printer offers some kind of correspondence-quality type.

**Pitch.** This indicates how many characters fit on a line, measured in characters per inch (cpi) or characters per line (cpl). The pitch range for a printer often varies greatly, especially if it is capable of printing several types of fonts.

**Buffer.** A buffer is an area of memory in a printer that can store a fixed amount of text while the printer is working, freeing up the computer for other tasks. Most printers in the under-\$800 price range still have rather small buffers, so if you'll be doing many long printing jobs, you may want to consider buying an add-on buffer.

**Feed type.** **Friction-feed** printers grip the paper and move it around the platen much as a typewriter does, while **tractor-feed** printers have teeth at both ends of the platen that grab holes at the edges of continuous-feed paper. Many printers have optional tractors.

**Suggested retail price.** This is the price set by the manufacturer; you may well find it at a lower price if you shop around.

A full explanation of the graphics capabilities of each printer takes more space than we have available. If you plan to use your printer extensively for printing graphics, make sure it's capable of doing what you need before you buy.



Model Name	Manufacturer/ Distributor	Compatibility	Print Technology	Speed	Pitch	Buffer	Feed Type	Warranty	Suggested Retail Price	Comments
Alphacom Aero	Alphacom, Inc.	Parallel or serial std	Dot matrix	130 cps	5-16.5 cpi	2K	Friction and pin std	6 months	299	Dot addressable and fully programmable graphics
Alphapro 101	Alphacom, Inc.	Parallel or serial std	Daisy wheel	20 cps	10-15 cpi	93 characters	Friction std	6 months	399.95	
Image Writer	Dot matrix	Serial std	Dot matrix	120 cps	4.5-17 cpi	32K available	Friction or tractor std	90 days	495	
Image Writer II	Apple Computer	Compatible with Apple II, III, Lisa	Dot matrix	180-250 cps	4.5-17 cpi	32K available	Friction and adjustable width pin std; sheet feeder opt	90 days	595	
Scitex	Apple Computer	Serial std	Dot matrix	50-80 cps	10-17 cpi	N/A	Tractor std	90 days	349	Two week trial available
AppleLink Daisy 1120	AppleLink	Parallel std; serial opt	Daisy wheel	20 cps	10-15 cpi and proportional	2K	Friction and auto cut sheet feeder opt	1 year	299.95	Two week trial available
Elite 5	AppleLink	Parallel and Commodore serial std	Daisy wheel	10-12 cps	10 cpi	None	Friction std; tractor opt	1 year	174.95	Two week trial available; Commodore version \$184.95
SP-1000	AppleLink	Parallel or direct connect IBM standard	Dot matrix	20-70 cps	10-15 cpi	1.5K	Friction and tractor std	2 years	239.95	Dot addressable graphics; Commodore graphics built in on Commodore version (2/13/85)
DX 1500	Ascom Corp.	Parallel std	Daisy wheel	14 cps	10-12 cpi and proportional	2K	Friction std; tractor and auto cut sheet feeder opt	1 year	349	
DX 2000	Ascom Corp.	Parallel std	Daisy wheel	20 cps	10-15 cpi and proportional	2K	Friction std; tractor opt	1 year	449	
DX 2500	Ascom Corp.	Parallel std; serial opt	Daisy wheel	20 cps	10-15 cpi and proportional	2K	Friction std; tractor opt	1 year	499	
DX 3500	Ascom Corporation	Parallel and serial std	Daisy wheel	35 cps	10-17 cpi and proportional	2K	Friction std; tractor opt	1 year	699	
Thin Print 807/80S	Axonix Corp.	Parallel or serial std	Thermal transfer dot matrix	40 cps	10-17 cpi	2K	Friction std	90 days	339	High resolution graphics; portable (battery powered); AC adaptor included
Thin Print 100	Axonix Corp.	Parallel or serial std	Thermal transfer dot matrix	25-100 cps	10-17 cpi	2K	Friction std	90 days	299	
Thin Write 80W	Axonix Corp.	Parallel and serial std; High Capacity	Dot matrix	24-100 cps	5-17 cpi	2K	Friction std; tractor opt	90 days	449	Battery powered
Thin Write 100	Axonix Corp.	Parallel and serial std	Dot matrix	25-100 cps	5-17 cpi	4K	Friction and pin std; tractor opt	90 days	479	
Blue Chip 120/NIQ	Blue Chip Electronics	Parallel std	Dot matrix	120 cps	5-17 cpi	3 lines	Tractor std	6 months	279	
D12/10	Blue Chip Electronics	Commodore serial std	Daisy wheel	12 cps	10 cpi	2K	Friction std; tractor opt	6 months	249	Comes with Fleetwritter III wordprocessor
D20/10	Blue Chip Electronics	Parallel and Commodore serial std	Daisy wheel	20 cps	10 cpi	2K	Friction std; tractor opt	6 months	279	Comes with Fleetwritter III wordprocessor
M 120/10	Blue Chip Electronics	Parallel std; serial opt	Dot matrix	120 cps	5-17 cpi	3 lines (4K opt)	Friction and tractor std	6 months	229	Dot addressable graphics
M 150/15	Blue Chip Electronics	Parallel std; serial opt	Dot matrix	130 cps	5-17 cpi	2K	Friction and tractor std	6 months	349	Dot addressable graphics
HR-10	Brother International Corp.	Parallel and serial std	Daisy wheel	12 cps	10-15 cpi and proportional	2K	Friction and tractor std	90 days	349	Dot addressable graphics
M-1109	Brother International Corp.	Parallel and serial std	Dot matrix	25-100 cps	10 cpi	2K	Friction std; tractor opt	1 year	269	Seven bit image graphics
M-1509	Brother International Corp.	Parallel and serial std	Dot matrix	45-180 cps	10 cpi	3K	Friction and tractor std; 1 year cut sheet feeder opt	1 year	549	
Prowriter Jr. series	C. Itoh	Parallel std; serial opt	Dot matrix	70-105 cps	10-17 cpi	1 line	Friction and tractor std	1 year	329	
Prowriter C-310	C. Itoh	Serial or parallel std	Dot matrix	45-180 cps	10-17 cpi	2K	Tractor and tractor std	1 year	499	
Y10-20	C. Itoh	Parallel std; serial opt	Daisy wheel	28-300 cps	10-15 cpi	2K	Friction and tractor std	1 year	599	
Legend 808	CAL-ARCO	Serial or parallel std	Dot matrix	22 cps	10-15 cpi	2K	Friction and tractor opt	1 year	549	Bit image graphics
Legend 1060A	CAL-ARCO	Parallel std	Dot matrix	50-100 cps	5-17 cpi	1 line	Friction and tractor std	90 days	199	Five switch selectable modes including NLQ
Legend 1380	CAL-ARCO	Parallel std; serial opt	Dot matrix	160 cps	5-17 cpi	2K std; 4K opt	Friction and tractor std	90 days	379	10" version of 1385
Legend 1385	CAL-ARCO	Parallel std; serial opt	Dot matrix	160 cps	5-17 cpi	2K (4K opt)	Friction and tractor std	90 days	449	
A-40	Canon USA, Inc.	Parallel std	Dot matrix	27-140 cps	10 cpi std	1.4K	Friction and tractor std	1 year	349	
A-50	Canon USA, Inc.	Parallel std; serial opt	Dot matrix	34-180 cps	10 cpi std	2K	Friction and tractor std; forms guide opt	1 year	499	Epson FX compatible
A-55	Canon USA, Inc.	Parallel std	Dot matrix	27-140 cps	10 cpi std	1.4K	Friction and tractor std; forms guide opt	1 year	699	

## THE CMO ADVANTAGE

## HOME COMPUTERS

## HOME SOFTWARE

## MODEMS

# TO ORDER CALL TOLL FREE 1-800-233-8950 DEPARTMENT A206

OR MAIL YOUR ORDER TO:

**COMPUTER MAIL ORDER**  
Department A206  
477 E. Third Street  
Williamsport, PA 17701



## POLICY

Add 3% (Minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery use your credit card or send cashier's check or bank money order. Pennsylvania residents add 6% sales tax. All prices are subject to change and all items are subject to availability. Defective software will be replaced with the same item only. Hardware will be repaired or replaced at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee.

## EDUCATIONAL INSTITUTIONS

# CALL TOLL FREE 1-800-221-4283

CUSTOMER SERVICE  
& TECHNICAL SUPPORT  
1-717-327-1450

## CANADIAN ORDERS

1-800-268-3974  
Ontario/Quebec

1-416-828-0866  
In Toronto

1-800-268-4559  
Other Provinces

TELEX: 06-218960

2505 Dunwin Drive,  
Mississauga, Ontario  
Canada L5L1T1

All prices shown are for U.S.A. orders. Call the Canadian Office for Canadian prices.

## THE CMO ADVANTAGE

- Next day shipping on all in-stock items.
- Free easy access order inquiry.
- Orders from outside Pennsylvania save state sales tax.
- Free technical support from our factory trained technicians.
- There is no limit and no deposit on C.O.D. orders.
- There is no extra charge for using your Visa or MasterCard and your card is not charged until we ship.
- No waiting period to cashier's checks.
- We accept purchase orders from qualified corporations. Subject to approval.
- Educational discounts available to qualified institutions. (See the toll free educational phone number above.)
- FREE CATALOG MEMBERSHIP

## APPLE

APPLE IIe.....	CALL
APPLE IIc.....	CALL
IIc LCD Display.....	CALL

## ATARI

65XE (64K).....	CALL
130XE (128K).....	CALL
520ST (512K).....	CALL
800XL 64K.....	CALL
1010 Recorder.....	\$49.99
1050 Disk Drive.....	CALL
1020 Printer.....	\$29.99
1027 Letter Quality Printer.....	\$129.00
1030 Direct Connect Modem.....	\$59.99
Comrex 220 Aten.....	\$89.99

## COMMODORE

Amiga Package	
512K, 2 Drive, RGB Monitor.....	\$179.00
C64 Package	
C64, C1541, C1802.....	\$559.00
C128 Computer.....	\$299.00
C1571 (Disk Drive for C128).....	\$249.00
C1802 (RGB 13" Monitor for C128).....	CALL
C1870 (Modem for C128).....	\$179.00
C1350 DeltaSette.....	\$39.99
C1680 Auto Modem.....	\$59.99
DPS 1101 Daisy Printer.....	\$339.00
Comrex 220 (C64 Interface).....	\$69.99
Xelac SuperGraphix 8K.....	\$69.99

## GRAPHICS

## Polaroid

Palette.....	\$1399.00
Power Processor.....	\$229.00
Illuminated Slide Mounter.....	\$39.99
Polecolor 2 Pack film.....	\$18.99

## ACCESSORIES

## CURTIS POWER STRIPS

Diamond SP-1.....	\$29.99
Emerald SP-2.....	\$39.99
Sapphire SPF-1.....	\$49.99
Ruby SPF-2.....	\$59.99
Safe Strip SP-3.....	\$19.99

## KENSINGTON

MasterPebc.....	\$99.99
MasterPebc Plus.....	\$119.00

## PORTABLE COMPUTERS

HEWLETT  
PACKARD

41VC.....	\$199.00
41CX.....	\$199.00
HP 11C.....	\$49.99
HP 12C.....	\$75.99
HP 15C.....	\$75.99
HP 16C.....	\$89.99
HP/IL Module.....	\$96.99
HP/IL Cassette or Printer.....	\$359.99
Card Reader.....	\$143.99
Extended Function Module.....	\$63.99
Time Module.....	\$63.99

We stock the full line of  
HP calculator products

## NEC

PC-8401 LS.....	\$699.00
PC-8201 Portable Computer.....	\$339.00
PC-8231 Disk Drive.....	\$599.00
PC-8221A Thermal Printers.....	\$149.00
PC-8281A Data Recorder.....	\$99.99
PC-8201-06 8K RAM.....	\$79.99

## SHARP

PC-1350.....	\$143.00
PC-1261.....	\$149.00
PC-1500A.....	\$169.00
PC-1250A.....	\$89.99
CE-125 Printer/Cassette.....	\$129.00
CE-150 Color Printer Cassette.....	\$149.00
CE-161 16K RAM.....	\$129.00

## ARTWORK

Bridger 4.0.....	\$17.99
Strip Poker.....	\$19.99

## BRODERBUND

Print Shop (All).....	\$29.99
Graphics Library I, II, III (All).....	\$17.99
Bank Street Writer (64, AT).....	\$34.99
Bank Street Writer (IIe/IIc).....	\$44.99

## BATTERIES INCLUDED

Paperclip (AT, 64/128).....	\$37.99
Paperclip (IIe/IIc).....	\$44.99
Homepage (64/AT).....	\$29.99
D.E.G.A.S. (520).....	\$27.99

## CONTINENTAL SOFTWARE

Home Accountant (All).....	\$44.99
Tax Advantage (All).....	\$44.99
Home Acct./Tax Bundle (All).....	\$59.99

## JANE

Wordpro/daBanc (C64).....	\$39.99
---------------------------	---------

## MICROPROSE

Kennedy Approach (All).....	\$24.99
Croquet (All).....	\$24.99
Silent Service (All).....	\$24.99

## MICRO SYSTEMS

Analyze for Amiga.....	\$69.99
------------------------	---------

## PFS

File (64).....	\$39.99
File, Report, Graph (IIe/IIc).....	\$79.99
Write w/Proof (IIe/IIc).....	\$79.99
Workmates (IIe/IIc).....	\$169.00

## PSI

Fleet Systems III (C128).....	\$59.99
-------------------------------	---------

## ROCKLAN

## Game Carts for Atari

Warlord of Wolf.....	\$3.99
Gaz.....	\$3.99
Space Journey.....	\$3.99
Journey to Planet.....	\$3.99
Reck-Em-Up.....	\$3.99
Diamond Mind.....	\$3.99

## SPRINGBOARD

Newsroom (64).....	\$32.99
Clip Arts (64).....	\$19.99
Newsroom (Apple).....	\$39.99
Clip Arts (Apple).....	\$22.99

## SUBLOGIC

Flight Simulator (All).....	\$37.99
Jet (64).....	\$37.99

## DISKETTES

## Dennison

Elephant 5 1/4" SS/SD.....	\$9.99
Elephant 5 1/4" SS/DD.....	\$11.99
Elephant 5 1/4" DS/DD.....	\$11.99
Elephant Premium DS/DD/50.....	\$9.99
Elephant 3 1/2" SS/DD.....	\$24.99

## IBM

5 1/4" DS/DD floppy disks	
(Box of 10).....	\$26.99

## maxell

3 1/2" SS/DD (10).....	\$18.99
3 1/2" DS/DD (10).....	\$29.99
5 1/4" MD-1 SS/SD (10).....	\$11.99
5 1/4" MD-2 DS/DD (10).....	\$16.99
5 1/4" MD-2HD for AT (10).....	\$12.99
3 1/2" 5 pack SS/DD/Case.....	\$9.99

## Verbatim

5 1/4" SS/DD.....	\$12.99
5 1/4" DS/DD.....	\$24.99
Disk Analyzer.....	\$24.99

## DISK HOLDERS

## AMARAY

50 Disk Tub 5 1/4".....	\$9.99
30 Disk Tub 3 1/2".....	\$9.99
80 Column Printer Stand.....	\$14.99

## INNOVATIVE CONCEPTS

Flip'n File 10.....	\$2.49
Flip'n File 50.....	\$14.99
Flip'n File 50 w/lock.....	\$19.99
Flip'n File Data Case.....	\$9.99

## ANCHOR

Volkmodem.....	\$59.99
Volkmodem 300/1200.....	\$189.99
Signalman Express.....	\$259.00
Lightning 2400 Baud.....	\$399.00
Express (PC Halfcard).....	\$189.00
6470 (64/128) 300/1200 Baud.....	\$139.00

## AST

Reach 1200 Baud Half Card.....	\$399.00
--------------------------------	----------

## DIGITAL DEVICES

AT300 - 300 Baud (Atari).....	\$99.99
-------------------------------	---------

## EVEREX

1200 Baud Internal (IBM/PC).....	\$179.00
----------------------------------	----------

## Hayes

Smartmodem 300.....	\$139.00
Smartmodem 1200.....	\$389.00
Smartmodem 1200B.....	\$359.00
Smartmodem 2400.....	\$699.00
Microcom II.....	\$149.00
Smart Com II.....	\$89.99
Chronograph.....	\$199.00
Transet 1000.....	\$309.00

## Novation

Smart Cat Plus.....	\$299.00
J-Cat.....	\$99.99
Novation 2400.....	\$499.00
Apple Cat II.....	\$219.00
212 Apple Cat II.....	\$379.00
Apple Cat 212 Upgrade.....	\$229.00

## QUADRAM

Quadmodem II	
300/1200.....	\$339.00
300/1200/2400.....	\$499.00

## SUPRA

MP-1064 AD/AA (C-64).....	\$69.99
---------------------------	---------

## DRIVES

## HARD

## CORE

AT20-AT72MB.....	CALL
60 Meg Internal Backup System.....	\$799.00

## EVEREX

## IOMEGA

A110H Single 10.....	CALL
A120H 10 + 10.....	CALL
A120H Single 20.....	CALL
A220H 20 + 20.....	CALL
Save on 10 & 20 Carts.....	CALL

## IRWIN

Tape Backup.....	CALL
------------------	------

## KITS

10 Meg with controller.....	\$399.00
20 Meg with controller.....	\$499.00

## PRIAM

40, 60 MB Inner Shell.....	CALL
Shared Data.....	CALL
Shared Space.....	CALL

## TALLGRASS

25, 35, 50, 80 meg (PC).....	from \$1299.00
------------------------------	----------------

## FLOPPY

## ALLIED TECHNOLOGY

Apple II, II+ IIe 1/2 height.....	\$109.00
-----------------------------------	----------

## INDUS

Atan GT.....	\$199.00
C-64 1/28 GT.....	\$199.00

## MSO

SD1 C-64 Single.....	\$219.00
SD2 C-64 Dual.....	\$469.00

## TANDON

320K 5 1/4" (PC).....	\$119.00
-----------------------	----------

## TEAC

320K 5 1/4".....	\$119.00
------------------	----------



## MONITORS

## PRINTERS

## SOURCE FOR IBM

## IBM

<b>AMDEK</b>	
Video 300 Green.....	\$119.00
Video 300A Amber.....	\$129.00
Video 310A Amber TTL.....	\$159.00
Color 600 Hi-Res. RGB.....	\$399.00
Color 722 Dual Mode.....	\$529.00
Color 725.....	CALL
Color 730.....	CALL
<b>MACNAVEX</b>	
8562 RGB/Composite.....	\$279.00
613 TTL Green.....	\$99.99
623 TTL Amber.....	\$99.99
<b>NEC</b>	
JB1205A.....	\$79.99
JB1270G/1275A..... (ea.)	\$99.99
JB1280G TTL Green.....	\$129.00
JB1285A TTL Amber.....	\$129.00
JC1401 Multi Sync RGB.....	CALL
<b>PRINCETON</b>	
MAX-12 Amber.....	\$179.00
HX-9 9" RGB.....	\$499.00
HX-9E Enhanced.....	\$519.00
HX-12 12" RGB.....	\$499.00
HX-12E Enhanced.....	\$559.00
SR-12 Hi-Res.....	\$599.00
SR-12P Professional.....	\$699.00
<b>QUADRAM</b>	
8400 Quadchrome I.....	\$499.00
8410 Quadchrome II.....	\$339.00
9420 Amberchrome.....	\$179.00
8500 Quad Screen.....	\$1499.00
<b>TAXAN</b>	
115 12" Green.....	\$119.00
116 12" Amber.....	\$129.00
121 TTL Green.....	\$139.00
122 TTL Amber.....	\$149.00
200 14" Color Composite.....	\$179.00
620 640x200 RGB.....	\$439.00
630 640x200 RGB.....	\$489.00
640 720x400 RGB.....	\$539.00
<b>Zoom</b>	
ZVM 1220 Amber.....	\$99.99
ZVM 1230 Green.....	\$99.99
ZVM 1240 IBM Amber.....	\$149.00
ZVM 135 RGB.....	\$459.00
ZVM 1330 RGB.....	\$459.00
ZVM 1360 RGB.....	CALL
ZVM 1380 E G Comp.....	CALL

## INTERFACES

<b>AST</b>	
Multi I/O (Apple II).....	\$149.00
<b>DIGITAL DEVICES</b>	
Ape Face (Atari).....	\$49.99
U-Print A (Atari).....	\$54.99
U-A16/Butler (Atari).....	\$74.99
U-Cal Interface (Atari).....	\$39.99
U-Print C (C64).....	\$49.99
P-16 Print Buffer.....	\$74.99
U-Print 16 apple II.....	\$89.99
<b>MICRO R &amp; O</b>	
Apple IIe Parallel.....	\$49.99
Kaypro 2000 Parallel.....	\$49.99
C64/128.....	\$59.99
<b>Orange Mikro</b>	
Gieppler CD (C64).....	\$89.99
Grappier Plus (Ile, IIc).....	\$89.99
Grappier C (Ile).....	\$89.99
Grappier 16K (Ile, II+).....	\$139.00
<b>PRACTICAL PERIPHERALS</b>	
GraphCard.....	\$89.99
Spriell Card.....	\$99.99
Microburst II+ 64K.....	\$169.00
<b>QUADRAM</b>	
Microtazer.....	\$139.00
Elzser (Epson).....	\$79.99

<b>Canon</b>	
A40,A50,A55.....	CALL
LBP-8A1 Laser.....	CALL
<b>CITIZEN</b>	
MSP-10 (80 col.).....	\$279.00
MSP-15 (132 col.).....	\$369.00
MSP-20 (80 col.).....	\$349.00
MSP-25 (132 col.).....	\$509.00
<b>C. ITOH</b>	
Prowriter 7500.....	\$169.00
Prowriter 1550P.....	\$349.00
Stanywer 10-30.....	\$399.00
3500 Tri Printer.....	\$1499.00
<b>corona</b>	
Lazer LP-300.....	\$2799.00
<b>DIABLO</b>	
620 Daisywheel.....	\$299.00
D25 Daisywheel.....	\$549.00
635 Daisywheel.....	\$1099.00
DB01F Daisywheel.....	CALL
<b>daisywriter</b>	
2000.....	\$699.00
<b>EPSON</b>	
HomeWriter 10, LX-80.....	CALL
FX-85, FX-266, LX-100.....	CALL
DX-10, DX-20, DX-35.....	CALL
SQ-2000, H-80, HS-80, AP-80.....	CALL
LQ-800, LQ-1000.....	CALL
<b>JUKI</b>	
6000 Letter Quality.....	CALL
6100 Letter Quality.....	CALL
6200 Letter Quality.....	CALL
6300 Letter Quality.....	CALL
6500 Letter Quality.....	CALL
6510 Dot Matrix Color.....	CALL
<b>LEENO</b>	
808 Dot Matrix 100 cps.....	\$179.00
1090 Dot Matrix 100 cps.....	\$259.00
1380 Dot Matrix 130 cps.....	\$289.00
1385 Dot Matrix 165 cps.....	\$339.00
<b>NEC</b>	
3000 Series.....	\$779.00
6000 Series.....	\$1099.00
ELF 360.....	\$399.00
Prowriter 560.....	\$999.00
<b>OKIDATA</b>	
182, 183, 192, 193, 2410, 84.....	CALL
Okimate 10 (Specify C64/Atari).....	\$189.00
Okimate 20 (IBM).....	CALL
<b>Panasonic</b>	
KX1080.....	NEW
KX1091.....	\$259.00
KX1092.....	\$389.00
KX1592.....	\$469.00
KX1595.....	\$659.00
<b>QUADRAM</b>	
Quadjet.....	\$399.00
Quad Laser.....	CALL
<b>SILVER-REED</b>	
500 Letter Quality.....	\$219.00
550 Letter Quality.....	\$419.00
800 Letter Quality.....	\$699.00
<b>Star</b>	
SG-10C (C64 Interface).....	CALL
SB/SD/SG/SR Series.....	CALL
PowerType Letter Quality.....	CALL
<b>Texas Instruments</b>	
T8650.....	\$529.00
T8655.....	\$639.00
T865.....	\$799.00
<b>TOSHIBA</b>	
1340 (80 column).....	\$369.00
P341 (132 column).....	\$799.00
P351 (132 column).....	\$1049.00

<b>ANSA SOFTWARE</b>	
Paradox.....	\$499.00
<b>ASNTON-TATE</b>	
Framework I.....	\$389.00
dBase III Plus.....	\$389.00
<b>BATTERIES INCLUDED</b>	
Isgur Portfolio.....	\$159.00
<b>BORLANO</b>	
Lightening.....	\$59.99
Sidekick (unprotected).....	\$57.99
Reflex.....	\$59.99
Travelling Sidekick.....	\$44.99
<b>CENTRAL POINT</b>	
Copy II PC-Backup.....	\$29.99
PC Option Board.....	\$84.99
<b>DECISION RESOURCES</b>	
Chartmaster.....	\$229.00
Signmaster.....	\$159.00
Diagram Master.....	\$209.00
<b>FIFTH GENERATION</b>	
Fast Back.....	99.99
<b>FUNK SOFTWARE</b>	
Sideways.....	\$44.99
<b>HARVARD SOFTWARE INC.</b>	
Total Project Manager.....	\$269.00
Presentation Graphics.....	\$239.00
<b>INFOCOM</b>	
Cornerstone.....	CALL
<b>LIFETREE</b>	
Volkswriter III.....	\$159.00
<b>LIVING VIDEOTEXT</b>	
Think Tank.....	\$109.00
Ready.....	\$64.99
<b>LOTUS</b>	
Symphony.....	CALL
1-2-3 Version 2.....	CALL
<b>MECA SOFTWARE</b>	
Managing Your Money 2.0.....	\$99.99
Manage Your Market.....	\$89.99
<b>MICROPRO</b>	
Easy.....	\$94.99
WordStar 2000.....	\$239.00
WordStar 2000+.....	\$289.00
WordStar Professional.....	\$169.00
<b>MICROMIN SOFTWARE</b>	
R-Base 4000.....	\$249.00
R-Base 5000.....	\$389.00
Clout 2.0.....	\$129.00
<b>MICROSOFT</b>	
Flight Simulator.....	\$34.99
MultiPlan.....	\$129.00
Word.....	\$249.00
Mouse.....	\$139.00
<b>MICROSTUF</b>	
Crosstalk XVI.....	\$89.99
Crosstalk Mark IV.....	\$149.00
Remote.....	\$89.99
<b>ULTIMATE</b>	
Multi Mate Word Pro.....	\$219.00
Advantage.....	\$289.00
On File.....	\$89.99
Just Write.....	\$89.99
<b>NOUNEMON</b>	
Infut.....	\$69.99
<b>NORTON</b>	
Norton Utilities 3.1.....	\$57.99
<b>ONE STEP</b>	
Golf's Best.....	\$34.99
<b>PFS: IBM</b>	
Proof.....	\$59.99
File/Graph.....	(ea.) \$84.99
Report.....	\$74.99
Write/Proof Combo.....	\$84.99
<b>PROFESSIONAL SOFTWARE</b>	
Write-N-Spell.....	\$89.99
<b>THE SOFTWARE CROUP</b>	
Enable.....	\$329.00
<b>SATELLITE SYSTEMS</b>	
Word Perfect 4.1.....	\$219.00
<b>SORCIMIUS</b>	
Accounting.....	CALL
API/AR/IG/IN/VE..... (ea.)	\$299.00
SuperCalc II.....	\$199.00
EasyWriter II System.....	\$239.00
Super Project.....	\$199.00
<b>SUBLOCIC</b>	
Jet.....	\$37.99

<b>IBM PC SYSTEMS</b>	
Configured to your specifications.	
<b>Call for Best Price!</b>	
<b>IBM-PC, IBM-XT, IBM-AT</b>	
<b>AT</b>	
Satan (7300).....	CALL
6300.....	CALL
<b>corona</b>	
PC400 Dual Portatile.....	\$1289.00
PCXT 10 meg Portable.....	\$1899.00
PC4002 Dual Desktop.....	\$1389.00
PC400-HD2 10 meg.....	\$1999.00
<b>ITT</b>	
ITT X-TRA.....	CALL
256K, 2 Drive System.....	CALL
256K, 10 meg Hard Drive System.....	CALL
XPS, 20 meg.....	CALL
<b>KAYPRO</b>	
KP-2000 Portable.....	CALL
Kaypro PC.....	CALL
<b>SANYO</b>	
MBC 550-2, MBC 555-2, MBC 675 Portatile, MBC/775, MBC 680 Desktop.....	CALL
<b>SPERRY</b>	
Sperry-AT.....	as low as \$1749.00
Sperry-IT.....	as low as \$2699.00
Call for Specific Configuration	
All Models.....	
<b>Zoom</b>	
PC-138 Series, PC-148 Series, PC-158 Series, PC-160 Series, PC-171 Series, AT-200 Series.....	CALL
<b>MULTIFUNCTION CARDS</b>	
<b>AT</b>	
Ram/Vantage.....	\$349.00
Rampage-PC.....	\$379.00
Rampage-AT.....	CALL
Six Pack Plus.....	\$229.00
VO Plus II.....	\$139.00
Advantage-AT.....	\$399.00
Preview Mono.....	\$299.00
PC Net Cards.....	\$379.00
525/111 On-line.....	\$669.00
525/112 Remote.....	\$679.00
<b>dec</b>	
IRMA 3270.....	\$679.00
IRMA Print.....	\$999.00
IRMA Smart ALC.....	\$779.00
<b>EVEREX</b>	
Edge Card.....	\$259.00
Graphics Edge.....	\$219.00
Magic Card II.....	\$159.00
Magic Card I.....	\$99.99
<b>HERCULES</b>	
Graphics.....	\$299.00
Color.....	\$159.00
<b>IDEA Associates</b>	
IDEA 5251.....	\$549.00
<b>INTEL</b>	
PCNC8087 5MHz.....	CALL
PCNC8087 6 MHz.....	CALL
1010 PC-Above Board.....	CALL
1110 PS-Above Board.....	CALL
2010 AT-Above Board.....	CALL
<b>MYLEX</b>	
The Chairman.....	\$439.00
<b>PARADISE</b>	
Color/Mono Card.....	\$149.00
Monitor Graphics Card.....	CALL
Multi Display Card.....	\$199.00
Five Pack C, S.....	\$99.99
High Res Mono.....	CALL
<b>PERSYST</b>	
Bob Board.....	\$359.00
<b>QUADRAM</b>	
Quadport-AT.....	\$119.00
Liberty-AT (128K).....	\$349.00
The Gold Quadboard.....	\$449.00
The Silver Quadboard.....	\$239.00
Expanded Quadboard.....	\$199.00
Liberty.....	\$309.00
QuadSpring.....	\$499.00
QuadLink.....	\$399.00
QuadColor.....	\$199.00
QuadBoard-AT.....	\$399.00
8800 E-64 card.....	\$399.00
<b>TECMAR</b>	
Captain.....	\$199.00
Graphics Master.....	\$469.00



Model Name	Manufacturer/ Distributor	Compatibility	Print Technology	Speed	Pitch	Buffer	Feed Type	Warranty	Suggested Retail Price	Comments
BJ-40	Canon USA, Inc.	Parallel std	Bubble jet	110-220 cps	10 cpi std	2-4.3K	Pin std	1 year	599	Cross between ink jet and thermal transfer
PJ-1080A	Canon USA, Inc.	Parallel std	Ink jet (color)	37 cps	12 cpi std	1 line	Friction std	1 year	699	
FJ-80	Centronics	Parallel std; serial opt	Dot matrix	27-160 cps	5-20 cpi	2K opt	Cut sheet and fan fold	1 year	699	
Citizen 120D	Citizen America Corp.	Parallel std; serial opt	Dot matrix	25-120 cps	5-20 cpi	4K	Tractor std	1 year	249	
Citizen 120S	Citizen America Corp.	Parallel std; serial opt	Dot matrix	40-160 cps	10-12 cpi	1K	Friction and tractor std; cut sheet feeder opt	18 months	399	Emulates IBM graphics
MSP-15	Citizen America Corp.	Parallel std; serial opt	Dot matrix	40-160 cps	10 cpi	1K	Tractor and friction std; cut sheet feeder opt	18 months	549	
MSP-20	Citizen America Corp.	Parallel std; serial opt	Dot matrix	50-100 cps	10-12 cpi	8K	Friction and tractor std; cut sheet feeder opt	18 months	499	Can create own graphics
Premiere 35	Citizen America Corp.	Parallel std; serial opt	Daisy wheel	35 cps	10-15 cpi	8K	Tractor std	1 year	599	Diablo print wheel
MPS 1000	Commodore Business Machines	Parallel and serial std	Dot matrix	20-100 cps	12-37 cpi	1K	Friction and tractor std	90 days	299.95	
Printplex	Computer Peripherals	Parallel and serial std	Dot matrix	160 cps	12 cpi	1 line	Friction std	90 days	157.50	40 column, comes with power supply
Dataproducts 8010	Dataproducts Corp.	Parallel and serial std	Dot matrix	30-180 cps	10-17 cpi	2K (8K opt)	Friction and tractor std	1 year	499	Block or dot addressable graphics
Dataproducts 8012	Dataproducts Corp.	Parallel std	Dot matrix	20-180 cps	10-17 cpi	2K and 8K opt	Friction and tractor std	1 year	499	Block or dot addressable graphics
FORTIS DX-1301	Dynas	Parallel std; serial opt	Daisy wheel	20 cps	10-15 cpi	5K	Friction std; cut sheet feeder and tractor opt	90 days	599	
FORTIS DX-25	Dynas	Parallel and serial std	Daisy wheel	25 cps	10-15 cpi	7K	Friction and tractor std; cut sheet feeder opt	90 days	645.95	
AP-80	Epson America, Inc.	Apple exclusive	Dot matrix	15-75 cps	9-17 cpi	1K	Friction and tractor std; auto sheet feeder opt	1 year	379	
DX-10	Epson America, Inc.	Parallel std	Daisy wheel	10 cps	10-12 cpi	None	Friction, tractor and auto sheet feeder opt	1 year	299	
DX-20	Epson America, Inc.	Disablo all purpose interface std	Daisy wheel	20 cps	10-15 cpi	1K (7K opt)	Friction std; tractor and auto sheet feeder opt	1 year	459	110 column
FX-85	Epson America, Inc.	Parallel std	Dot matrix	32-160 cps	N/A	8K	Friction and tractor std; cut sheet feeder opt	1 year	549	
FX-286	Epson America, Inc.	Parallel std	Dot matrix	40-200 cps	5-20 cpi	8K	Friction and tractor std; cut sheet feeder opt	1 year	799	
Homewriter 10	Epson America, Inc.	PIC's (Printer Interface Controller) (not available for most home computers)	Dot matrix	16-100 cps	5-20	1K	Friction std; tractor and cut sheet opt	1 year	249	Selectype available
HS-80	Epson America, Inc.	Parallel std	Ink jet	32-160 cps	5-20 cpi	1K	Friction; auto cut sheet feeder opt	1 year	499	
LX-80	Epson America, Inc.	Parallel std	Dot matrix	160 cps	10-12 cpi	2K	Friction and tractor std	1 year	399	
LQ-800	Epson America, Inc.	Parallel and serial std	Dot matrix	60-180 cps	10-15 cpi and proportional	7K	Friction std	1 year	799	24-pin printhead
LX-80	Epson America, Inc.	Parallel std	Dot matrix	16-100 cps	4.3-20 cpi	1K (32K opt)	Friction std; tractor and auto sheet feeder opt	1 year	329	Over 160 types available through Selectype
LX-90	Epson America, Inc.	PIC	Dot matrix	16-100 cps	5-20 cpi	1K	Friction and tractor std	1 year	329	
CP-80 Type 1	Epson/Charles Marketing Service, Inc.	Parallel std; serial opt	Dot matrix	80 cps	N/A	None	Friction and tractor std	90 days	175	81 image graphics; Superscript
Facet 4509	Facet, Inc.	Parallel std	Dot matrix	70-120 cps	10-17 cpi and proportional	None	Tractor std	90 days	425	IBM compatible graphics
Facet 4510	Facet, Inc.	Parallel and serial std	Dot matrix	70-120 cps	10-17 cpi and proportional	2K	Friction and tractor std	90 days	495	Block and pin addressable graphics
Facet 4511	Facet, Inc.	Parallel and serial std	Dot matrix	40-160 cps	10-17 cpi and proportional	2K	Friction and tractor std	90 days	595	Wide carriage version \$795
Facet 4513	Facet, Inc.	Parallel and serial std	Dot matrix	40-160 cps	10-17 cpi and proportional	2K	Friction and tractor std	90 days	695	
Facet D2000	Facet, Inc.	Parallel or serial std	Daisy wheel	24-30 cps	10-15 cpi and proportional	2K	Friction std; tractor opt	90 days	695	
DX2100	Fujitsu America, Inc.	Parallel std; serial opt	Dot matrix	220 cps	10-17 cpi	2K (18K opt)	Friction and tractor std; cut sheet feeder opt	1 year	495 (Color 645)	Dot addressable graphics
DX2200	Fujitsu America, Inc.	Parallel std; serial opt	Dot matrix	220 cps	10-17 cpi	7K std (16K opt)	Friction and tractor std; cut sheet feeder opt	1 year	645	

Model Name	Manufacturer / Distributor	Compatibility	Print Technology	Speed	Pitch	Buffer	Feed Type	Warranty	Suggested Retail Price	Comments
GE 8100	General Electric	Parallel std. Asim. (non-impact dot matrix)	Thermal transfer	25-50 cps	24 cpi	2K	Friction std	2 years	259.95	Block graphics special graphics characters
MP-1500AL	Hutton Seibo	Parallel and serial std.	Dot matrix	300 cps	10-20 cpi	10K (7K when downloadable characters)	Friction and tractor std	2 years	799	Optional color printer kit for under \$200
SP-1000	Hutton Seibo	Parallel or serial std.	Dot matrix	100 cps	10-17 cpi and proportional	Varies with model	Friction and tractor std	2 years	299	Commodore/VIC version: \$270
Thinkjet (HP2223)	Hewlett-Packard	Parallel, HP-1B, HP-11, and serial, available	Thermal ink jet	150 cps	5-18 cpi	1K	Friction and pin std	1 year	495	Best results using special paper: portable
Juki 3510	Juki Office Machines Corp.	Parallel std.	Dot matrix	20-180 cps	10-17 cpi	3K (15K opt)	Friction and tractor std	1 year	499	
Juki 6000	Juki Office Machines Corp.	Parallel std: serial opt	Daisy wheel	10 cps	10-15 cpi and proportional	2K-serial	Friction std	1 year	295	
Juki 6100	Juki Office Machines Corp.	Parallel std: serial opt	Daisy wheel	17 cps	10-15 cpi and proportional	2K	Friction std tractor and tractor std	N/A	599	
Juki 6200	Juki Office Machines Corp.	Parallel std: serial opt	Daisy wheel	30 cps	10-15 cpi and proportional	3K std (15K opt)	Friction std tractor and tractor std	1 year	745	
Westex One	Litton Westex	Parallel or serial std.	Dot matrix	42-140 cps	10-15 cpi	2K	Friction and pin std	1 year	199	
MT85	Mannesmann Italy	Parallel, serial or Apple std.	Dot matrix	45-180 cps	10-17 cpi	3K	Friction and tractor std	1 year	499	Dot addressable graphics
MT 86	Mannesmann Italy	Parallel, serial, or Apple std.	Dot matrix	45-180 cps	10-17 cpi	N/A	Friction and tractor std	1 year	599	
PC-PR105A	NEC Home Electronics, Inc.	Parallel std.	Dot matrix	46-92 cps	10 cpi	4K	Friction and tractor std	90 days labor; 1 year parts	399	
E.L.F. 350	NEC Information Systems, Inc.	Parallel and serial std.	Daisy wheel	19 cps	10-15 cpi	2K	Cut sheet guide std; cut sheet tractor opt	1 year	545	
E.L.F. 360	NEC Information Systems, Inc.	Parallel and serial std.	Daisy wheel	19 cps	10-15 cpi	2K	Cut sheet guide std; cut sheet tractor and tractor opt	1 year	545	
F2	NEC Information Systems, Inc.	None std; IBM serial, parallel, and parallel opt.	Dot matrix	35-180 cps	10-17 cpi	3.5K-3K	Tractor std; cut sheet tractor opt	1 year	699	
Microline 182	Okidata	Parallel std: serial opt	Dot matrix	30-120 cps	5-17 cpi	1 line	Friction and pin std	1 year	269	Block and bit image graphics
Microline 182 TTY	Okidata	Parallel std: serial opt	Dot matrix	30-120 cps	5-17 cpi	1 line	Friction and pin std	1 year	349	Designed for communications applications. 4 levels of intelligence
Microline 183	Okidata	Parallel std: serial opt	Dot matrix	30-120 cps	5-17 cpi	1 line	Friction and tractor std	1 year	549	Wide carriage version of 183; block and bit image graphics
Microline 192	Okidata	Parallel std: serial opt	Dot matrix	33-160 cps	5-17 cpi	8K	Friction and pin std	1 year	499	Block and bit image graphics
Microline 193	Okidata	Parallel and serial std	Dot matrix	33-160 cps	5-17 cpi	8K	Friction and tractor std	1 year	699	Wide carriage version of 192; block and bit image graphics
Microline 292	Okidata	Parallel or serial std.	Dot matrix	100-200 cps	10-17 cpi	8K	Pin std tractor and cut sheet feeder opt	1 year	699	
Okidata 120	Okidata	Commodore serial	Dot matrix	30-120 cps	5-17 cpi	1 line	Friction and pin std	1 year	269	All points addressable graphics; Commodore Special Graphics
Okimate 10	Okidata	Commodore and Atari	Dot matrix	60 cps	5-17 cpi	1 line	Friction and pin std	90 days	208	All points addressable graphics; Commodore Special Graphics
Okimate 20	Okidata	IBM, Apple and Amiga	Dot matrix	40-80 cps	5-17 cpi	8K	Friction and tractor std	90 days	268	High resolution all points addressable; bit image graphics
KX-P1080	Panasonic Co.	Parallel std: serial opt	Dot matrix	20-100 cps	10-17 cpi	1K	Friction and tractor std	2 years	319	Bit image graphics can emulate 1/2 inch wide, 6 color ribbons available
KX-P1091	Panasonic Co.	Parallel std: serial opt	Dot matrix	29-120 cps	10-17 cpi	1K (4K opt)	Friction and tractor std	2 years	399	Same as above
KX-P1092	Panasonic Co.	Parallel std: serial opt	Dot matrix	22-180 cps	10-12 cpi and proportional	7K	Friction and push tractor std	2 years	499	Bit image graphics. Epson P1-40 compatible. color ribbons available
KX-P1592	Panasonic Co.	Parallel std: serial opt	Dot matrix	38-180 cps	10-17 cpi and proportional	7K text std (32K std)	Push tractor or friction std	2 years	699	Colored ribbon available
KX-P3131	Panasonic Co.	Parallel std: serial opt	Daisy wheel	17 cps	N/A	6K (32K opt)	Friction std tractor and auto cut sheet feeder	2 years	419	Diablo 630 code compatible color ribbons available
KX-P3151	Panasonic Co.	Parallel std: serial opt	Daisy wheel	22 cps	10-12 cpi	7K std (54.5K opt)	Friction std tractor and cut sheet feeder opt	2 years	659	

Model Name	Manufacturer/ Distributor	Compatibility	Print Technology	Speed	Pitch	Buffer	Feed Type	Warranty	Suggested Retail Price	Comments
R22200Q	Kalch Corporation	Parallel and serial std	Daisy wheel	20-22 cps	10-15 cpi	One line	Friction std; auto sheet feeder and tractor opt	90 days	699	
Letter Master	Royal Consumer Business Products	Parallel std; serial opt	Daisy wheel	10 cps	10-12 cpi	84 characters	Friction std	90 days labor, 1 year parts	349.95	
OfficeMaster 2000	Royal Consumer Business Products	Parallel and serial std	Daisy wheel	23 cps	10-12 cpi	1.5K	Friction std; tractor and sheet feeder opt	90 days labor, 1 year parts	599.95	
SP-1200 PLUS	Sakata	Parallel std	Dot matrix	120 cps	5-16.5	N/A	Friction and pin std	90 days	399	
SP-1500	Sakata	Parallel std	Dot matrix	180 cps	5-16.5	N/A	N/A	90 days	489	
SP-1500	Sakata	Parallel std; serial opt	Dot matrix	36-180 cps	5-18 cpi	3K	Friction and tractor std	90 days	699	Wide carriage
EXP 500	Silver-Reed, Inc.	Parallel or serial std	Daisy wheel	14 cps	10-15 cpi	None	Friction std; tractor and cut sheet feeder opt	90 days	449	
EXP 550	Silver-Reed, Inc.	Parallel or serial std	Daisy wheel	19 cps	10-15 cpi	None	Friction std; cut sheet feeder and tractor opt	90 days	649	
EXP 600	Silver-Reed, Inc.	Parallel or serial std	Daisy wheel	25 cps	10-15 cpi and 20-25 cpi	3K std (19K and 20K cpi)	Friction std; tractor and cut sheet feeder opt	90 days labor, 1 year parts	N/A	June release
Silver-Reed 400	Silver-Reed, Inc.	Parallel or serial std	Daisy wheel	10 cps	10-15 cpi	None	Friction std; tractor opt	90 days	249	
NX-10	Star Microtronics	Parallel std	Dot matrix	30-120 cps	8-10 cpi	8K	Friction and tractor std	1 year	349	Emulates IBM graphics printer
Powertype	Star Microtronics	Parallel std; serial opt	Daisy wheel	18 cps	10-15 cpi and proportional	1 line	Friction std; tractor opt	180 days	499	
SD-10	Star Microtronics	Parallel std; serial opt	Dot matrix	160 cps	N/A	2K	Friction and tractor std	1 year	449	Ultra-high resolution bit image graphics
SD-15	Star Microtronics	Parallel std; serial opt	Dot matrix	160 cps	N/A	16K	Friction and tractor std	1 year	599	
SR-10	Star Microtronics	Parallel std; serial opt	Dot matrix	200 cps	N/A	2K	Friction, tractor, automatic single sheet feed std	1 year	649	
SR-15	Star Microtronics	Parallel std; serial opt	Dot matrix	200 cps	N/A	2K	Friction, tractor, single sheet feed std	1 year	799	15" carriage
STX-80	Star Microtronics	Parallel std	Thermal transfer dot matrix	60 cps	5-11 cpi	1 line	Friction std	1 year	199	Dot addressable, bit image graphics
Compumate 2100	Swinarc Corporation	Parallel and serial std	Daisy wheel	16 cps	10-15 cpi	1 line	Friction std	90 days	599	
M-20P	TAB Products	Parallel std	Dot matrix	120 cps	10-15 cpi	1K	Friction and pin tractor opt	90 days	299	Dot addressable graphics
M-21P	TAB Products	Serial std	Dot matrix	120 cps	10-15 cpi	1K	Friction and pin tractor opt	90 days	378	Dot addressable graphics
M-22P	TAB Products	Parallel std	Dot matrix	160 cps	10-15 cpi	1K	Friction and pin std; tractor and cut sheet feeder opt	90 days	499	Dot addressable graphics
M-23S	TAB Products	Serial std	Dot matrix	160 cps	10-15 cpi	1K	Pin and friction std; cutsheet feeder and tractor opt	90 days	549	
M-24P	TAB Products	Parallel std	Dot matrix	160 cps	10-15 cpi	1K	Tractor and friction std; cut sheet feeder opt	90 days	699	
CGP 220	Tandy Corp.	Parallel and serial std	Dot matrix	37 cps	12 cpi	1 line	Friction std	90 days	599	
DMP 105	Tandy Corp.	Parallel and serial std	Dot matrix	80 cps	10-17 cpi and proportional	N/A	Friction and tractor std	90 days	199.95	Bit image graphics
DMP 130	Tandy Corp.	Parallel and serial std	Dot matrix	100 cps	10-16 cpi	N/A	Friction and tractor std	90 days	349.95	Bit image graphics
DWP 220	Tandy Corp.	Parallel and serial std	Daisy wheel	20 cps	10-12 and proportional	N/A	Friction std; tractor opt	90 days	599	
TRP 100	Tandy Corp.	Parallel and serial std	Dot matrix	30 cps	N/A	N/A	Friction and sheet feed std	90 days	299.95	Uses thermal paper
BMP-24	Weigh-Tronix, Inc.	Parallel or serial std	Dot matrix	16.8 cps	N/A	1 line	Friction std	90 days	135 (24 cpi) 150 (24 cpi) 150 (48 cpi)	Dot addressable graphics
Companion 101	Xerox/Diablo	Parallel std	Dot matrix	80 cps	10-15 cpi	1K	Friction and tractor std	90 days	399	Bit map graphics
Companion 12CQ1	Xerox/Diablo	Parallel std	Dot matrix	60-150 cps	10-15 cpi	2K	Friction and tractor std	90 days	599	




APPLE TITLES

---

**BACK BY POPULAR DEMAND!**

These popular titles for the Apple-II series and Macintosh computers contain expert programming advice, in-depth tutorials, valuable buying guides, challenging business, home, and educational applications, and exciting games. They're all written in COMPUTE!'s easy-to-understand style to provide you with hours of creative entertainment and information.



## Becoming a MacArtist


**Vahé Guzelimian, 312 pages**  
An illustrated guide to Macintosh graphics with which you can explore the full power and flexibility of *MacDraw*, *MacPaint*, and *MacWrite*.

**\$17.95** ISBN 0-942386-80-9

## COMPUTE!'s Apple Games for Kids

Clark and Kathy H. Kidd, 305 pages  
An instant library of educational software including simple tests, music and graphics programs, a typing tutor, menu planner, and game-writing utilities for the whole family.

**\$12.95** ISBN 0-942386-91-4



## COMPUTE!'s Guide to Telecomputing on the Apple


Thomas E. Enright, Joan Nickerson, and Anne Wayman, 173 pages  
An informative and easy-to-understand guide to telecomputing on the Apple, from selecting hardware and software to accessing large databases.

**\$9.95** ISBN 0-942386-98-1

## COMPUTE!'s Kids and the Appie

**Edward H. Carlson, 255 pages**  
An entertaining and easy-to-use book for kids ages 10-14 interested in learning BASIC programming on their Apple computers.

**\$12.95** ISBN 0-942386-76-0



## MacTalk: Telecomputing on the Macintosh

Sheldon Leemon and Arlan Levitan, 263 pages

**A complete guide to telecomputing on the Macintosh, from choosing a modem and software to accessing information services and electronic bulletin boards.**

**\$14.95** ISBN 0-942386-85-X

## COMPUTE!'s First Book of Apple

Edited, 228 pages  
A collection of 35 exciting games, educational programs, home applications, and graphics routines for owners of Apple II, IIE, and IIC computers.

**\$12.95** ISBN 0-942386-69-8

## Easy BASIC Programs for the Apple

**Brian Flynn, 390 pages**  
A wide-ranging selection of short BASIC programs—for home, school, and office—for Apple II-series computers.

**\$14.95** ISBN 0-942386-88-4

**Pick your favorite titles and order today!**  
**Call toll-free 800-346-6767 (in NY 212-887-8525).**  
**mail your payment with \$2.00 shipping and handling**  
**per book to COMPUTE! Books, P.O. Box 5038,**  
**E.D.R. Station, New York, NY 10150.**

Please allow 4-6 weeks for delivery.

**COMPUTE!** Publications, Inc.   
 Part of ABC Consumer Magazines, Inc.  
 One of the ABC Publishing Companies  
 825 7th Avenue, 6th Floor, New York, NY 10019  
 Publishers of: COMPUTE! COMPUTE!'s Gazette COMPUTE!'s Gazette Dax COMPUTE! Books and COMPUTE!'s Apple Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England, and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 2Z5.

**For more information on any of the printers listed here,  
please contact:**

**Alphacom**  
2323 S. Bascom Avenue  
Campbell, CA 95008

**Apple Computer**  
20525 Mariani Avenue  
Cupertino, CA 95014

**Aprotek**  
1071-A Avenida Acaso  
Camarillo, CA 93010

**Axiom**  
1014 Griswold Avenue  
San Fernando, CA 91340

**Axonix**  
417 Wakara Way  
Salt Lake City, UT 84108

**Blue Chip Electronics**  
2 W. Alameda Drive  
Tempe, AZ 85282

**Brother International**  
8 Corporate Place  
Piscataway, NJ 08854

**C. Itoh Digital Products**  
19750 S. Vermont Avenue  
Suite 220  
Torrance, CA 90502

**CAL-ABCO**  
6041 Varie Avenue  
Woodland Hill, CA 91367

**Canon USA**  
System Division  
One Canon Plaza  
Lake Success, NY 11042

**Centronics Data Computer**  
1 Wall Street  
Hudson, NH 03051

**Citizen America**  
2425 Colorado Avenue #300  
Santa Monica, CA 90404

**Commodore Business Machines**  
1200 Wilson Drive  
West Chester, PA 19380

**Computer Peripherals**  
6400 Canoga Avenue  
Suite 305  
Woodland Hills, CA 91367

**Dataproducts**  
6200 Canoga Avenue  
Woodland Hills, CA 91365

**Dynax**  
6070 Rickenbacker Road  
Commerce, CA 90040

**Epson America**  
3415 Kashiwa Street  
Torrance, CA 90505

**Everett/Charles Marketing Services**  
6101 Cherry Avenue  
Fontana, CA 92335

**Facit**  
9 Executive Park Drive  
P.O. Box 334  
Merrimack, NH 03054

**Fujitsu America**  
3055 Orchard Road  
San Jose, CA 95134

**General Electric**  
Electronics Park  
Syracuse, NY 13221

**Hattori Seiko Computer Peripherals**  
Division of Hattori Corporation of  
America  
1111 Macarthur Boulevard  
Mahwah, NJ 07430

**Hewlett-Packard**  
1100 Wolfe Road  
Cupertino, CA 95014

**Juki Office Machine**  
20437 S. Western Avenue  
Torrance, CA 90501

**Litton Westrex**  
Printer Division  
100 Riggback Road  
Fall River, MA 02720

**Mannesmann Tally**  
8301 S. 180th  
Kent, WA 98032

**NEC Home Electronics (USA)**  
Personal Computer Division  
Elk Grove Village, IL 60007

**NEC Information Systems**  
1414 Massachusetts Avenue  
Boxborough, MA 01719

**Okidata**  
532 Fellowship Road  
Mt. Laurel, NJ 08054

**Panasonic**  
Computer Products Division  
One Panasonic Way  
Secaucus, NJ 07094

**Ricoh America**  
5 Dedrick Place  
West Caldwell, NJ 07006

**Royal Consumer Business Products**  
500 Day Hill Road  
Windsor, CT 06095

**Sakata USA**  
651 Bonnie Lane  
Elk Grove Village, IL 60007

**Silver-Reed America**  
19600 S. Vermont Avenue  
Torrance, CA 90502

**Star Micronics Peripheral Division**  
200 Park Avenue  
Suite 2309  
Pan Am Bldg.  
New York, NY 10166

**Swintec**  
23 Poplar Street  
P.O. Box 421  
East Rutherford, NJ 07073

**TAB Products**  
1400 Page Mill Road  
Palo Alto, CA 94304

**Tandy /Radio Shack**  
1800 One Tandy Center  
Fort Worth, TX 76102

**Weigh-Tronix**  
1000 N. Armstrong  
Fairmont, MN 56031

**Xerox/Diablo**  
901 Page Avenue  
P.O. Box 5030  
Fremont, CA 94537

©

**This Publication  
is available in  
Microform.**



**University Microfilms  
International**

Please send additional information  
for \_\_\_\_\_

Name \_\_\_\_\_

Institution \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, MI 48106



Get the jump on the weatherman by accurately forecasting the local weather yourself!



A scientifically proven way to develop an awesome memory.



You are trapped in a five-story, 125-room structure made entirely of ice. Find the exit before you freeze!



Take control of your personal finances in less than one hour a month.




The beautiful princess is held captive by deadly dragons. Only a knight in shining armor can save her now!



Cut your energy costs by monitoring your phone, electric and gas bills.



Computerize car maintenance to improve auto performance, economy and resale value.



Create multi-colored bar graphs with a surprisingly small amount of memory.



A time-saving organizer for coupons, receipts and more.



School-age and pre-school children are rewarded for right answers, corrected on their wrong ones.



A real brainflexer. Deflect random balls into targets on a constantly changing playfield.



A fun way to dramatically increase typing speed and accuracy.

## Get up to 20 new programs and games every month in COMPUTE!

Every month, COMPUTE! readers enjoy up to 20 brand-new, ready-to-run computer programs, even arcade-quality games.

And when you subscribe to COMPUTE!, you'll get them all for less than 15 cents each!

You'll find programs to help you conserve time, energy and money. Programs like Cash Flow Manager, Retirement Planner, Coupon Filer, Dynamic Bookkeeping.

You'll enjoy games like Air Defense, Boggler, Slalom, and High Speed Mazer.

Your children will find learning fast and fun with First Math, Guess That Animal, and Mystery Spell.

Looking for a challenge? You can write your own games. Customize BASIC programs. Even make beautiful computer music and pictures.

It's all in COMPUTE!. All ready to type in and run on your Atari, Apple, Commodore, TI-99/4A, IBM PC, or PCjr computers.

What's more, you get information-packed articles, product reviews, ideas and advice that

add power and excitement to all your home computing.

And when it's time to shop for peripherals or hardware, check COMPUTE! first. Our product evaluations can save you money and costly mistakes. We'll even help you decide what to buy: Dot-matrix or daisy-wheel printer? Tape storage or disk drive? What about modems? Memory expansion kits? What's new in joysticks, paddles, and track balls?

Order now! Mail the postpaid card attached to this ad and start receiving every issue of COMPUTE!.

For Faster  
Service  
Call Toll-Free  
1-800-247-5470  
(in Iowa  
1-800-532-1272)



# MIAMI ICE

Jeff Kulczycki

*Here's an action game that challenges both your driving skills and powers of concentration. Originally written for the Commodore 128 with a disk drive, "Miami Ice" has been translated to work on the Commodore 64, Atari 400/800/XL/XE (with at least 32K RAM), and Apple II-series computers. A joystick is required.*

Ah, Miami—sun city of the South. A sparkling metropolis blessed with a tropical climate, palm trees, beaches, revived art deco architecture, stylish pastels, and classy elegance. Almost paradise.

You wake up on another bright, sunny Miami morning, sip a glass of freshly squeezed orange juice, don your white linen suit and sunglasses, and stroll outside—then get the shock of your life.

*What's going on here?* Overnight, a freak shift in the jet streams has piped a blistering cold front down from Ohio. The weatherman had predicted a brief shower last evening, but that's not what happened. Instead, the Florida peninsula was blasted by the worst ice storm in 400 years. The Everglades are frozen solid. The pink flamin-



gos are blue. And the streets of Miami are coated with a shimmering layer of slippery ice.

As you start your car—the pampered engine coughs and sputters in the bitter cold—you wonder what it's going to be like driving to work. A Miami native, you've never driven on ice before. In fact, you've never even *seen* this much ice since your boss's retirement party last year, when the caterers made that life-size ice sculpture of Ponce de Leon. You've heard the horror stories told by tourists about winter driving conditions up North, but never thought it could happen to you—not here, in Miami.

The minute you pull out onto the street, your worst fears come true. When you step on the gas pedal, the wheels spin and the car accelerates sluggishly. When you turn the steering wheel, the car slides all over the road. And when you step on the brakes—well, forget it.

You realize, desperately, that you've got to make it to the parking garage across town without smashing your car to smithereens. It won't be easy. But at least there's one thing in your favor—you've got the whole road to yourself.

# The Source<sup>SM</sup> Is Friendly.



Many online information services claim to be "user friendly." But only one really lives up to that promise.

The Source.

You see, The Source is specifically designed to save you time online. With new, shorter menus. Simpler commands. And a user's manual so well-written and easy to understand, it's setting an industry standard.


The Source is also the only service that gives you introductory lessons and assistance, free of on-line charges. So you get up-to-speed on our dime, not yours.

You get to the information you need in record

time, without frustration. Everything from the hour's headlines to travel reservations. From special interest groups to online stock trading. So you don't waste your valuable time. Or money.

Call 1-800-336-3366, send the coupon, or visit your nearest computer dealer.

And make friends with America's friendliest online information network.



The Source is a service mark of Source Telecomputing Corp., a subsidiary of The Reader's Digest Assn., Inc. © 1985 Source Telecomputing Corp.

## The Source<sup>SM</sup>

INFORMATION NETWORK

The most powerful resource any personal computer can have.

I'd like to make friends with The Source. Please send more information to:

Name \_\_\_\_\_

7826124

Address \_\_\_\_\_

City, State \_\_\_\_\_

Zip \_\_\_\_\_

Mail to: Source Telecomputing Corporation,  
1616 Anderson Road, McLean, VA 22102

Everyone else, it seems, had the good sense to stay home.

## Out Of Control

Despite minor variations, all four versions of "Miami Ice" work basically the same. Using a joystick, you have to drive your car over ice-covered streets to reach the safety of a garage. The joystick button is the gas pedal, and pushing the stick right or left steers the car in the corresponding direction.

But here's the twist—the car doesn't respond instantly to your commands. It tends to slide in the same direction even after you've steered it toward another direction. Then, when you try to recover, you often overcorrect and start sliding in yet another new direction. It's an inertial nightmare—much like real winter driving.

When you hit a guardrail or some other obstruction, your car cracks up. You get three cars per game. If you reach the safety of the garage, the game isn't over. Instead, you advance to another screen whose streets are even harder to navigate.

The number of points you score depends on how soon you reach the garage. As an incentive to recklessness, a timer starts counting down when you begin each new screen. If you reach the garage, you score the number of points left on the timer. If the timer runs out, you can still reach the garage, but you won't get any points. However, you will advance to the next screen.

Be sure to read the special instructions for each version before typing in the program and playing the game.

## Commodore 128

The 128 version of Miami Ice (Program 1) is written completely in BASIC using BASIC 7.0's excellent sprite commands. It runs as fast and as smoothly as the other versions, which all employ machine language.

Plug a joystick into port 2 and leave a disk in the drive. After each game, if your score ranks you among the top players, the program lets you enter your initials and then saves the high score data to disk.

To complete each level, you merely have to steer your car into the parking garage from any angle. There are a total of four screens,

and each screen displays the timer value in the upper-left corner and your current score immediately to the right.

## Commodore 64

The 64 version of Miami Ice is written completely in machine language and must be entered with the Commodore 64 version of the "MLX" machine language entry program found elsewhere in this issue. Be sure you read and understand the instructions for using MLX before you begin entering the data from Program 2. When you first run MLX, you'll be asked to supply a starting address and an ending address. Here are the addresses you'll need for Miami Ice:

Starting address: 0801

Ending address: 1320

After entering all the data from Program 1, be sure to save at least one copy before you exit MLX. Although the 64 version of Miami Ice is written in machine language, you start the program as if it were written in BASIC: load the program, then type RUN and press RETURN.

Plug a joystick into port 1. To steer your car safely into the parking garage and advance to the next screen, you have to enter the front of the garage without bumping into the black lines which mark its three walls. Indicators on the screen show the timer value and your current score.

There are seven screens in all. The game normally starts at screen 1, but you can begin a new game at any screen you want by moving the joystick up or down to change the screen number. This lets you skip the easier screens as you become a better player, or peek at the hardest screens while you're still a beginner.

## Atari 400/800/XL/XE

The Atari version of Miami Ice (Program 3) is written largely in BASIC, but has an interrupt-driven machine language subroutine to move the car using player/missile graphics. The car itself is composed of all four players to gain more resolution and colors.

Plug a joystick into port 1. To steer your car safely into the parking garage and advance to the next screen, you have to enter the front of the garage without bumping into the black lines which mark its three

walls. Indicators on the screen show the timer value and your current score.

There are seven screens in all. You'll notice that some screens have more than one route to the garage. The first time you play the game, it starts at screen 1. Subsequent games begin at the screen where the last game ended. But you can start a new game at any screen you want by moving the joystick up or down to change the screen number.

## Apple II Series

The Apple version of Miami Ice is written completely in machine language and must be entered with the Apple version of the "MLX" machine language entry program found elsewhere in this issue. Be sure you read and understand the instructions for using MLX before you begin entering the data from Program 4. When you first run Apple MLX you'll be asked for a starting address and an ending address. Here are the addresses you'll need for Miami Ice:

Starting address: 1000

Ending address: 1597

After you have typed in all the data from Program 4, be sure to save at least one copy before you exit MLX. To start MLX, enter BRUN "filename" (where filename is the name you used when you saved the Miami Ice data with MLX), then press RETURN.


To begin playing, plug in a joystick or paddles. To reach the garage safely and advance to the next screen, you have to enter the front of the garage without bumping into any of its walls. There are seven screens in all. The game normally starts at screen 1, but you can begin a new game at any screen you want by pressing the controller button to change the screen number.

## Program 1: Miami Ice For Commodore 128


For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing in Programs" in this issue of COMPUTE!.

```
EF 18 OPEN2,8,2,"HI-SCORE,S,W"  
      CLOSE2:OPEN15,8,15:INPUT  
      T#15,AS,B$;IFB$<>"FILE E  
      XISTS"THEN:CLOSE15:GOSUB  
      50  
EM 20 COLOR0,16:COLOR4,11  
BR 30 PRINT"{}CLR{}RED{}7 DOWN}
```





**Elementary Amiga BASIC**  
C. Regena  
0-87455-041-6, \$14.95  
Disk \$15.95



**Elementary ST BASIC**  
C. Regena  
0-87455-034-3, \$14.95  
Disk \$15.95

# BASIC programming at its best!

Two new  
programming  
guides from  
**COMPUTE! Books.**

Written by the author of the bestselling *Programmer's Reference Guide to the TI-99/4A*, these books introduce you to the new and powerful BASIC on the Amiga and Atari ST personal computers. The computers' impressive graphics, animation, and sound can be unlocked with the right commands, and BASIC is the place to start. Regena shows you how—in the clear, concise language that's made her such a popular writer.

Complete descriptions of the Amiga's and ST's BASIC commands, syntax, and organization take you from novice to full-power programming. Sample programs and subroutines, all ready to type in, are included. Plus, both books offer you working software while showing you how to write your own programs. A disk is also available for each book which includes all the programs from the book in an easy, ready-to-load format.

## SPECIAL COMBINATION OFFER

**Order the book and disk together for only \$29.95!**

You'll find these new programming guides and many more useful, entertaining COMPUTE! books at your local computer and book stores. Or you can order directly from COMPUTE! Books.

For the fastest service, call toll free 1-800-346-6767 (in NY 212-887-8525). Or mail the attached coupon with your payment to COMPUTE! Books, P.O. Box 5038, F.O.R. Station, New York, NY 10150.

Please add shipping and handling charges to all orders: In U.S., \$2.00 per book, disk, or combination package; \$5.00 per item airmail.

### I want the best in BASIC programming guides. Please send me:

- ☐ **Elementary ST BASIC**, (034-3), \$14.95 each  
☐ **Elementary ST BASIC Disk**, \$15.95 each  
☐ **Elementary ST BASIC disk and book combination**, \$29.95  
☐ **Elementary Amiga BASIC**, (041-6), \$14.95 each  
☐ **Elementary Amiga BASIC Disk**, \$15.95 each  
☐ **Elementary Amiga BASIC disk and book combination**, (057-2), \$29.95

ALL ORDERS  
MUST BE  
PREPAID IN  
U.S. FUNDS

Subtotal \_\_\_\_\_  
NC residents add 4.5% sales tax \_\_\_\_\_  
Shipping charges  
(\$2.00 per item in U.S. and surface mail;  
\$5.00 per item airmail) \_\_\_\_\_  
Total amount enclosed \_\_\_\_\_

☐ Payment enclosed (check or money order)

☐ Charge ☐ MasterCard ☐ Visa ☐ American Express

Account No. \_\_\_\_\_ Exp. Date \_\_\_\_\_ (Required)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Allow 4-6 weeks for delivery.

36612111

**COMPUTE! Publications, Inc.** 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies  
525 7th Avenue, 6th Floor, New York, NY 10019  
Publishers of COMPUTE! COMPUTE! Gazette COMPUTE! Gazette Disk COMPUTE! Books and COMPUTE! Apple Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from  
Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England  
and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough,  
Ontario, Canada M1P 2Z5.

# Lycio Computer Marketing & Consultants



## ATARI

130XE	CALL	
65XE	CALL	
800XL	CALL	
520ST	CALL	
1050 Drive	145	
1027 Printer	145	
850 Interface	109	
SF314 Drive	229	
S0564 Drive	179	
1040 ST (New) .....	Call	
XM301 Modem .....	31	

## SSI (Atari)

Nam	24.75
Mischag	34.95
Antfarm	29.95
USAF	34.95

## VIP TECH

VIP Professional 520ST	115
VIP LITE 520S1	85
VIP Professional Amiga	129

## ACTIVISION (Atari)

Hackler	15.75
Mindshadow	15.75
Ghostbusters	15.75
Great Am. Race	15.75
Music Studio	20.75
Space Shuttle	15.75

## ACTIVISION (520 St)

Borrowed Time	29.75
Music Studio	29.75
Hackler	26.75
Mindshadow	29.75

## MICROLEAGUE (Atari)

Baseball	24.95
GM disk	24.95
Team disk	14.95

## HABA (520 St)

Writer	49.95
--------	-------

## MICROPROSE (Atari)

Kennedy Approach	21.75
Crusade in Europe	24.75
Decision in Desert	24.75
Solo Flight	20.75
Nato Commander	20.75
Strifing Ace	18.75
F-15 Strike Eagle	20.75
Silent Service	20.75
Conflict in Nam	24.75

## MARK OF UNICORN (520ST)

HEX	39.95
MINCE	129.95
PCInterComm	99.95

## BRODERBUND (Atari)

The Print Shop	28.95
Graphics Library	18.95
Graphics Library II	19.50
Bank St. Writer	42.75
Whisper's Brother	18.95
Spellunker	18.95
Sleath	18.95
Sargent's Star	24.95
The Game of the Sun	24.95

## SYNAPSE (Atari)

Synfile	29.95
Synfile	29.95
Template	14.95
Mindwheel	24.75
Brimstone	24.75

## ACTIVISION (Apple)

Alter Ego	28.75
Little People	24.75
Mindshadow	24.75
Hackler	24.75
Gamemaker	24.75

## BRODERBUND (Apple)

The Print Shop	31.50
Graphic Library EA	18.50
Bank St. Writer 128K	42.75
Bank St. Speller	42.75
Conrad Bandago	22.75
Karateka	22.75
Captain Goodnight	22.75
Viguet Cruise	24.75
P.S. Companion	24.75
Science Kit	35.95

## MICROPROSE (Apple)

Crusade in Europe	24.75
Decision in Desert	24.75
F-15 Strike Eagle	20.75
Mindshadow	18.75
Music Studio	24.75
Silent Service	20.75
Solo Flight	20.75

## SSI (Apple)

Phantasia II	24.75
Warrior's Crown	24.75
Rings of Zillan	24.75
Colinial Conquest	24.75
Battlegroup	35.75
NAM	29.75

## MICROLEAGUE (Apple)

M.L. Baseball	24.95
General Mgr	24.95

## COMMODORE

128	CALL
C 1571 Drive	CALL
C 1902-A	CALL
C 64	CALL
C 1541 Drive	CALL
C 1570 Modern	CALL
C 64 Computer	CALL
MPS801 Printer	LOW
C 1350 Mouse	42
C 1700 128K RAM	145
C 1750 512K RAM	269
JAVE	35
Perfect Writer	49
Perfect Calc	49
Perfect Editor	49

## MICROPROSE (C-64)

Kennedy Approach	21.75
Crusade in Europe	24.75
Decision in Desert	24.75
Solo Flight	20.75
Nato Commander	20.75
Strifing Ace	18.75
F-15 Strike Eagle	20.75
Acrojet	21.75
Silent Service	21.75
Conflict in Nam	24.75
Gunsht	21.75

## ACTIVISION (C-64/128)

Alter Ego	28.75
Hackler	18.75
Little People	20.75
Gamemaker	24.75
Borrowed Time	18.75
Space Shuttle	18.75
Music Studio	24.75
Mindshadow	18.75
Roadrace	18.75
Fail Trucks	22.75
Count Down	22.75
Ghostbusters	22.75

## MICROLEAGUE (C-64)

Baseball	24.95
GM disk	24.95
Team disk	14.95

## WICO Joysticks

15 9714 Bat Handle	16.75
50 2030 Boss	11.99
50 2002 Super 3-Way	19.99

## BRODERBUND

The Print Shop	28.75
Graphics Library	18.95
Karateka	19.75
Bank St. Writer	32.75
Bank St. Runner	21.75
Printshop Companion	24.75
Bank St. Speller	32.75
Bank St. Filer	32.75
Bank St. Master	32.75
Music Shop	27.75
Championship	
Loderunner	21.75

## SUBLOGIC

Night Mason Pinball	20.75
Fight Simulator	37.75
Jet Simulator	25.95
Football	NEW
Baseball	EA
Sit 1-6	58.95

## CARDCO

Numeric Keypad	34.95
CB5 Select Board	49.95
CB2 Select Board	64.21
S-More Band Rom	49.95
Write Now 64	24.95
Mail Now 64	24.95
Spell Now 64	24.95
File Now 64	24.95
Print Now 64	24.95
Calc Now 64	24.95
Super Printer Utility	24.95

## SYNAPSE

Synfile	29.95
Template	14.95
Loderunner Rescue	19.95
Esser	24.95
Brimstone	24.95
Mindwheel	24.95

## UNISON WORLD

Print Master (Amiga)	22.75
Print Master (C-128)	22.75
Print Master (C-64)	22.75
Art Gallery	16.75

## MODEMS

### US ROBOTICS

Password 1200	229
Password 300	139
Courier 2400	469

### SUPRA

Supra 300 (Atari)	49.95
Supra 1200 (Atari)	199.95

### DIGITAL DEVICES

Pocket Modem AT	Call
Compuerve	18.95

### HAYES

Smartmodem 300	133
Smartmodem 1200	377
Smartmodem 1200B	347
Smartmodem 2400	598

### RACAL-VADIC

2400PC	549
2400PC	799
2400V	559
1200PC	329

### SUPRA

1064 Modem (C-64)	49.95
-------------------	-------

### COMMODORE

1670 Modem	155
------------	-----

### ANCHOR

Volsmodem 12	55
Volsmodem 12	106

## MONITORS

### PANASONIC

DTH103 10" RGB H Res.	395
TX120P 12" Color	419
TR120MSP 12" Amber	109
TR120MP 12" Green IBM	148
TR122VP 12" Green IBM	148

### ZENITH

ZVM 122A Amber	75
ZVM 1230 Green	75
ZVM 124A Amber IBM	129
ZVM 131 Color	275
ZVM 133 RGB	389
ZVM 135 Composite	449
ZVM 136 H Res Color	509
ZVM 1220	95
ZVM 1230	129
ZVM 1240	119

### TEKNIKA

MJ-10 Composite	179
MJ 22	255

### SAKATA

SG 1000 12" Green	99
SA 1000 12" Amber	109
SG 1500 12" Green TTL	119
SA 1500 12" Amber TTL	129
SC 100 13" Color Comp	209
SC 200 13" RGB	389
STSI 14" Stand	29

### COMMODORE

1902 Color	CALL
1802 Color	CALL

### PRINCETON GRAPHICS

MAX 12 Amber	159
MX 12 RGB	465
SP 12 RGB	595

### AMDEK

300 Green	118
300 Amber	128
310 Amber IBM	135
Color 300 Audio	234
Color 500 Composite	369
Color 600	397
Color 700	479
Color 710	569

### THOMSON

CM36512V1	269
CM36632	159

**NEW HOURS!**  
Mon-Thur - 9 AM-6 PM  
Fri - 9 AM-6 PM  
Sat - 10 AM-6 PM

**LYCIO COMPUTER**  
America's Mail Order Headquarters

**NEW HOURS!**  
Mon-Thur - 9 AM-8 PM  
Fri - 9 AM-6 PM  
Sat - 10 AM-6 PM

# Lyco Computer Marketing & Consultants



## SAVE ON THESE PRINTERS



1091 . . . . \$228

### PANASONIC

1091 . . . . 228  
RS232 Serial Board . . . 55  
6-100 Tractor . . . . 329  
3151 . . . . 409  
1099 (NEW) . . . . 209  
1592 (NEW) . . . . 439

### JUKI

Juki 6100 . . . . 344  
RS232 Serial Board . . . 55  
6-100 Tractor . . . . 329  
6100 Sheet Feeder . . . 209  
Juki 6300 . . . . 757

### C. ITOH

ProWriter 8510 sp+ . . . Call  
15505 sp+ . . . . Call  
PrinterMaster . . . . Call

### LEGEND

808 . . . . 148  
1080 . . . . 197  
1380 . . . . 224  
1385 . . . . 268

### EPSON

LX80 . . . . 209  
JX80 . . . . 333  
Homewriter 10 . . . 193  
DX10 . . . . 207  
DX20 . . . . 237  
DX35 . . . . 597  
AP-80 . . . . 244  
H-80 . . . . 365  
HS-80 . . . . 298  
FX-286 (NEW) . . . 489  
CX-800 (NEW) . . . 559  
LQ-1000 (NEW) . . . 659

### BROTHER

HR-15XL P . . . . 359  
HR-15XL S . . . . 350

### SEIKOSHA

SP-1000 VC (C-64) . . 185  
SP-1000 A Centronics . 199  
SP-1000 1091 . . . . 199  
SP-1000 AS RS232 . . 199  
SP-1000 AP Apple IIc . 199  
BP-5000 I . . . . 649  
BP sheet feeder . . . 199  
SP-1000 ribbon . . . 8.50  
BP-5000 ribbon . . . 12.50

### CORONA

LP300 . . . . 2495  
200361 Toner Cartridge . 89

### SILVER REED

EXP400 . . . . 249  
EXP450 . . . . 250  
EXP550 . . . . 359  
EXP770 . . . . 749

SG-10 . . . \$205

### OKIDATA

Okimate 10 . . . . 179  
SG-10 . . . . 214  
SG-15 . . . . 348  
SD-10 . . . . 563  
SD-15 . . . . 319  
SB-10 . . . . 469  
SB-15 . . . . 578  
SB-10 . . . . 297

### DIABLO

PowerType . . . . 549  
630 API . . . . 1599  
630 ECS . . . . 1759  
O 80 I/P . . . . 2395  
P 32 C01 . . . . 699  
P 36 . . . . 1749  
C 150 . . . . 999

### STAR MICRONICS

SG-10 . . . . 205  
SG-10c . . . . 219  
SG-15 . . . . 367  
SD-10 . . . . 438  
SD-15 . . . . 319  
SB-10 . . . . 469  
SB-15 . . . . 578  
SB-10 . . . . 297

### CITIZEN

MSP-10 . . . . 255  
MSP-15 . . . . 335  
MSP-20 . . . . 357  
MSP-25 . . . . 495  
1200 . . . . 666  
Premier 35 . . . . 429

## COLOR RIBBONS NOW AVAILABLE!!

### DUST COVERS

Atari . . . . 11.95  
130XE . . . . 6.99  
800XL . . . . 6.99  
1050 . . . . 6.99  
1025 . . . . 7.99

### Commodore

C128 . . . . 7.99  
1571/1541 . . . . 8.99  
1902 . . . . 10.95  
1702 . . . . 8.99  
C64/cx20 . . . . 8.99

### Panasonic

1090/1091 . . . . 8.99  
1052 . . . . 8.99  
1003 . . . . 8.99

### Star Micronics

S/S/SD10 . . . . 8.99  
S/S/SD15 . . . . 9.99  
SR10 . . . . 9.99  
SR15 . . . . 9.99

### Okidata

82/92 . . . . 8.99  
83/93 . . . . 9.99  
103 . . . . 9.99

### DRIVES

#### INDUS

GT Alan . . . . 195  
GT Commodore . . . . 195

### COMTEL

Enhancer 2000 (C-64) . . 159

### TYMAC

MDD-640-313 . . . . 289  
Apple Drive 64DK . . . . 289

### COMMODORE

1571 . . . . CALL  
1541 . . . . CALL

### INTERFACING

#### DIGITAL DEVICES

Age Face XLP (Atari) . . 49  
U Print A (Atari) . . . 54  
U Print A 16k Buffer . . 74  
U Print AP 16K (Apple) . 59

### CARDCO

G-WIZ (C-64) . . . . 54  
C-7PS (C-64) . . . . 48  
C-7B (C-64) . . . . 39

### XETEC

Super Graphix 64 . . . 64  
Super Graphix JR 64 . . 45

### MICROBITS

MPP 1150 (Atari) . . . 54  
MPP 1150M (Atari) . . 59  
MicroPrint (Atari) . . 39

### TYMAC

Connection (C-64) . . . 55  
Tackler (Apple) . . . . 49  
PPC-100 (Apple) . . . . 39

### MICROTEK

Dumping 16K (Apple) . . 59  
Dumping 16K (Apple) . . 49  
RV-61C (Apple) . . . . 89

### ORANGE MICRO

GRAPPLER+ (Apple) . . 85  
Grappier 16K (Apple) . . 49  
ORANGE (Apple) . . . . 59  
Scruffy Disk EA . . . . 14.95  
Grappier CD (C-64) . . 79

### DISKETTES

#### DENNISON

ELEPHANT 5 1/4" SSDD . 11.99  
ELEPHANT 5 1/4" SSDD . 12.29  
ELEPHANT 5 1/4" DSDD . 14.99

#### SUNKYONG

SKC 5 1/4" SSDD . . . . 11.99  
SKC 5 1/4" DSDD . . . . 13.99

#### MAXELL

5 1/4" MD1 . . . . 13.99

#### VERBATIM

5 1/4" SSDD . . . . 13.99  
5 1/4" DSDD . . . . 19.99

#### BONUS

5 1/4" SSDD . . . . 8.99  
5 1/4" DSDD . . . . 12.99

### IBM-PC

#### SSI (IBM)

Battle for Normandy . . 24.95  
Knights of Deserit . . . 24.95  
Tigres in Snow . . . . 24.95  
Computer Baseball . . . 24.95  
Carrels & Cutthroats . . 24.95  
OP Market Garden . . . 29.95  
50 Mission Crush . . . . 24.95

#### MICROPROSE (IBM)

F-15 Strike Eagle . . . . 20.75  
Solo Flight . . . . 20.75  
Silent Service . . . . 20.75  
Decision in Desert . . . 24.95  
Crusade Europe . . . . 24.95

#### SUBLOGIC (IBM)

Jet Simulator . . . . 34.95  
Scenery Disk EA . . . . 14.95  
Set 1-6 . . . . 69.95

### LEADING EDGE

Nutshell . . . . 89.95  
Nutshell Filer . . . . 149.00

### ACTIVISION (IBM)

Borrowed Time . . . . 24.75  
Mindshadows . . . . 24.75  
Music Studio . . . . 29.95  
After Ego . . . . 29.95

### UNISON WORLD (IBM)

Printmaster . . . . 34.95  
Art Gallery 1 . . . . 24.95

### SYNAPSE (IBM)

Syntrack . . . . 64.95  
Fixax . . . . 28.95  
Wizard of Wall St . . . 28.95  
Brnsstone . . . . 28.95

### QUICKVIEW (IBM)

Zoomracks . . . . 4.95

### BRODERBUND (IBM)

Ben St. Writer . . . . 49.95  
The Print Shop . . . . 34.95  
Graphics Library 1 . . . 22.95  
Ancient Art of War . . . 27.95  
Champ Lode Runner . . 22.95  
Karateka . . . . 22.95

### MICROLEAGUE (IBM)

M L Baseball . . . . 24.95  
General Mgr . . . . 24.95  
85 Team Disk . . . . 14.95

# TOLL FREE 1-800-233-8760



### TO ORDER

CALL TOLL FREE 1-800-233-8760

In PA 717-494-1030

Customer Service 717-494-1670



or send order to  
Lyco Computer  
P.O. Box 5088  
Jersey Shore, PA  
17740

### RISK FREE POLICY

In-stock items shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents add sales tax. APO, FPO and international orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for MasterCard or Visa. Personal checks require 4 weeks clearance before shipping. Ask upon UPS Blue and Red label shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to change without notice.



```

15 RIGHT|RV$|MIAMI ICE
SD 40 PRINT"[BLU|DOWN]
11 SPACES|JOYSTICK IN P
ORT 2"
JJ 50 PRINT"[BLK|DOWN|BLK|
11 SPACES|LEFT]
2 SPACES|TURN LEFT":PRI
NT"[11 SPACES|RIGHT]T
RN RIGHT"
QC 60 PRINT"[11 SPACES|FIRE]
2 SPACES|ACCELERATE":PR
INT"[YEL|DOWN]
13 SPACES|READING DATA.
."
BD 70 GOSUB1800:PRINT"[UP]
[BLU|10 SPACES|PRESS BU
TTON TO PLAY"
DB 80 IFJOY(2)<128THEN80
BE 90 HY=3:SC=0:SN=1
XD 100 FAST<ONSNGSUB760,1020,
1280,1550:SLOW<PRINT
[HOME]"TAB(32);"[BLK|LI
VES":HY=COLOR0,16:TM=40
0:T=0:XE=0
KC 110 GOSUB540:
AH 120 POKE2041,62:MOVSPR2,X,Y
=SPRITE2,1,2,0,0,0,1:PO
KE2040,57:XE=BUMP(2)
MX 130 MOVSPR1,30#0:SPRITE1,1,
9,0,0,0,1:SPRCOLOR1,2:M
OVSPR1,40,65:I=4:AN=180
:HT=135:TH=0:XE=BUMP(2)
+BUMP(1)
BQ 140 PRINT"[HOME|RV$]";TM;"
[LEFT] OFF]"
JX 150 IFJOY(2)=0THEN150
PH 160 IFJOY(2)=3THEN280

```

```

GC 170 IFJOY(2)=7THEN310
PR 180 IFJOY(2)=128THENMOVSPR1
,AN#1:TH=1:SOUND1,5000,
24,2,1000,3,3
XG 190 POKE2040,53+1:IFBUMP(1)
=3THEN490:ELSEIFBUMP(2)
AND1THEN420
PC 200 IFTH>1THENONABS(T-20)GO
TO410
RC 210 T=T+1
KS 220 IFHT>180THENIFHT-180>AN
THEN360
RS 230 IFHT>180THENIFHT-180>AN
THEN370
KR 240 IFHT<180THENIFHT+180>AN
THEN380
RD 250 IFHT<180THENIFHT+180>AN
THEN390
MM 260 TM=TM-1
CC 261 IFTM<0THENTM=0
XP 262 PRINT"[HOME|RV$]";TM;"
[LEFT] OFF]"
MH 270 IFJOY(2)<3THEN300
AQ 280 AN=AN+45:IFAN>360THENAN
=45
KD 290 I=I-1:IFI=0THENI=8:GOTO
190
DS 300 IFJOY(2)<7THEN340
CF 310 AN=AN-45:IFAN<0THENAN=3
15
KE 320 IFAN=360THENAN=0
DD 330 I=I+1:IFI=9THENI=1:GOTO
190
HH 340 IFJOY(2)=128THENSOUND1,
5000,24,2,1000,3,3:TH=T
H+1:T=0:IFTH>15THENTH=1
5:GOTO190
CP 350 GOTO190

```

```

FG 360 HT=HT+((AN+(360-HT))/10
):MOVSPR1,HT#TH:IFHT<36
0THEN260:ELSE:HT=0:GOTO
390
RX 370 HT=HT-((HT-AN)/10):MOV
SPR1,HT#TH:GOTO260
SM 380 HT=HT-((HT+(360-AN))/10
):MOVSPR1,HT#TH:IFHT>0T
HEN260:ELSE:HT=360:GOTO
370
JQ 390 HT=HT+((AN-HT)/10):MOV
SPR1,HT#TH:GOTO260
QR 400 GOTO260
XD 410 TH=TH-1:T=0:IFTH<1THENT
H=1:GOTO220:ELSE220
KF 420 POKE2040,63:FORDLEAVE=1
T0150:NEXT:SPRITE1,0
RJ 430 SOUND1,2000,1000,0,1000,
1,3,100
J8 440 T=0:HY=HY-1:PRINT
[HOME]"TAB(32)"LIVES";H
Y:IFHY=0THEN460
CD 450 XE=BUMP(2):SLEEP2:POKE2
040,57:MOVSPR1,33,55:XE
=BUMP(2):GOTO130
HX 460 SLEEP2:PRINT"[9 DOWN]
15 RIGHT|RV$|BLK|GAM
E OVER|OFF]"
PD 470 OPEN2,8,2,"HI-SCORE,S,R
":INPUT#2,A$;B$<CLOSE2:
IFB$<VAL(A$)THENFORI=1T
O8:SPRITE1,0:NEXT:GOTO5
60
HK 480 IFJOY(2)<128THEN480:EL
SE:XE=BUMP(2):GOTO90
AS 490 POKE53208,6:MOVSPR1,40#
0:PLAY"GRGRG":IFTM=0TH
EN520

```

```

GP 492 SD=INT(2000/TM)
XG 500 FORTY=1:TOTMSTEP5:PRINT
[HOME|RV$]";TM-TY:PRIN
T"[HOME|RV$]";TAB(13);
SC:TY:IFTM-TY<99THENIFT
M-TY>90THENPRINT"[HOME]
RV$|14 SPACES|OFF]"
HM 510 SOUND1,3000+(SD*TY),1:N
EXT:SC=SC+TM:PRINT
[HOME|RV$|12 SPACES|0
SPACE|OFF]";TAB(13);"
RV$|";SC
PC 520 SLEEP1:SN=SN+1:IFSN=5TH
ENSN=1
CB 530 GOTO100
OK 540 PRINT"[HOME|RV$]";TM;"
[HOME|RV$|TAB(13):SC:
RETURN
XB 550 REM ***** HI SCORE
*****
GB 560 PLAY"O4SCFGBBAR AB":PR
INT"[CLR|12 DOWN]
11 SPACES|YOUR SCORE:
SPACE|";SC:A8=65:OP=0
JG 570 PRINT"[10 SPACES|CCCCC
CCCCCCCCCCCC|UP]"
PB 580 OPEN2,8,2,"HI-SCORE,S,R
":FORI=1TO10:INPUT#2,B$
(I):INPUT#2,A$(I):NEXT:
CLOSE2:SCRATCH"HI-SCORE
"
GB 590 FORU=1TO10:IFSC<VAL(B$(
U))THENNEXT
FX 600 U=U-1:FORE=1TOU-1:A$(E)
=A$(E+1):B$(E)=B$(E+1):
NEXT:B$(U)=RIGHT$(STR$(
SC),LEN$(STR$(SC))-1):A$(
U)="----"
PB 610 TE=LEN(B$(U)):FORP=1TO6
-TE:B$(U)="0"+B$(U):NEX
T
FG 620 PRINT"[2 DOWN]";FORE=10

```

## Need a Surge Suppressor? If price is your only consideration...turn the page.



MODEL IB2-0

The IBLOK direct plug-in version of the ISOBAR® combines:

- low cost
- Easy installation
- Full 1 year warranty
- Circuitry indicator lights

If you want total protection at the lowest possible price, consider the ISOBAR® line. The ISOBAR® is the most complete surge suppressor available, with an advanced filter network that stops spikes, surges, E.M.I., R.F.I. and other high frequency line noise. ISOBAR® is available with 6 foot cord or direct plug to allow you flexibility of installation.

For the most complete protection the ISOBAR® surge suppressor is simply the Best choice for your computer. Call or write for the name of the Distributor nearest you.



"THE POWER PEOPLE"

312-329-1777  
500 North Orleans St.  
Chicago, IL 60610  
Telex# 2670290

```

TO2STEP-1;PRINTTAB(11);
11-E;"[2 SPACES]";A$(E)
;"[3 SPACES]";B$(E);NEXT
T
SF 630 PRINTTAB(10);10;"
[2 SPACES]";A$(1);"
[3 SPACES]";B$(1)
EQ 640 PRINT"HOME";15 DOWN;"F
ORI=1:TO1-U:PRINTNEXT:
NMS=""
CM 650 PRINT"UP";"TAB(16+OP);C
HR$(AB)
GF 660 IFJOY(2)=7THENAB=AB-1:I
FAB<65THENAB=65:GOTO650
PK 670 IFJOY(2)=3THENAB=AB+1:I
FAB>90THENAB=90:GOTO650
BD 680 IFJOY(2)=12THENNMS=NMS
+CHR$(AB):AB=65:OP=OP+1
:SLEEP1:IFOP=3THEN700
XA 690 GOTO650
ER 700 A$(U)=NMS:OPEN2,8,2,"HI
-Score,S,W":FORI=1:TO10:
PRINT#2,B$(I):PRINT#2,A
$(I):NEXT:CLOSE2
GF 710 PRINT"HOME";"FORI=1:TO1
8:PRINTNEXT
MG 720 PRINT"[7 SPACES]PRESS B
UTTON TO PLAY AGAIN:GO
TO480
FM 740 REM ***** CLEAR HI-SC
ORES *****
GH 750 SCRATCH"HI-SCORE":PRINT
"[CLR]MAKING HI-SCORE":
OPEN2,8,2,"HI-SCORE,S,W
":FORI=1:TO10:PRINT#2,"0
00000":PRINT#2,"----":NE
XT:CLOSE2:RETURN
DB 760 X=62:Y=135:COLOR4,16
KG 770 PRINT"[CLR]";[RVS]
[28 SPACES]EC3"
JX 780 PRINT"[RVS] [OFF]
[24 SPACES][WHT]++[RED]
EC3[RVS][19 SPACES]EC3
[OFF]"
KG 790 PRINT"[RVS] [OFF]
[25 SPACES][WHT]EQ3
[5 SPACES]EQ3+EW3[RED]
EC3[RVS][13 SPACES]EC3
[OFF]"
AH 800 PRINT"[RVS] [OFF]
[31 SPACES]E5[RVS]
[3 SPACES]OFF
[2 SPACES][RED]EC3[RVS]
[2 SPACES]OFF"
CD 810 PRINT"[RVS] [OFF]
[37 SPACES]BLK
[2 SPACES]OFF"
FC 820 PRINT"[RVS] EC3[OFF]
[36 SPACES]EC3[RVS]
[OFF]"
EX 830 PRINT"[RVS][19 SPACES]
EC3[OFF][29 SPACES]
[RVS][2 SPACES][OFF]
[WHT]++++[RED]
[3 SPACES]EC3[RVS]
[4 SPACES]EC3[OFF]
[24 SPACES][BLK]EQ3
[RED][RVS] [OFF]"
HS 840 PRINT"[RVS] [OFF][WHT]++
++[RED][15 SPACES][WHT]++
[RED]EC3[RVS]
[15 SPACES]EC3[OFF]
[11 SPACES][BLK]EQ3
[RED][RVS] [OFF]"
CM 850 PRINT"[RVS] [OFF]
[2 SPACES][WHT]++
[5 SPACES]E2++[RED]
[RVS]E3[13 SPACES][OFF]
[WHT]EW3[4 SPACES]+++
[RED]EC3[RVS][12 SPACES]
[OFF][11 SPACES][BLK]

```

```

EQ3[RED][RVS] [OFF]"
HE 860 PRINT"[RVS] [OFF]
[9 SPACES][WHT]EQ3++
[RED][RVS][12 SPACES]
[OFF][WHT]+EW3
[5 SPACES]EQ3++[RED]EC3
[RVS] EC3[OFF]
[10 SPACES]ED3[RVS]
[OFF]"
GB 870 PRINT"[RVS] [OFF]
[10 SPACES][WHT]E23E3
[RED][RVS] [OFF][WHT]+
EW3[8 SPACES]EQ3++[RED]
[RVS][12 SPACES][OFF]
[9 SPACES][BLK]EQ3[RED]
[RVS][2 SPACES][OFF]"
EK 880 PRINT"[RVS] [OFF]
[12 SPACES][RVS] [OFF]
[WHT]EW3[10 SPACES]EQ3

```

```

[RED]EC3[RVS] [OFF]
[9 SPACES][BLK]EQ3[RED]
[RVS][2 SPACES][OFF]"
AJ 890 PRINT"[RVS] [OFF]
[12 SPACES]ET3
[13 SPACES][RVS] [OFF]
[9 SPACES][BLK]EQ3[RED]
[RVS][2 SPACES][OFF]"
PQ 900 PRINT"[RVS] [OFF]
[26 SPACES][RVS] [OFF]
[9 SPACES][BLK]EQ3[RED]
[RVS][2 SPACES][OFF]"
GE 910 PRINT"[RVS] [OFF]
[37 SPACES]EC3[RVS]
[OFF]"
CM 920 PRINT"[RVS] [OFF]
[37 SPACES][BLK]EQ3
[RED][RVS] [OFF]"
GR 930 PRINT"[RVS] [OFF]

```

## Sams . . . the Proven Source for Programmer's Reference Guides

### Apple® IIc Programmer's Reference Guide

David L. Heiserman

This comprehensive user's guide allows you to use all the programming capabilities of the Apple IIc. The author describes the four principal programming languages and operating systems for the Apple IIc: Applesoft BASIC, the monitor, ProDOS®, and 65C02 machine-language coding. Key topics such as text screen, keyboard input, low- and high-resolution graphics are covered in separate chapters.

No. 22422, \$24.95

### Apple® IIe Programmer's Reference Guide

David L. Heiserman

Here's a book that encourages you to explore new programming ideas and take advantage of powerful programming procedures on the Apple IIe by placing needed facts, applications, and other technical information at your fingertips. Also contains many short application and demonstration programs in BASIC and assembly language.

No. 22299, \$12.95

### Programmer's Reference Guide for the ATARI® 400™/800™ Computers

David L. Heiserman

Includes two powerful chapters on graphics programming; thorough coverage of ATARI BASIC notation, rules, and limitations; math operations; I/O; sound; screen display; memory mapping; and the 6502 instruction set. For quick reference, eight appendices cover number base conversions, reserved words and tokens, characters and keyboard codes, error and status codes, and hardware details.

No. 22277, \$21.95

### Commodore 64® Programmer's Reference Guide

Commodore Computer

A Top 10 best-seller since its introduction, this programmer's working tool and reference source is packed with professional tips and information

on exploring your Commodore 64. It includes a complete dictionary of all Commodore BASIC commands, statements, and functions. BASIC program samples then show you how each item works. Mix machine language with BASIC and use hi-res effectively with this easy-to-use guide.

No. 22056, \$19.95

### Commodore 128™ Programmer's Reference Guide

David L. Heiserman

This excellent reference book gives you the keys to unlock the advanced features of the Commodore 128. Learn to master BASIC programming, machine language programming, the graphics system, sound system — including music — and much more. All hardware details are included. Too. No. 22479, \$22.95

To order call  
**800-428-SAMS**  
In Indiana  
call 317-298-5566  
Ask for Operator 820

**SAMS**  
A Division of Macmillan, Inc.




Book No.	Quantity	Price
Shipping & Handling		\$ 2.99
AK, CA, FL, IN, NC, NY, OH, TN, WV		
residents add local sales tax		
Total		\$
Name		
Company		
Address		
City		
State	Zip	
Daytime Telephone No.		
<input type="checkbox"/> Bill me credit card <input type="checkbox"/> VISA <input type="checkbox"/> MC <input type="checkbox"/> AE		
<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Check or money order enclosed. Make checks payable to Howard W. Sams &amp; Co. Sams &amp; Co. Mail this item with payment to: Howard W. Sams &amp; Co. Dept. DM • 4300 West 42nd Street • Indianapolis, IN 46236           </div> <div>DM 820</div> </div>		

Prices subject to change without notice

```

[37 SPACES]{BLK}{EQ}
[RED]{RVS}{OFF}"
MQ 940 PRINT"[RVS]{OFF}"
[37 SPACES]{BLK}{EQ}
[RED]{RVS}{OFF}"
EK 950 PRINT"[RVS]{OFF}{F}
[11 SPACES]{EQ}
[24 SPACES]{BLK}{EQ}
[RED]{RVS}{OFF}"
DQ 960 PRINT"[RVS]{2 SPACES}
[OFF]{F}{10 SPACES}
[RVS]{OFF}{WHT}{EQ}
[22 SPACES]{BLK}{EQ}
[RED]{RVS}{OFF}"
MK 970 PRINT"[RVS]{3 SPACES}
[OFF]{10 SPACES}{RVS}
[OFF]{WHT}{+EW}
[15 SPACES]{EA}
[6 SPACES]{RED}{ED}{RVS}
[OFF]"
SD 980 PRINT"[RVS]{3 SPACES}
[OFF]{F}{WHT}{E2 R3}{E5}
[4 SPACES]{RED}{ED}{RVS}
[OFF]{WHT}{++}
[12 SPACES]{EA}{+EW}
[5 SPACES]{RED}{RVS}{E3}
[2 SPACES]{OFF}"
SJ 990 PRINT"[RVS]{4 SPACES}
[OFF]{F}{WHT}{++}{E5}
[RED]{ED}{RVS}
[3 SPACES]{E3}{OFF}{WHT}
EQ3++{E2 R3}{+6 SPACES}
EQ3++{E3}{2 SPACES}
[RED]{RVS}{E3}{4 SPACES}
[OFF]"
PQ 1000 PRINT"[RVS]{39 SPACES}
[OFF]";POKE2023,224:P
OKE56295,2
DS 1010 RETURN
CC 1020 X=262:Y=142:COLOR4,3
KS 1030 PRINT"[CLR]{E1}{RVS}
[40 SPACES]{OFF}"
KQ 1040 PRINT"[E1]{RVS}{OFF}
[8 SPACES]{RVS}{OFF}
[WHT]{EQ}{E1}{RVS}{OFF}
[WHT]{C}{E3}{E3}
[17 SPACES]{E1}{RVS}{E3}
[7 SPACES]{OFF}"
XM 1050 PRINT"[RVS]{OFF}
[8 SPACES]{RVS}{OFF}
[WHT]{EQ}{E1}{RVS}{OFF}
[27 SPACES]{RVS}{E3}
[OFF]{17 SPACES}{RED}
ED3{E1}{RVS}{3 SPACES}
[OFF]{127 SPACES}{RVS}
E3}{OFF}"
AB 1060 PRINT"[RVS]{OFF}
[8 SPACES]{WHT}{E3} [E1]
[RVS]{OFF}{BLK}{E3}
[26 SPACES]{E1}{RVS}{E3}
[OFF]"
CG 1070 PRINT"[RVS]{OFF}
[8 SPACES]{WHT}{E3}
[BLK]{C+}{E3}{5 SPACES}
[WHT]{EQ}{RED}{RVS}{E3}
[OFF]{WHT}{E3}{RED}
E12 P3{5 SPACES}{E1}
[RVS]{E3}{OFF}"
XC 1080 PRINT"[RVS]{OFF}
[8 SPACES]{WHT}{E3}
[RED]{RVS}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{E1}
[14 SPACES]{OFF}{RED}
E3}{4 SPACES}{E1}{RVS}
E3}{OFF}"
DB 1090 PRINT"[RVS]{OFF}
[8 SPACES]{WHT}{E3}
[RED]{RVS}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}{WHT}
EQ3{E1}{RVS}{OFF}{WHT}
E3}{EQ3{E1}{RVS}{OFF}
[WHT]{E3}{12 SPACES}{EQ}

```



"Miami Ice," Commodore 128 version:  
Driving through the streets of Miami  
isn't easy when they're covered with a  
layer of ice.

```

[E1]{RVS}{OFF}{WHT}{E3}
[E1]{RVS}{BLK}{E1}{OFF}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
CS 1100 PRINT"[RVS]{OFF}
[8 SPACES]{WHT}{E3}
[RED]{RVS}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}{WHT}
EQ3{E1}{RVS}{OFF}
[2 SPACES]{WHT}{EQ3}{E1}
[RVS]{OFF}{3 SPACES}
[WHT]{EQ3}{E1}{2 SPACES}
[RVS]{OFF}{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
KX 1110 PRINT"[RVS]{2 SPACES}
[OFF]{18 SPACES}{WHT}
E3}{RED}{RVS}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}
[2 SPACES]{RED}{E3}
[2 SPACES]{WHT}{EQ}
[4 SPACES]{RED}{E3}
[2 SPACES]{E1}{RVS}
[OFF]{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
XR 1120 PRINT"[RVS]{OFF}
[9 SPACES]{RED}{RVS}
[2 SPACES]{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}
[5 SPACES]{E3}
[7 SPACES]{E1}{RVS}
[OFF]{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
JS 1130 PRINT"[RVS]{OFF}
[9 SPACES]{RED}{RVS}
[OFF]{15 SPACES}{RED}
ED3C{RVS}{ED3}{OFF}
[13 SPACES]{E1}{RVS}
[OFF]{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
RQ 1140 PRINT"[RVS]{OFF}
[9 SPACES]{RED}{RVS}
[OFF]{16 SPACES}{WHT}
EQ3}{RED}{RVS}{OFF}{E3}
[13 SPACES]{E1}{RVS}
[OFF]{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
AR 1150 PRINT"[RVS]{OFF}
[9 SPACES]{RED}{RVS}
[OFF]{16 SPACES}{WHT}
EQ3}{RED}{RVS}{OFF}{E3}
[13 SPACES]{E1}{RVS}
[OFF]{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"

```

```


RJ 1160 PRINT"[RVS]{OFF}
[9 SPACES]{RED}{RVS}
[OFF]{16 SPACES}{WHT}
EQ3}{RED}{RVS}{OFF}{E3}
[6 SPACES]{E1}{RVS}{E3}
[7 SPACES]{OFF}{BLK}
E3}{4 SPACES}{E1}{RVS}
E3}{OFF}"
FR 1170 PRINT"[RVS]{BLK}{ED}
E3}{OFF}{17 SPACES}
[RED]{RVS}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}
[9 SPACES]{E1}{RVS}
[BLU]{ED}{E3}{E3}{OFF}
E1}{RVS}{OFF}{BLK}{E3}
[4 SPACES]{E1}{RVS}{E3}
[OFF]"
XJ 1180 PRINT"[RVS]{E3}
[2 SPACES]{OFF}{BLK}
EQ3}{4 SPACES}{RED}{ED}
[RVS]{2 SPACES}{OFF}
[6 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}
[9 SPACES]{E1}{RVS}{ED}
[BLU]{3 SPACES}{OFF}
[BLK]{E3}{E1}{RVS}{OFF}
[BLK]{E3}{4 SPACES}{E1}
[RVS]{E3}{OFF}"
8C 1190 PRINT"[RVS]{E3}{ED}{E3}
[OFF]{BLK}{E3}
[13 SPACES]{WHT}{EQ}
[RED]{RVS}{OFF}
[10 SPACES]{WHT}{E3 T}
[BLK]{E3}{E1}{RVS}{OFF}
[BLK]{E3}{4 SPACES}{E1}
[RVS]{E3}{OFF}"
QM 1200 PRINT"[RVS]{E3}
[2 SPACES]{OFF}{BLK}
EQ3}{12 SPACES}{RED}
[RVS]{13 SPACES}{OFF}
[14 SPACES]{E1}{RVS}{ED}
[OFF]{15 SPACES}{RVS}
E3}{OFF}"
HS 1210 PRINT"[RVS]{E3}{ED}{E3}
[OFF]{BLK}{E3}
[12 SPACES]{RED}{RVS}
[3 SPACES]{OFF}
[20 SPACES]{E1}{RVS}{E3}
[OFF]"
ER 1220 PRINT"[RVS]{E3}{ED}{E3}
[OFF]{WHT}{E3}
[12 SPACES]{RED}{RVS}
[SPACE]{E3}{Q}{RED}{OFF}
[20 SPACES]{E1}{RVS}{E3}
[OFF]"
DG 1230 PRINT"[RVS]{E3}{ED}{E3}
[OFF]{WHT}{++}
[11 SPACES]{RED}{RVS}
[3 SPACES]{OFF}
[20 SPACES]{E1}{RVS}{E3}
[OFF]"
ER 1240 PRINT"[RVS]{E3}
[2 SPACES]{OFF}{WHT}{++}
E3}{19 SPACES}{E3}{RED}
[RVS]{E3}{Q}{RED}{OFF}
[SPACE]{WHT}{E3}
[17 SPACES]{E1}{RVS}
[OFF]"
PK 1250 PRINT"[RVS]{E3}
[5 SPACES]{OFF}{WHT}{CC}
CCCC{E1}{RVS}{17 SPACES}
[RED]{E2 Y}{E3}{OFF}
[17 SPACES]{E1}{RVS}
[OFF]"
MR 1260 PRINT"[RVS]{39 SPACES}
[OFF]";POKE2023,224:P
OKE56295,8
XB 1270 RETURN
8A 1280 X=280:Y=200:COLOR4,16
DK 1290 PRINT"[CLR]{GRN}{RVS}
[40 SPACES]{OFF}"
DA 1300 PRINT"[RVS]{OFF}
[19 SPACES]{E3}{RVS}

```



Explore Pascal with

# THE TURBO PASCAL HANDBOOK from **COMPUTE!**



## The Turbo Pascal Handbook

Edward P. Faulk

With *The Turbo Pascal Handbook* and *Turbo Pascal* from Borland International, you'll be gently guided, step-by-step, until you're creating your own powerful applications in this impressive computer language.

**\$14.95** ISBN 0-87455-037-8

This information-packed book from **COMPUTE!** is an outstanding resource and programming guide. And it's written in **COMPUTE!**'s bestselling style so that even beginning programmers can quickly and easily understand all the applications.

Ask for *The Turbo Pascal Handbook* at your local computer store or bookstore. Or order directly from **COMPUTE!**. Call toll free 1-800-346-6767 (in NY 212-887-8525) or mail the attached coupon with your payment (plus \$2.00 shipping and handling per book) to **COMPUTE! Books**, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

**Note:** You'll need *Turbo Pascal* in order to use this book. The software is not included with *The Turbo Pascal Handbook*.

Yes! Send me \_\_\_\_\_ copies of *The Turbo Pascal Handbook* at \$14.95 each.  
My payment is enclosed.

ALL ORDERS  
MUST BE  
PREPAID IN  
U.S. FUNDS

Subtotal \_\_\_\_\_  
NC residents add 4.5% sales tax \_\_\_\_\_  
Shipping and handling \_\_\_\_\_  
(\$2.00 per book in U.S. and surface  
mail; \$5.00 per book airmail.)  
Total enclosed \_\_\_\_\_

☐ Payment enclosed (check or money order)  
☐ Charge ☐ Visa ☐ MasterCard ☐ American Express

Account No. \_\_\_\_\_ Exp. Date \_\_\_\_\_  
(Required)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Please allow 4-6 weeks for delivery.

36603711

**COMPUTE!** Publications, Inc. 

One of the ABC Publishing Companies

825 7th Avenue, 6th Floor, New York, NY 10019

Publishers of **COMPUTE!**, **COMPUTE!**'s Gazette, **COMPUTE!**'s Gazette Disk, **COMPUTE!** Books, and **COMPUTE!**'s Apple Applications

# 240K Apple Compatible<sup>®</sup> Computer System

**NEW**

**SALE**



**Aplus 3000 computer system Includes 192K RAM, 48K ROM (32K Microsoft Basic plus 16K ROM Emulator), 160K Loser 5 1/4" Disk Drive (Runs Apple II Software), Magic Window Wordprocessor, MagiColc spreadsheet, Mologic Memory Database. All for only \$399.00**

**Complete System**

**\$399.00**

## • 15 Day Free Trial

**"Aplus 3000" System**



### Double Immediate Replacement Warranty

If only of the Aplus 3000 computer system equipment fails due to faulty workmanship or material within 180 days of purchase we will REPLACE it immediately with no service charge!!

- Over 10,000 existing Apple<sup>®</sup> programs
- Centronics printer interface included
- 240K (192K RAM, 48K ROM)
- ArtSci's Magic Window II, Mologic Memory, and MagiColc included
- 160K Laser 5 1/4" Disk Drive (Runs Apple II software)
- RGB (80 columns in color) and composite included

### SPECIFICATIONS

A plus 3000 is a complete, self-contained computer based on the popular 6502A microprocessor and can tap into the tremendous software library of Apple II. Features include 192K Bytes RAM, 32K Enhanced Microsoft BASIC, 80 column text, 560H X 192V color graphic display, 81 key sculptured keyboard and high efficiency switching power supply. Also included as standard are Centronics bus printer interface, Cassette interface, 4 channel sound generator, and 5 1/4" Apple Compatible Disk Drive.

#### • TEXT

- 40 columns X 24 rows or 80 columns X 24 rows software selectable.
- 5 X 7 characters in 7 X 8 matrix.
- Upper and lower case characters.
- One of Eight colors for characters/graphics and background, Red, Green, Blue, Cyan, Magenta, Yellow, Black and White.
- Character set with normal, inverse and flashing capabilities.

#### • GRAPHICS

- 280H X 192V 6 colors — Black, White, Violet, Green, Blue, Orange.
- 280H X 192V 8 colors bit image — Black, White, Red, Green, Blue, Cyan, Magenta, Yellow.
- 560H X 192V 6 colors — Black, White, Violet, Green, Blue, Orange. (High resolution color monitor required)

**Super Apple Compatible Disk Drive Sale \$149.95.** Quieter, Cooler, Better Disk Drives for your Apple II plus, Iie, Iic (specify when ordering). List \$299.95. Sale \$149.95.

**15 Day Free Trial — If it doesn't meet your expectations within 15 days of receipt, just send it back to us UPS prepaid and we will refund your purchase price!!**

**Add \$25.00 for shipping and handling!!**

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

### More Features than Apple<sup>®</sup> for less than Commodore<sup>®</sup>

Features	Aplus 3000	Apple Iie	Commodore C-128
RAM	192K	64K	128K
Runs Apple II Software	Yes	Yes	No
Function Keys	24	None	16
4 Voice, 6 Octave Sound	Yes	No	Yes
Composite Video	Yes	Yes	Yes
Disk Drive	Included	Extra Cost	Extra Cost
Numeric Keypad	Included	Extra Cost	Included
Video Cable	Included	Extra Cost	Extra Cost
RGB Color Card	Included	Extra Cost	Included
80 Column Card	Included	Extra Cost	Included
Centronics Printer Interface	Included	Extra Cost	Extra Cost
Drive Controller	Included	Extra Cost	Included
\$150 Wordprocessor (Magic Window)	Included	Extra Cost	Extra Cost
\$150 Spreadsheet (MagiColc)	Included	Extra Cost	Extra Cost
\$60 Database prg. (Mologic Memory)	Included	Extra Cost	Extra Cost
<b>Your Cost</b>	<b>\$399.00</b>	<b>\$1745.00</b>	<b>\$1117.90</b>

### ACCESSORIES

	LIST	SALE
2nd Disk Drive	\$299.95	\$149.95
2 professional analog joysticks	\$ 39.95	\$ 24.95
Z-80 cart. allows CP/M use	\$ 99.95	\$ 59.95
R5232 adapter	\$ 99.95	\$ 59.95
R/F Modulator (TV hookup)	\$ 29.95	\$ 19.95
RGB cable (RGB Monitor hookup)	\$ 24.95	\$ 19.95
Centronics cable (for Centronics printer)	\$ 34.95	\$ 24.95
Technical reference manual	\$ 29.95	\$ 19.95
80 columns Hi-Res Green Monitor	\$199.00	\$ 79.95
80 column Hi-Res RGB Monitor	\$399.00	\$259.00

## COMPUTER DIRECT

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Ill. 60010

**312/382-5050 to order**



152K *Lowest Price In The USA!* 152K

# Computer System Sale

• Students • Word Processing • Home • Business

152K  
System **\$379\***  
(130XE System)

EDUCATE WITH ATARI



**Limited Time**  
**FREE Software w/ System Purchase\***  
Home Filing Mgr., Star Raiders,  
Music Composer, Defender

LOOK AT ALL YOU GET FOR ONLY **\$379**  
LIMITED QUANTITIES SYSTEM PRICE

- ① Atari 130XE 152K Computer
- ② Atari 1050 127K Disk Drive
- ③ Atari 1027 Letter Quality 20 CPS Printer
- Atari Writer Plus Word Processor with Spell Checker
- Atari BASIC Tutorial Manual

All connecting cables & T.V. interface included.  
☆ Monitors sold separately.

**TOTALS**

LIST PRICE	INDIVIDUAL SALE PRICE
\$249.00	\$134 <sup>95</sup>
299.00	159 <sup>95</sup>
299.00	159 <sup>95</sup>
59.95	49 <sup>95</sup>
16.95	7 <sup>95</sup>
<b>\$923.90</b>	<b>\$512.75</b>

**SAVE  
OVER \$100**  
ALL 5 ONLY  
**\$379<sup>00</sup>**  
SYSTEM  
SALE PRICE

**CALL FOR 1027 PRINTER REPLACEMENT OPTIONS**

\* Free software subject to substitution for other titles

## Other Accessories

	List	Sale	
☆ 12" Hi Resolution Green Screen Monitor	\$199.00	\$79.95	Add \$9.95 for Connection Cables
☆ 13" Hi Resolution Color Monitor	\$399.00	\$149.95	Add \$10 for UPS

**15 DAY FREE TRIAL.** We give you 15 days to try out this ATARI COMPUTER SYSTEM!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!! **90 DAY IMMEDIATE REPLACEMENT WARRANTY.** If any of the ATARI COMPUTER SYSTEM equipment or programs fail due to faulty workmanship or material within 90 days of purchase we will replace it IMMEDIATELY with no service charge!

**Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service**  
**• One Day Express Mail • Programming Knowledge • Technical Support**

**Add \$25.00 for shipping and handling!!**

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D., add \$25 if Air Mail.

## COMPUTER DIRECT

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Ill. 60010

**312/382-5050 to order**



# COMMODORE 64 COMPUTER

(Order Now)

## \$139.95

- \* C128 Disks 79¢ ea.\*
- \* Paperback Writer 64 \$39.95
- \* 10" Comstar 10X Printer \$148.00
- \* 13" Color Monitor \$149.95

**CALL BEFORE YOU ORDER**

### COMMODORE 64 COMPUTER \$139.95

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$250 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.95!!

### \* C128 DOUBLE SIDED DISKS 79¢ EA.

Get these 5 1/4" Double Sided Floppy Disks specially designed for the Commodore 128 Computer (1571 Disk Drive). 100% Certified, Lifetime Warranty, Automatic Left Cleaning Liner Included. 1 Box of 10 - \$9.90 (99¢ ea.), 3 Boxes of 10 - \$44.50 (89¢ ea.), 10 Boxes of 10 - \$79.00 (79¢ ea.).

### 13" COLOR MONITOR \$149.95

You pay only \$149.95 when you order this 13" COLOR MONITOR. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$250 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$49.95. (16 Colors).

### Premium Quality 120-140 CPS

### Comstar 10X Printer \$148.00

The COMSTAR 10X gives you a 10" carriage, 120-140 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin setting, true lower decenders with super and subscripts, prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) List \$399.00. **Sale \$148.00.**

### 4 SLOT EXPANDER & 80 COLUMN BOARD \$49.95

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! **Limited Quantities. Sale \$49.95, Coupon \$39.95**

### 80 COLUMNS IN COLOR

### PAPERBOOK WRITER 64 WORD PROCESSOR \$39.95

This PAPERBOOK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer. The 16-Character, 80-Column, 4-Line Word Processing, DISPLAYS 40 or 80 COLUMNS in COLOR or black and white! Simple to operate, powerful text editing, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. **SALE \$39.95, Coupon \$29.95.**

# COMMODORE 64 SYSTEM SALE

Commodore 64 Plus \$30.00 S&H

Com. 1541  
Disk Drive \$457  
14" Color  
Monitor

**PLUS FREE \$49.95 Oil Barons  
Adventure Program**

### SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to **SAVE OVER \$250 OFF SALE PRICES!!**

### (Examples)

### PROFESSIONAL SOFTWARE COMMODORE 64

Name	List	Sale	Coupon
PaperClip	\$89.95	\$34.95	\$29.95
Consultant	\$99.95	\$49.95	\$29.95
Leader Board	\$39.95	\$24.95	\$22.95
The Print Shop	\$44.95	\$27.95	\$26.95
Holley's Project	\$39.95	\$22.95	\$19.95
Practical (spread sheet)	\$59.95	\$19.95	\$14.95
Voice Command Module	\$79.95	\$39.95	\$34.95
Nine Princes in Amber	\$32.95	\$24.95	\$21.95
Super Bowl Sunday	\$35.00	\$22.95	\$19.95
Flip and File Disk Filer	\$24.95	\$14.95	\$12.95
Pro Joy Stick	\$19.95	\$12.95	\$10.00
PartyWare	\$15.95	\$14.95	\$11.95
Dust Buster	\$ 8.95	\$ 6.95	\$ 4.60
Financial Planner			
Sylvia Porter	\$59.95	\$38.95	\$35.95
H&M	\$29.95	\$18.95	\$16.95
C64 Troubleshoot & Repair Guide	\$24.95	\$15.95	\$12.95

(See over 100 coupon items in our catalog)

Write or call for

**Sample SPECIAL SOFTWARE COUPON!**

# ATTENTION Computer Clubs

We Offer Big Volume Discounts

**CALL TODAY!**

### PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that **We Love Our Customers.**

### PHONE ORDERS

8 a.m. - 8 p.m. C.S.T. Weekdays  
9 a.m. - 12 noon C.S.T. Saturdays

# C128 COMMODORE COMPUTER

(Order Now)

## \$229.95

(SEE BELOW)

With \$39.93 Timeworks Wordwriter  
Wordprocessor savings applied

- \* 340K 1571 Disk Drive \$259.00
- \* Voice Synthesizer \$39.95
- \* 12" Monitor \$79.95

**PRICES MAY BE LOWER**

### \* C128 COMMODORE COMPUTER \$289.00

You pay only \$289.00 for the C128 computer and we include the C128 Wordwriter Wordprocessor by Timeworks (Sale \$59.95). Thus, your net cost for the C128 computer is only \$229.05. List \$349.00. **SALE \$289.00.**

### 340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode, 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. **Sale \$259.00.**

### SUPER AUTO DIAL MODEM \$29.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone, just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. **Best In U.S.A. Sale \$29.95. SALE \$29.95.** Coupon \$24.95.

### VOICE SYNTHESIZER \$39.95

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! PLUS (\$19.95 value) TEXT TO SPEECH program included FREE. Just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. **SALE \$39.95**

### 12" MAGNAVOX (NAP) 80 COLUMN MONITOR WITH SOUND \$79.95

Super High Resolution green screen monitor. 80 columns x 24 lines, easy to read, plus speaker for audio sound included. Fantastic value. List \$129.00. **Sale \$79.95.** (C128 cable \$19.95. C64, Atari cable \$9.95)

### PRINTER/TYPewriter COMBINATION \$229.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. **SALE \$229.95.** (C128 cable \$9.95)

### 14" RGB & COMPOSITE COLOR MONITOR \$259.95

Must be used to get 80 columns in color with 80 column computers (C128 - IBM - Apple). (RGB Cable \$19.95) Add \$14.50 shipping. List \$399.00. **SALE \$259.95.**

- \* LOWEST PRICES • 15 DAY FREE TRIAL
- \* BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6 1/4% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. We DO NOT EXPORT TO OTHER COUNTRIES. EXCEPT CANADA. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Prices & Availability subject to change without notice. VISA — MASTER CARD — C.O.D. No. C.O.D. to Canada, APO-FPO

# PROTECTO

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

## 312/382-5244 to order

# COLOR MONITOR

**Sale**

**SALE!!!**

**16  
COLORS**

*(Premium Quality)*

- Built in Speaker & Audio
- For Video Recorders
- For Small Business Computers
- Apple - Commodore - Atari - Aplus 3000 - etc.
- One Year Free Immediate Replacement Warranty\*



*(Premium Quality)*

- Beautiful Color Contrast
- High Resolution
- Sharp Clear Text
- Anti-Glare Screen
- 40 Columns x 24 Lines
- Front Panel Controls

List \$329<sup>00</sup>

**RGB**  
Super High Resolution

**13" Color Computer Monitor\***

\* C64/Atari composite cable \$9.95

\* C12B RGB/Composite 80 column cable \$19.95.

**Sale \$159.95\***

Add \$14.50 Shipping

## 13" RGB & COMPOSITE COLOR MONITOR

Allows use of C-12B and C64 mode - composite and 80 column RGB mode. Must be used to get 80 columns in color with 80 column computers. Specially designed for use with the C12B's special composite video output, plus green screen only option switch. (add \$14.50 shipping)

List \$399.00

**Sale \$259.95\***

## 12" MAGNAVOX (NAP) 80 COLUMN MONITOR

Super high resolution composite green screen monitor. 80 columns x 24 lines, easy to read, plus speaker for audio sound included. Fantastic value. Limited Quantities.

List \$129.00

**Sale \$79.95\***

## Turn Your Monitor into a TV Set Without Moving Your Computer

Elegant TV Tuner with dual UHF/VHF selector switches goes between your computer and monitor. Includes mute, automatic fine tuning and computer-TV selector switches. Inputs included for 300 ohm, 75 ohm, and UHF. Can be used with cable TV and VCR's. Fantastic Value. Limited Quantities.

List \$129.95

**Sale \$49.95\***

**15 Day Free Trial - 90 Day Immediate Replacement Warranty**

• LOWEST PRICES • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling, and insurance. Illinois residents please add 6 1/2 % tax. Monitors must be shipped to Continental U.S. Only. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Prices & Availability subject to change without notice.  
VISA — MASTER CARD — C.O.D.

**PROTECTO**

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Illinois 60010

**312/382-5244 to order**

	{4 SPACES}{OFF}{WHT}- {BLK}{E3}{GRN}{RVS} {SPACE}{OFF}"		{14 SPACES}{RVS}{E 12 SPACES}{M}{OFF}{ 17 SPACES}{RVS}{OFF}"		{RVS}{-}{OFF}{5 SPACES} E3}"
SG 1310	PRINT"{RVS}{OFF} {21 SPACES}{E*3}{RVS} {2 SPACES}{OFF}{WHT}- {13 SPACES}{GRN}{RVS} {SPACE}{OFF}"	RP 1450	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {SPACE}{OFF}{E {14 SPACES}{RVS}{E 12 SPACES}{M}{OFF}{ 18 SPACES}{RVS}{OFF}"	XF 1630	PRINT"{BLK}{E6}{E3}{E6}{E3} +E2}{E3}{RVS} {3 SPACES}{OFF}{E3 {12 SPACES}{E3}{RVS} {OFF}{15 SPACES}{E3}"
JD 1320	PRINT"{RVS}{OFF} {22 SPACES}{RVS} {2 SPACES}{OFF}{WHT}- {13 SPACES}{GRN}{RVS} {SPACE}{OFF}"	CE 1460	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {SPACE}{OFF}{E {14 SPACES}{RVS}{E 14 SPACES}{OFF}{E 9 SPACES}{RVS}{OFF}"	HA 1640	PRINT"{E3}{15 SPACES} {WHT}{RVS}{E3}{OFF} {6 SPACES}{RVS}{E3 {OFF}{12 SPACES}{E3 {RVS}{17 SPACES}{E3 {OFF}{15 SPACES}{E3}"
MD 1330	PRINT"{RVS}{OFF} {13 SPACES}{RVS}{E3 {OFF}{17 SPACES}{E3 {RVS}{OFF}{WHT}- {13 SPACES}{GRN}{RVS} {SPACE}{OFF}"	FJ 1470	PRINT"{RVS}{OFF}{WHT} -}{GRN}{20 SPACES}{E3 {RVS}{E3}{GRN} {5 SPACES}{OFF} {10 SPACES}{RVS}{OFF} "	MJ 1650	PRINT"{E3}{15 SPACES} {RVS}{13 SPACES}{OFF} {WHT}{++}{E3}{9 SPACES} {E3}{RVS}{E3}{E3}{OFF} {5 SPACES}{E3}"
XQ 1340	PRINT"{RVS}{15 SPACES} {OFF}{E6 SPACES}{WHT} UC}{GRN}{RVS}{OFF} {WHT}{K}{13 SPACES}{GRN} {RVS}{OFF}"	KX 1480	PRINT"{RVS}{OFF}{WHT} JI}{GRN}{18 SPACES}{E3 {RVS}{E3}{GRN} {3 SPACES}{OFF}{WHT}- {SPACE}{GRN}{RVS} {OFF}{10 SPACES}{RVS} {SPACE}{OFF}"	XA 1660	PRINT"{E3}{15 SPACES} {WHT}{E3}{T3}{E3}{E3 {10 SPACES}{E3}{RVS}{E3 {OFF}{WHT}{UI {3 SPACES}{E3}{E3}"
CD 1350	PRINT"{RVS}{4 SPACES} {OFF}{E17 SPACES} {WHT}-}{GRN}{RVS}{E {OFF}{7 SPACES}{RVS} {OFF}{6 SPACES}{RVS} {OFF}"	SH 1490	PRINT"{RVS}{E3 {3 SPACES}{OFF} {17 SPACES}{RVS}{GRN} {3 SPACES}{OFF}{WHT} E3}{C}{GRN}{RVS}{OFF} {10 SPACES}{RVS}{OFF}"	GQ 1670	PRINT"{E3}{4 SPACES} {RED}{E9}{E3} {18 SPACES}{RVS}{OFF} {BLU}{E3}{RVS}{OFF} {WHT}-}{13 SPACES}{E3}{E3 {E3}{4 SPACES}{E3}{RVS} {9 SPACES}{OFF}{WHT} E3}{17 SPACES}{E3}{RVS} {3 SPACES}{OFF}{WHT}- E3}{13 SPACES}{E3}{E3 {4 SPACES}{E3}{RVS}{E3 E3}{E3}{E3}{E3}{E3}{E3 {E3}{21 SPACES}{WHT}- E3}{13 SPACES}{E3}"
CH 1360	PRINT"{RVS}{3 SPACES} {OFF}{E17 SPACES} {RVS}{E3}{3 SPACES}{OFF} {7 SPACES}{RVS}{OFF} {6 SPACES}{RVS}{OFF}"	MX 1500	PRINT"{RVS}{E3 {3 SPACES}{OFF} {16 SPACES}{GRN}{RVS} {E14 SPACES}{OFF}{WHT} E3}{GRN}{RVS}{OFF} {10 SPACES}{RVS}{OFF} "	KJ 1680	PRINT"{E3}{5 SPACES} {RVS}{OFF}{E73}-E53 {RVS}{OFF}{15 SPACES} {E3}{RVS}{C}{C}{OFF} {WHT}{E3}{15 SPACES}- {3 SPACES}{E3}{E3}"
DG 1370	PRINT"{RVS}{2 SPACES} {OFF}{E17 SPACES} {RVS}{E3}{3 SPACES}{OFF} {E17 SPACES}{RVS} {OFF}{6 SPACES}{RVS} {OFF}"	FF 1510	PRINT"{RVS}{E3 {4 SPACES}{OFF}{WHT}{CC CI}{10 SPACES}{GRN} {RVS}{E3}{2 SPACES}{OFF} {WHT}-}{UW}{E3}{GRN} {RVS}{OFF}{10 SPACES} {RVS}{OFF}"	DX 1690	PRINT"{E3}{5 SPACES} {RVS}{OFF}{E73}-E53 {RVS}{OFF}{15 SPACES} {RVS}{114 SPACES}{E*3 {OFF}{16 SPACES}{WHT}- {3 SPACES}{E3}{E3}"
DE 1380	PRINT"{RVS}{2 SPACES} {OFF}{18 SPACES}{E3 {RVS}{E3}{GRN} {11 SPACES}{OFF}{E 9 SPACES}{RVS}{OFF} {6 SPACES}{RVS}{OFF}"	QR 1520	PRINT"{RVS}{E3 {7 SPACES}{OFF}{WHT}- {8 SPACES}{GRN}{E3 {RVS}{14 SPACES}{OFF} {WHT}{CK}{RVS}{OFF}{JC {GRN}{RVS}{OFF}{WHT}{C CCCCCCCC}{GRN}{RVS} {OFF}"	SK 1700	PRINT"{E3}{5 SPACES} {RVS}{OFF}{E73}-E53 {RVS}{OFF}{18 SPACES} {E*3}{RVS}{E*3}{OFF} {5 SPACES}{WHT}- {3 SPACES}{E3}{E3}"
RE 1390	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{E3 {RVS}{E3}{4 SPACES}{GRN} {2 SPACES}{OFF}{E {14 SPACES}{RVS}{E3 {OFF}{6 SPACES}{RVS} {OFF}"	KX 1530	PRINT"{RVS}{139 SPACES} {OFF}";POKE2023,224:P OKES6295,5	SJ 1710	PRINT"{E3}{5 SPACES} {RVS}{OFF}{E73}-E53 {RVS}{OFF}{19 SPACES} {E*3}{RVS}{E*3}{OFF} {4 SPACES}{WHT}- {3 SPACES}{E3}{E3}{E3 {5 SPACES}{RVS}{E73 E3}{OFF}{20 SPACES} E*3}{RVS}{OFF} {4 SPACES}{WHT}- {3 SPACES}{E3}{E3}"
JS 1400	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {SPACE}{E3}{14 SPACES} {GRN}{OFF}{E {14 SPACES}{RVS}{E 2 SPACES}{OFF} {6 SPACES}{RVS}{OFF}"	DA 1540	RETURN	KM 1720	PRINT"{E3}{5 SPACES} {RVS}{OFF}{RVS} {OFF}{21 SPACES}{RVS} {SPACE}{OFF}{14 SPACES} {BLK}{E3}{13 SPACES}{E3 E3}"
HH 1410	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {SPACE}{E3}{2 SPACES} {GRN}{12 SPACES}{OFF}{E {14 SPACES}{RVS}{E 3 SPACES}{OFF} {6 SPACES}{RVS}{OFF}"	CS 1550	X=110:Y=165:COLOR4,16	BG 1730	PRINT"{E3}{5 SPACES} {RVS}{E3}{12 SPACES}{E3 {OFF}{20 SPACES}{RVS} {SPACE}{OFF}{18 SPACES} E3}"
QA 1420	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {SPACE}{E3}{2 SPACES} {GRN}{OFF}{E {14 SPACES}{RVS}{E 2 SPACES}{M}{OFF}{E 16 SPACES}{RVS}{OFF}"	HK 1560	PRINT"{CLR}{E3}{RVS} {17 SPACES}{CCCCCCCC {3 SPACES}{OFF}{E11}{U3 {RVS}{E3}{OFF}"	FK 1740	PRINT"{E3}{6 SPACES} {RVS}{OFF}{11 SPACES} E13}"
BS 1430	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {3 SPACES}{OFF}{E {14 SPACES}{RVS}{E 2 SPACES}{M}{OFF}{E 16 SPACES}{RVS}{OFF}"	AE 1610	PRINT"{RVS}{16 SPACES} {OFF}{E3}{122 SPACES}{E3 E13}"	XQ 1750	PRINT"{E3}{29 SPACES} {RVS}{OFF}{18 SPACES} E13}"
RM 1440	PRINT"{RVS}{OFF}{WHT} -}{GRN}{17 SPACES}{RVS} {2 SPACES}{OFF}{E	EQ 1620	PRINT"{RVS}{17 SPACES} {OFF}{E3}{15 SPACES}		



# From the publishers of *COMPUTE!*



## June 1986 *COMPUTE!* Disk

All the exciting programs from the past three issues of *COMPUTE!* are on one timesaving, error-free floppy disk that is ready to load on your Atari 400/800, XL, and XE. The June 1986 *COMPUTE!* Disk contains the entertaining and useful Atari disk programs from the April, May, and June 1986 issues of *COMPUTE!*.

The June 1986 *COMPUTE!* Disk costs \$12.95 plus \$2.00 shipping and handling and is available only from *COMPUTE!* Publications.

For added savings and convenience, you may also subscribe to the *COMPUTE!* Disk. At a cost of only \$39.95 a year (a \$12.00 savings), you'll receive four disks, one every three months. Each disk will contain all the programs for your Commodore machine from the previous three issues of *COMPUTE!*.

This is an excellent way to build your software library while you enjoy the quality programs from *COMPUTE!*.

Disks and subscriptions are available for Apple, Atari, Commodore 64 and 128, and IBM personal computers. Call for details.

For more information or to order the June 1986 *COMPUTE!* Disk, call toll free 1-800-346-6767 (in NY 212-265-8360) or write *COMPUTE!* Disk, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

**COMPUTE!** Publications, Inc. 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies  
825 7th Avenue, 6th Floor, New York, NY 10019  
Publishers of *COMPUTE!*, *COMPUTE!'s Gazette*, *COMPUTE!'s Gazette Disk*, *COMPUTE!* Books, and *COMPUTE!'s Apple Applications*

```

CP 1760 PRINT"[KJ][29 SPACES]
[RVS] [OFF][18 SPACES]
[LS]"
PX 1770 PRINT"[RVS] [29 U]
[19 SPACES][OFF]":POKE
2023,224:POKE56295,12
CA 1780
AQ 1800
I=3456
JS 1810 READ A:IF A=256 THEN R
RETURN
JB 1820 POKE I,A:I=I+1:GOTO181
0
HP 1830 DATA000,000,000,000,00
0,000,000,000
KK 1840 DATA000,004,000,000,00
9,000,000,040
DX 1850 DATA000,000,016,000,00
0,018,128,016
KE 1860 DATA000,162,020,000,04
3,133,000,011
PB 1870 DATA225,000,010,232,00
0,018,168,000
EA 1880 DATA020,160,000,005,12
8,000,001,000
FS 1890 DATA000,000,000,000,00
0,000,000,000
EX 1900 DATA000,000,000,000,00
0,000,000,000
DS 1910 DATA000,000,000,000,00
0,000,000,000
SB 1920 DATA000,000,000,000,00
0,000,000,000
AA 1930 DATA000,000,000,000,00
4,000,000,004
MC 1940 DATA064,000,016,064,01
0,168,170,171
MS 1950 DATA232,170,171,232,06
4,010,168,064
GP 1960 DATA000,016,000,000,00
4,000,000,004
BF 1970 DATA000,000,000,000,00
0,000,000,000
QE 1980 DATA000,000,000,000,00
0,000,000,000
PH 1990 DATA000,000,000,000,00
0,000,000,000
KF 2000 DATA000,000,000,000,00
0,000,000,000
AM 2010 DATA000,000,000,001,00
0,000,005,128
JB 2020 DATA000,020,160,000,01
8,232,000,011
ED 2030 DATA232,000,011,161,00
0,042,133,000
QD 2040 DATA162,020,018,128,01
6,106,000,000
XB 2050 DATA040,000,000,009,00
0,000,004,000
EK 2060 DATA000,000,000,000,00
0,000,000,000
BJ 2070 DATA000,000,000,000,00
0,000,000,000
CP 2080 DATA000,000,000,000,00
0,000,000,000
QP 2090 DATA000,000,004,168,06
4,005,169,064
XG 2100 DATA005,169,064,004,18
4,064,000,184
FH 2110 DATA000,000,184,000,00
0,168,000,000
CG 2120 DATA168,000,000,032,00
0,000,032,000
XP 2130 DATA000,032,000,000,03
2,000,001,033
XX 2140 DATA000,001,169,000,00
1,033,000,000
RX 2150 DATA000,000,000,000,00
0,000,000,000
SS 2160 DATA000,000,000,000,00
0,000,000,000
DD 2170 DATA000,000,000,064,00
0,002,000,000
XJ 2180 DATA010,020,000,043,13
2,000,043,224

```

```


JH 2190 DATA000,074,224,000,08
2,168,000,020
EB 2200 DATA138,000,004,002,13
2,000,000,168
FD 2210 DATA000,000,040,000,00
0,096,000,000
JG 2220 DATA016,000,000,000,00
0,000,000,000
KC 2230 DATA000,000,000,000,00
0,000,000,000
MF 2240 DATA000,000,000,000,00
0,000,000,000
EQ 2250 DATA000,000,021,000,00
0,021,000,000
CC 2260 DATA004,000,001,042,16
0,001,043,234
DJ 2270 DATA170,043,234,170,04
2,160,001,004
SA 2280 DATA000,001,021,000,00
0,021,000,000
MK 2290 DATA000,000,000,000,00
0,000,000,000
JG 2300 DATA000,000,000,000,00
0,000,000,000
FG 2310 DATA000,000,000,000,00
0,000,000,000
RC 2320 DATA000,000,000,016,00
0,000,096,000
SD 2330 DATA000,040,000,000,16
9,004,002,132
CJ 2340 DATA020,138,000,082,16
8,000,075,224
HF 2350 DATA000,047,160,000,04
2,132,000,010
XB 2360 DATA020,000,002,080,00
0,000,064,000
GR 2370 DATA000,000,000,000,00
0,000,000,000
BQ 2380 DATA000,000,000,000,00
0,000,000,000
GD 2390 DATA000,000,000,001,03
3,000,001,169
CX 2400 DATA000,001,033,000,00
0,032,000,000
KC 2410 DATA032,000,000,032,00
0,000,032,000
HM 2420 DATA000,032,000,000,16
8,000,000,184
QR 2430 DATA000,000,184,000,00
4,184,064,005
HD 2440 DATA169,064,005,169,06
4,004,168,064
CA 2450 DATA000,000,000,000,00
0,000,000,000
RD 2460 DATA000,000,000,000,00
0,000,000,000
JC 2470 DATA000,000,000,000,00
0,000,000,000
HG 2480 DATA000,000,000,000,00
0,020,000,000
SP 2490 DATA085,000,001,085,06
4,005,085,088
QS 2500 DATA021,085,084,085,08
5,085,106,150
JB 2510 DATA169,001,150,089,10
1,150,089,106
AB 2520 DATA150,169,106,150,16
9,106,150,169
BA 2530 DATA106,150,169,106,15
0,169,106,150
JQ 2540 DATA169,106,150,169,10
6,150,169,000
RB 2550 DATA000,000,000,000,00
1,000,064,007
ED 2560 DATA064,064,007,064,00
0,049,000,004
JB 2570 DATA000,010,032,000,01
4,000,128,000
PJ 2580 DATA002,136,192,066,04
2,131,000,168
MS 2590 DATA000,048,043,032,00
2,168,012,016
BM 2600 DATA032,128,000,000,04
0,003,000,064

```

```

SH 2610 DATA048,000,000,000,01
6,016,131,000
QX 2620 DATA116,160,000,116,00
0,000,016,000,256

```



Smash-ups are commonplace in the Commodore 64 version of "Miami Ice."

## Program 2: Miami Ice For Commodore 64

Version by Kevin Mykityn, Editorial Programmer

Please refer to the "MLX" article in this issue before entering the following listing.

```

0001:0C 00 0A 0E 20 32 30 64
0009:36 32 00 00 00 20 0E 11
0011:20 8C 0D A9 00 A0 18 B9 09
0019:A2 08 99 00 04 D8 10 F7 90
0021:20 C4 08 20 75 0A AD 01 A5
0029:DC 29 10 F0 F9 A2 00 AD FD
0031:10 18 20 F0 FF A9 E2 A0 6F
0039:0B 20 1E AB A6 B4 E8 A9 D8
0041:00 20 CD 8D A9 C8 05 FB 63
0049:A9 00 05 F9 20 D6 02 20 15
0051:52 0A 20 95 0E A2 64 88 86
0059:0D FD CA D8 FA AD 1F D8 55
0061:AD 1E D8 AD 01 DC 29 10 A2
0069:D8 E8 A9 48 8D 04 D4 A9 25
0071:41 8D 04 D4 20 1D 09 20 FA
0079:48 09 CE 21 13 D0 09 AD 77
0081:22 13 8D 21 13 20 95 0E 7D
0089:CE 25 13 D8 0C AD 26 13 30
0091:8D 25 13 26 10 FE 20 4F 8E
0099:D8 A0 00 88 D0 FD 4C 75 6D
00A1:08 00 05 00 01 00 19 F0 81
00A9:A9 0E 1E 00 00 89 00 00 67
00B1:A4 00 00 2B 00 00 05 25 25
00B9:F1 4F 20 CD BD A9 20 28 6C
00C1:D2 FF 60 A9 00 85 C3 05 05
00C9:C4 A9 00 85 84 A9 03 85 D6
00D1:8D A9 93 20 D2 FF A2 03 7E
00D9:8E 21 D8 E8 20 D0 A2 5B
00E1:07 A8 28 12 0F FF A9 EE
00E9:EC A0 00 28 1E AB A5 84 9B
00F1:18 69 31 8D A7 05 A9 0A 16
00F9:20 45 AD A0 01 DC 4A 08 48
0101:0A A5 B4 C9 06 F0 E7 E6 5F
0109:B4 10 E3 4A 00 08 A5 B4 40
0111:F0 DC C6 B4 10 D8 4A B9
0119:4A 08 D6 C6 F7 D8 26 DA
0121:A9 C8 05 F7 A5 F8 05 F9 7F
0129:F0 1C A5 F8 38 E9 05 EF 8F
0131:F8 A5 F9 09 00 85 F9 A2 B3
0139:18 A0 07 19 20 F0 FF A6 4D
0141:F8 A5 F8 2B BB 08 00 AD E6
0149:23 13 10 05 49 FF 18 69 E7
0151:01 85 02 AD 24 13 10 05 F2
0159:49 FF 18 69 01 18 65 02 DE
0161:8D 00 AD 1F D0 29 08 46
0169:0D 14 AD 1E D0 A5 02 29 A4
0171:0A C9 08 F0 85 02 29 57
0179:0C C9 0C F0 3A 60 A9 40 7B

```

0981:8D	04	D4	A9	80	8D	12	D4	C3	0C29:53	53	20	46	49	52	42	88	0ED1:13	60	48	A9	80	8D	0B	D4	37
0989:A9	81	8D	12	D4	A9	80	8D	8E	0C31:55	54	50	4F	4E	00	D8	FF	AC	0ED9:A9	81	8D	0B	D4	68	60	58
0991:20	13	A9	85	20	45	8A	AD	D5	0C39:FF	FF	28	00	01	00	48	FF	FA	0EE1:00	B9	5A	FF	00	00	35	B9
0999:20	13	C9	0D	F0	06	EE	20	28	0C41:86	CD	00	37	B4	6A	D1	A3	1A	0EE9:5A	10	99	00	36	89	5A	11
09A1:13	4C	9C	09	A9	07	BD	15	EC	0C49:E6	66	06	90	A3	E6	65	86	5A	0EF1:99	00	37	B9	5A	12	99	00
09A9:D0	A9	64	20	45	0A	C6	BD	BA	0C51:E5	83	CC	A3	B6	06	42	8A		0EF9:38	A9	00	90	90	39	88	D0
09B1:F0	5A	68	68	4C	0D	8B	A9	B7	0C59:45	EC	47	25	EE	8B	6A	A3	48	0F01:E0	A0	3F	B9	DA	12	99	00
09B9:40	8D	04	D4	A9	00	85	02	77	0C61:CD	AA	C2	02	B4	45	65	00	00	0F09:39	88	10	F7	A0	02	99	AF
09C1:A5	F8	F5	F9	F0	32	A5	F8	B9	0C69:2D	C8	68	C3	45	A7	EB	C3	F7	0F11:99	00	39	99	39	39	88	10
09C9:38	E9	01	85	F8	A5	F9	E9	E7	0F17:83	84	83	C3	B6	C3	83	E2	61	0F19:F7	A0	36	A9	00	39	00	39
09D1:00	85	F9	D8	B4	85	26	87		0F23:A1	04	83	47	B6	83	C3	E3	F8	0F21:88	88	08	10	F8	A9	0C	8D
09D9:C3	D0	02	E6	C4	20	D2	5A	0A	0C91:C3	45	EE	AA	83	C6	83	2D		0F29:5C	39	8D	62	39	A2	EA	8E
09E1:E6	02	05	82	0D	01	D4	A9	80	0C9B:83	C6	83	C3	C6	45	65	57		0F31:F9	07	A0	88	FA	07	EA	8E
09E9:A4	8D	04	D4	A9	41	8D	0A	8E	0C91:83	00	FA	BC	66	C6	A1	E3	0C	0F39:F8	87	A0	05	99	56	0F	9B
09F1:D4	C6	03	10	E2	4C	01	89	56	0C99:A2	C8	E1	27	E2	A1	65	A4	11	0F41:27	D0	08	10	F7	A9	00	8D
09F9:A9	40	8D	04	D4	E6	8A	09	38	0CA1:A5	24	E1	63	05	EA	C2	B2	83	0F49:1C	D0	A9	8D	25	D0	A9	2B
0A01:64	20	45	8A	A9	05	8D	01	16	0CE9:EA	B1	C1	E5	46	81	05	E3	54	0F51:07	8D	26	D0	60	02	00	82
0A09:D4	C4	2D	08	20	52	0A	A9	A7	0CB1:A6	E4	A1	C2	82	AD	81	C1	F5	0F59:02	00	00	00	00	00	00	78
0A11:00	84	15	D0	A2	0C	0A	05	C3	0CB9:06	C2	82	A4	84	E1	A1	B2	E1	0F61:00	00	00	00	00	00	00	60
0A19:18	20	F0	FF	A9	9E	0A	0B	73	0CC1:A1	E1	81	68	05	C3	A1	E1	36	0F69:00	00	28	00	00	A9	04	02
0A21:20	1E	A8	A2	B0	20	38	0A	BF	0CC9:C3	EA	C1	B1	E2	06	C1	00	81	0F71:84	14	8A	00	52	A8	00	4B
0A29:A2	0D	20	38	0A	00	01	DC	3F	0CD1:DC	46	65	D3	E9	64	E2	B1	FB	0F79:E0	00	2F	A0	00	2A	84	00
0A31:29	10	D0	F9	4C	21	08	0A	2F	0CDB:C1	EE	8E	A2	24	A4	2A	A4	43	0F81:0A	14	00	02	50	00	00	48
0A39:05	18	20	F0	FF	A9	C1	A0	B3	0CE1:C9	E2	84	EC	00	73	89	46	9B	0F89:00	00	00	00	00	00	00	07
0A41:0B	4C	1E	A8	B5	02	A9	00	F3	0CE9:F2	88	E1	C2	EC	E5	E2	C1	8A	0F91:00	00	00	00	00	00	00	AF
0A49:85	A2	A5	A2	C5	02	D0	FA	7A	0CF1:A2	C4	AC	C2	A1	B2	B1	00	C8	0F99:00	00	00	00	01	21	00	45
0A51:60	A9	9F	20	D2	FF	A2	18	E9	0CF2:2D	C8	3F	8C	46	0C	59	0C	A4	0FA1:A9	00	01	21	00	20	00	07
0A59:D0	F0	17	20	F0	FF	A6	C3	21	0D01:68	0C	95	0C	D3	0C	E8	0C	F3	0FA9:00	20	00	20	00	00	00	20
0A61:A5	C4	20	88	08	A2	18	0A	D4	0D09:00	00	01	85	02	04	C3	CE	0A	0FB1:00	00	20	00	A8	00	00	76
0A69:26	18	20	F0	FF	A6	BD	A9	69	0D11:27	13	D0	39	A9	07	8D	27	DC	0FBB:80	00	00	B8	00	04	B8	40
0A71:00	4C	CD	8D	A9	93	20	D2	DC	0D19:13	CE	2A	13	D0	0F	A9	48	48	0FC1:05	A9	40	05	A9	04	0A	A2
0A79:FF	A9	01	8D	21	D0	A9	03	93	0D21:8D	2A	13	AD	26	13	C9	07	E1	0FC9:40	00	00	00	00	00	00	00
0A81:80	20	D0	A2	18	0A	00	08	04	0D29:F0	03	EE	26	13	AD	20	13	65	0FD1:00	00	00	00	00	00	00	EF
0A89:20	F0	FF	A9	71	A0	05	20	C8	0D31:F0	B0	10	06	EE	23	13	4C	5F	0FD9:00	00	00	00	00	00	00	00
0A91:1E	A8	00	27	A9	A0	99	00	2A	0D39:C8	0D	CE	23	13	AD	24	13	6C	0FE1:00	00	04	00	09	00	00	A4
0A99:04	99	00	07	A9	04	99	00	2A	0D41:F0	B0	10	06	EE	24	13	4C	73	0FE9:28	00	00	6A	00	00	00	67
0AA9:00	98	98	D8	B8	10	ED	A9	63	0D49:45	CE	24	13	60	AE	2E	81		0FF1:10	00	00	A2	14	00	2B	05
0AB9:00	85	F8	PD	A9	04	85	1B		0D51:13	AD	23	13	8D	77	8D	00		0FF9:00	00	00	0A	00	00	12	A8
0AB1:FC	A9	D8	05	FE	A2	18	0A	75	0D59:C9	46	90	04	C9	B9	90	03	95	1001:00	14	A0	00	05	80	00	01
0AB9:00	A9	91	FB	A0	27	91	A7		0D61:8D	23	13	AD	24	13	8D	7D	63	1009:00	00	00	00	00	00	00	29
0AC1:FB	A9	01	FD	A0	00	91	DB		0D69:F7	0D	C9	46	90	04	C9	B9	06	1011:00	00	00	00	00	00	00	00
0AC9:PD	A5	FB	18	69	28	05	FB	3A	0D71:90	03	8D	24	13	60	01	00	A4	1019:00	00	00	00	00	00	00	39
0AD1:A5	FC	60	09	05	FC	A5	FD	8E	0D79:FF	FF	0F	00	01	01	FF	FF	9F	1021:00	00	00	00	00	00	00	00
0AD9:18	69	28	05	FD	A5	FE	69	9F	0D81:FF	00	01	01	01	00	00	00	81	1029:00	00	00	00	00	54	00	9A
0AE1:00	05	FE	CA	D0	D1	A9	00	05	0D89:8D	19	D0	AD	1B	13	8D	06	EB	1031:54	40	00	10	0A	0A	AA	B2
0AE9:85	FB	A9	04	85	FC	A6	B4	57	0D91:D0	AD	1E	13	8D	07	D0	AD	4C	1039:AB	EB	AA	EB	40	0A	AA	7E
0AF1:E0	07	02	A2	06	BD	09	1C		0D99:1C	13	0A	0A	8D	10	D0	DF	54	1041:40	00	10	00	00	54	00	04
0AF9:D0	0A	AA	BD	FB	0C	85	03	66	0DDA:1A	20	13	18	69	D4	8D	FB	34	1049:54	00	00	00	00	00	00	93
0B01:BD	FC	0C	85	0A	A0	FF	CB	7A	0D9A:07	A9	FA	8D	12	D0	AD	06	26	1051:00	00	00	00	00	00	00	71
0B09:81	03	D0	19	C8	B1	03	8D	05	0DB1:CD	29	01	F0	03	4C	31	EA	A4	1059:00	00	00	00	00	00	00	79
0B11:02	D0	8D	04	D0	8D	00	D0	DB	0DB9:4C	BC	FE	A9	1B	8D	11	D0	A5	1061:00	00	00	00	00	00	00	81
0B19:C8	B1	03	8D	03	D0	8D	05	B4	0D81:A9	7F	8D	0D	DC	A9	87	8D	3D	1069:00	00	00	00	01	00	00	85
0B21:D0	8D	01	D0	60	84	02	48	91	0DC9:14	03	A9	8D	0D	15	03	A9	25	1071:80	00	14	A0	00	12	EA	88
0B29:48	29	1F	8D	28	13	68	4A	13	0D71:81	8D	1A	D0	60	05	80	0D	97	1079:00	EB	00	0B	01	2A	85	00
0B31:4A	4A	4A	29	06	AA	A0	00	F6	0D89:1C	13	8D	23	13	AD	24	13	D4	1081:00	A2	14	12	80	10	6A	07
0B39:68	10	02	A0	A0	8C	29	13	6E	0D91:EA	26	8D	1B	13	A9	3C	8D	03	1089:00	28	00	00	00	00	00	64
0B41:A5	FB	7D	37	0C	85	FB	FA	64	0D9F:1E	13	A9	8D	20	13	A5	36		1091:00	00	00	00	00	00	00	00
0B49:A5	FC	7D	38	0C	85	FC	A0	B5	0DFA:A2	05	A2	F0	FC	A9	08	BD	6C	1099:00	00	00	00	00	00	00	00
0B51:00	AD	29	13	F0	11	91	FA	14	0D99:4A	2A	B6	12	D0	03	FF	F2		1101:00	00	00	00	00	00	00	00
0B59:A5	FB	85	FD	A5	FC	18	69	8C	0D01:22	13	A9	8D	20	13	8D	AD		10A9:00	00	00	00	00	00	00	00
0B61:D4	85	FE	A9	01	FD	A4	C4		0B09:26	13	A9	8D	20	13	A9	7B		10B1:40	05	A9	40	04	B8	40	EF
0B69:02	CE	28	13	D0	D2	F0	97	85	0B11:37	AD	2A	13	60	20	10	0D	53	10B9:88	00	00	B8	00	00	A8	03
0B79:12	9F	54	40	4D	45	52	3A	F5	0B19:2D	23	13	30	1A	18	6D	1A	60	10C1:00	A8	00	00	20	00	20	2D
0B81:20	53	43	4F	52	45	3A	D6		0B21:13	8D	1A	13	AD	1B	13	69	AA	10C9:00	00	20	00	00	20	00	01
0B89:20	20	53	43	4F																					



```

1179:98 01 0C AB 01 02 A8 80 46
1181:04 22 80 03 00 60 0C 10 1E
1189:00 28 C0 40 20 01 D0 C0 39
1191:01 D0 00 00 40 00 00 00 6A
1199:00 00 00 00 00 01 00 40 FF
11A1:07 40 40 07 40 00 31 00 34
11A9:04 00 0A 20 00 0E 00 80 C9
11B1:00 02 88 C0 42 2A 83 00 33
11B9:08 00 30 2B 20 02 80 AC 0F 4F
11C1:10 20 80 00 00 2B 03 00 AA
11C9:40 30 00 00 00 10 10 83 FB
11D1:00 74 A0 00 74 00 10 D0 D8
11D9:00 00 07 40 40 01 00 00 E6
11E1:00 04 30 00 00 00 00 00 87
11E9:00 00 02 80 00 00 8A FA
11F1:00 00 20 C0 42 03 02 94
11F9:08 C0 20 00 C2 20 03 81
1201:00 A8 02 00 28 30 20 F9
1209:02 0C 00 40 C0 00 00 3B
1211:10 01 03 00 07 80 00 07 1F
1219:00 00 01 00 10 30 00 00 9E
1221:00 00 00 00 00 02 88 05 5E
1229:02 20 00 00 32 A0 00 0A 74
1231:03 00 00 00 00 82 00 02 EA
1239:A8 00 20 08 E0 3A 00 00 26
1241:28 02 08 40 02 02 00 20 37
1249:00 00 00 00 30 00 10 00 0F
1251:00 00 00 10 00 03 00 01 83
1259:00 40 30 00 00 00 00 00 9B
1261:00 00 0A 00 00 00 00 00 D6
1269:00 30 2A 00 00 A0 00 00 61
1271:00 0A 20 00 00 00 00 00 2B
1279:08 A0 20 02 88 CC 00 00 C6
1281:28 00 00 20 02 02 00 02 C5
1289:00 00 22 00 00 00 C0 B2
1291:00 00 00 01 00 10 00 DD
1299:00 08 30 00 28 00 00 00 07
12A1:00 00 02 00 00 00 00 FD
12A9:00 0A A0 00 00 00 00 1A
12B1:00 00 02 00 00 00 00 06
12B9:00 0A 00 00 00 30 00 20 A9
12C1:00 00 00 00 00 00 00 E5
12C9:00 00 00 00 00 00 00 ED
12D1:00 00 02 01 00 12 00 43
12D9:00 00 00 00 3F FC 5F 51
12E1:FF FA 5F FF FA 6F FF 60 3D
12E9:6F FF 6F 7F FF 6F 7F FF C6
12F1:EE 78 FF DE 7B F3 DE 7C 40
12F9:00 3E 7B F3 DE 7B FF DE 20
1301:77 FF 6F 7F FF 6F FF DE 20
1309:6F 6F FF 6F FF 6F 5F 4E
1311:FF FA 3F FF FC 00 00 C5
1319:FF 00 00 00 00 00 00 3F

```

## Program 3: Miami Ice For Atari


Version by Kevin Myktytn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing in Programs" in this issue of COMPUTE!.

```

BP 10 80SUB 350: DIM B*(6), D*(
    1), DRAW$(1), GARS$(22)
FN 20 LV=1: PDKE 82,0: GARS(1,
    1)=CHR$(34): GARS(2,22)=
    "%%(DOWN%)(LEFT%)"
    (DOWN%)(4 LEFT%)+, ""
KE 30 GRAPHICS 17: POKE 559,6
    2: SETCOLDR 4,5,12: SETC
    DLR 0,0,0: SETCOLDR 2,
    7,6: CARS=3: SCOR=0
FN 40 IF STRIG(0)=0 THEN 40
AF 50 POSITION 5,5: PRINT #6:
    "MIAMI ICE": PDSTION 5,
    9: PRINT #6: "SCORE="
    : PDSTION 2,13: PRINT #
    6: "LVS="
CI 60 POSITION 12,9: PRINT #6
    : CHR$(LV+176): FDR TD=1
    TO 200: NEXT TD

```



The sleek car in the Atari version of "Miami Ice" is composed of four player/missile graphics shapes.

```

BE 70 IF STICK(0)=14 AND LV<
    7 THEN LV=LV+1: GOTO 60
BC 80 IF STICK(0)=13 AND LV>
    1 THEN LV=LV-1: GOTO 60
JI 90 IF STRIG(0) THEN 70
BE 100 POKE 752,1: GOSUB 330:
    POKE 756,CHBAS: POKE 5
    4279,CHBAS: PDKE 559,6
    2: POKE 53277,3
ID 110 POKE 709,74: POKE 710,
    0: POKE 708,0: POKE 712
    ,15: A=0: GOSUB 210
NP 120 FOR A=1 TO 21: POSITIO
    N 0,A: PRINT "
    (3B SPACES)": NEXT A: B
    OSUB 210
JH 130 GOSUB 310: GOSUB 400: T
    1=200
KK 140 GOSUB 320
DD 150 POKE 28,1: A=USR(29195
    ): A=USR(29184): POKE 5
    3278,255: POKE 209,5
PB 160 IF STRIG(0) THEN 160
JP 165 POKE 2B,0: IF PEEK(209
    )>2 THEN 230
DF 170 ON PEEK(209) GOTO 230
    ,2B0: SOUND 1,70-(PEEK
    (29)-PEEK(30)): 6,4: G0
    SUB 220: GDDT 165
ML 180 IF STICK(0)=11 THEN S
    P=SP+1-B*(SP=7)
JK 190 IF STICK(0)=7 THEN SP
    =SP-1+B*(SP=0)
BP 200 IF STRIG(0)=0 THEN V=
    V+(<10)
CN 210 PDSTION 0,A: PRINT "
    !!!!!!!!!!!!!!!!!!!!!!!
    !!!!!!!!!!!!!!!!!!!!!!!
    !!!!!!!!!!!!!!!!!!!!!!!
    RETURN
DK 220 TI=TI-0.1*(TI>0): PDSI
    TION 9,23: PRINT INT(T
    I): " : RETURN
LP 230 POKE 2B,1: FOR A=8 TO
    11 STEP 0.5: POKE 205,
    A: SOUND 1,100,8,23-A:
    NEXT A: FDR A=11 TO 10
    STEP -0.1: SOUND 1,100
    ,8,A
JN 240 NEXT A: CARS=CARS-1: IF
    CARS<0 THEN 140
DI 250 GOSUB 320: GOSUB 310: P
    OBITION 15,10: PRINT "
    GAME OVER": PDSTION 1
    2,12: PRINT "PRESS FIR
    EBUTTON"
PI 260 IF STRIG(0) THEN 260
UF 270 GDDT 30
LE 280 POKE 2B,1: IF TI THEN
    FOR A=1 TO INT(TI): SC
    DRE=SCDRE+LV: GOSUB 30
    0: SOUND 1,200-A,10,10
    : NEXT A
NE 290 LV=LV+(LV<7): PDKE 205

```

```

    ,11: SOUND 1,0,0,0: POK
    E 31,1: GOTO 130
BE 300 POSITION 22,23: PRINT
    SCORE: " : RETURN
JH 310 FOR A=1 TO 21: POSITIO
    N 1,A: PRINT "
    (3B SPACES)": NEXT A: R
    ETURN
CP 320 POSITION 0,23: PRINT "
    TIMER: (7 SPACES) SCO
    RE: (B SPACES) CARS: "
    : CARS: " : GOSUB 300: R
    ETURN
JH 330 GRAPHICS 0: POKE 559,6
    2: OL=PEEK(560)+256*PE
    EK(561): POKE OL+3,6B:
    FOR I=OL+6 TO OL+27: P
    OKE I,4: NEXT I: POKE I
    ,2
CB 340 I=I+1: POKE I,65: POKE
    I,1,0: POKE I+2,LO/256
    : RETURN
IL 350 CHBAS=120: POKE 106,CH
    BAS-B: GRAPHICS 0: POKE
    752,1: POSITION 14,10
    : PRINT "PLEASE WAIT":
    CHSET=CHBAS*256
LF 360 GOSUB 640
NC 370 FOR A=0 TO 1023: POKE
    CHSET+A,PEEK(57344+A)
    : NEXT A: RESTORE 540: F
    OR A=CHSET+16 TO CHSE
    T+11: READ B
NK 380 POKE A,8: NEXT A: POKE
    756,CHBAS: FOR A=CHSET
    +B TO CHSET+15: POKE A
    ,85: NEXT A: POKE 54279
    ,CHBAS: POKE 206,CHBAS
    +4
EK 390 POKE 559,62: POKE 623,
    4: POKE 704,55: POKE 70
    6,55: POKE 705,0: POKE
    707,0: POKE 53277,3: RE
    TURN
DK 400 SC=PEEK(8B)+256*PEEK(
    89): RESTORE 440: RESTO
    RE 440+LV*10
JF 410 READ B: IF B="END" T
    HEN READ X,Y: POSITION
    X,Y: POKE 752,1: PRINT
    GARS: RETURN
KJ 420 D=8*(1,1): DRAWS=8*(2
    ,2): LENGTH=VAL(B*(3,L
    EN(8)))
BB 430 FDR A=1 TO LENGTH: SC=
    SC-40*(D$="U")+40*(D$
    ="D")+40*(D$="R")-(D$="L
    ") : IF DRAWS="Y" THEN
    POKE SC,1
CA 440 NEXT A: GDDT 410
BI 450 DATA DN11,RY33,UY7,DY
    14,ENO,2,17
JF 460 DATA ON5,RY16,UY2,DY3
    ,OY1,L2,DY11,RY15,DY5
    ,RY2,DY3,LY1,UY2,LY1,
    OY5,LY3,DY2,LY3,UY1,
    RY2,UY1,LV17,ENO,2,17
DN 470 DATA RN10,DY18,L4,R4,R
    Y7,UN12,RN2,R7,L4,R4,R
    Y16,RN5,UN4,RY10,L4,R4,
    Y12,L4,UY5,ENO,30,2
NA 480 DATA RN7,DY18,R7,RN4
    ,RY16,UY14,L4,L4,L4,L
    4,OY7,RY7,RN4,RY10,L
    EN,14,9
AD 490 DATA DN5,RY9,RN5,UN5,
    OY10,L4,RN5,LN6,RY11
    ,OY3,UY3,RY8,UY10,DY1
    0,RY14,UY10,LN8,ON6,U
    Y10,ENO,2,16
J 500 DATA RN6,OY16,RY5,OY2
    ,UY2,RY6,DN7,UY3,UN4,
    RY5,DY2,UY2,RY5,DN4,
    Y3,UN4,RY7,UN6,RN5,L4

```

```


16,UY5,DY5,LV10
NN 505 DATA UY5,RN5,UY4,RN11,
UN1,DY5,RV5,END,30,1
NK 510 DATA DN6,RV6,DY3,UY3,
RV4,UN6,DY2,DN4,RV8,UY2,
DY2,RV1,DY3,UY3,RV5,
UN6,DY2,DN4,RV5,UY2,
DY2,RV4,DY3
AN 520 DATA DN5,RN6,LV9,LV4,
UY3,DY3,LV8,DY4,UY4,LV5,
UY3,DY3,LV7,DY4,RN6,
UN1,DY5,RN13,DN1,UY5,
END,30,15
BP 540 DATA 85,122,110,107,1
06,106,106,106
IK 550 DATA 85,170,170,170,2
34,186,174,171
IC 560 DATA 85,170,170,170,1
70,171,174,250
IN 570 DATA 85,171,174,186,2
34,170,170,170
KO 580 DATA 106,106,106,106,1
06,106,106,106
LE 590 DATA 171,171,171,171,1
71,171,171,171
JM 600 DATA 250,250,250,250,2
50,250,250,250
KF 610 DATA 170,170,170,170,1
70,170,170,170
BO 620 DATA 106,106,106,106,1
07,110,122,85
IJ 630 DATA 171,174,186,234,1
70,170,170,85
IB 640 DATA 250,174,171,170,1
70,170,170,85
IL 650 DATA 170,170,170,234,1
86,174,171,85
NE 660 RESTORE 680:C=FDR A=
29184 TD 30512:READ
B=PDKE A,B:C=C8:NEXT
A:IF C=93195 THEN RE
TURN
KS 670 PRINT "⟨CLEAR⟩ERROR I
N DATA:STDP
NN 680 DATA 160,87,162,114,1
69,7,32,92,228,104,96
,167,10,141,107,116,1
41,108,116,160,63,169
,0,153,47,119
BJ 690 DATA 136,16,250,169,5
,141,103,116,133,205,
169,55,141,98,116,141
,100,116,169,3,133,29
,133,30,169,0
DB 700 DATA 133,207,133,208,
133,203,169,7,141,109
,116,141,110,116,165,
206,133,204,162,3,160
,0,152,145,203,200
PS 710 DATA 208,25,230,204,
202,16,246,109,94,216
,149,0,133,77,32,126,
115,206,107,116,208,9
,173,108,116,141
BK 720 DATA 107,116,32,237,1
15,165,28,208,20,206,
109,116,208,9,173,110
,116,141,109,116,32,1
36,114,32,250,114
JK 730 DATA 32,65,116,76,98,
228,166,205,165,207,2
4,125,171,114,201,16,
144,4,201,241,144,2,1
33,207,165,208
CN 740 DATA 24,125,179,114,2
01,16,144,4,201,241,1
44,2,133,208,96,1,0,2
55,255,255,0,1,1,255,
255,255
HO 750 DATA 0,1,1,1,0,206,10
4,116,208,57,169,19,1
41,104,116,206,103,11
6,208,21,169,2,141,10
3,116,165
AH 760 DATA 29,201,3,240,2,1
98,29,165,30,201,3,24
0,2,198,30,165,207,24
0,9,16,5,230,207,76,2
36,114
PI 770 DATA 198,207,165,208,
240,9,16,5,230,208,76,
249,114,198,208,96,3
2,187,114,165,207,141
,105,116,166,29
NN 780 DATA 24,101,207,141,1
05,116,202,208,247,16
5,208,141,106,116,166
,30,24,101,208,141,10
6,116,202,208,247,173
CN 790 DATA 105,116,48,18,24
,109,97,116,141,97,11
6,173,98,116,105,0,14
1,98,116,76,78,115,73
,255,24,105
KC 800 DATA 1,141,101,116,17
3,97,116,56,237,101,1
16,141,97,116,173,98,
116,233,0,141,98,116,
173,106,116,48
FB 810 DATA 16,24,189,99,116
,141,99,116,173,100,1
16,105,0,141,100,116,
96,73,255,24,105,1,14
1,101,116,173
BA 820 DATA 99,116,56,237,10
1,116,141,99,116,173,
100,116,233,0,141,100
,116,96,173,98,116,14
1,0,208,141,1
LJ 830 DATA 208,24,105,8,141
,2,208,141,3,208,165,
205,133,203,169,0,133
,204,162,6,6,203,38,2
04,202,208
FB 840 DATA 249,165,203,24,1
05,111,141,198,115,16
5,204,105,116,141,199
,115,165,206,133,204,
169,4,141,102,116,169
BB 850 DATA 0,133,203,172,10
0,116,145,203,200,162
0,189,255,255,145,20
3,208,232,224,16,208,
245,169,0,145,203
JP 860 DATA 173,198,115,24,1
05,16,141,198,115,173
,199,115,105,0,141,19
9,115,230,204,206,102
,116,208,205,96,165
DI 870 DATA 205,201,8,144,1,
96,173,120,2,74,74,74
,176,12,230,205,166,2
05,224,8,208,4,162,0,
134,205
II 880 DATA 74,176,8,198,205
,16,4,162,7,134,205,1
73,132,2,208,40,166,2
05,189,171,114,16,5,7
3,255,24
JM 890 DATA 105,1,24,101,29,
201,8,176,2,133,29,18
9,179,114,16,5,73,255
,24,105,1,24,101,30,2
01,8
HB 900 DATA 176,2,133,30,96,
165,209,208,27,162,0,
173,4,208,13,5,208,13
,6,208,13,7,208,74,14
4,2
KI 910 DATA 162,1,74,74,144,
2,162,2,134,209,96,0,
0,0,0,0,0,0,0,0,0,0,0
,0,0,0
AJ 920 DATA 0,0,0,0,0,0,1,3,
15,19,35,54,28,0,0,0,
0,0,0,0,0,0,48,112,
108
NE 930 DATA 28,9,3,3,0,0,0,8
,28,56,112,224,192,12
8,0,0,0,0,0,0,0,0,16,
48,0,0
NC 940 DATA 4,0,0,0,0,0,0,12
8,128,0,0,1,1,1,1,1,1
,1,1,1,1,1,3,2,2,3
NI 950 DATA 1,4,6,4,0,0,0,0,
0,0,0,0,4,5,4,0,128
,128,128,128,128,128,
128,128,128
IK 960 DATA 128,128,192,64,6
4,192,128,32,96,32,0,
0,0,0,0,0,0,0,32,160,
160,32,0,0,0,0,16
EL 970 DATA 56,28,14,7,3,1,0
,0,0,0,0,0,0,0,8,12,0
,96,32,0,0,0,0,0,0,1
JL 980 DATA 1,0,0,0,0,0,0,0,
0,0,128,192,240,200,1
06,108,56,0,0,0,0,0,0
,0,0,0
ED 990 DATA 0,12,14,54,56,14
4,192,192,0,0,0,0,0,0
,0,0,127,127,127,0,0,
0,0,0,0,0
NE 1000 DATA 0,0,0,0,112,32,0
,0,0,0,32,112,0,0,0,0
,0,0,0,0,0,0,60,230,
230,230,60
JB 1010 DATA 0,0,0,0,0,0,0,0,
0,56,56,0,24,24,24,
0,56,56,0,0,0,0,0,0,
0,0
KB 1020 DATA 0,0,1,3,7,14,28
,56,16,0,0,0,0,0,1,1,0
,0,0,0,0,0,32,96,0,1
2,8
NK 1030 DATA 0,0,0,56,108,19
6,200,240,192,128,0,0
,0,0,0,0,0,0,192,19
2,144,56,54,14,12,0
CK 1040 DATA 0,0,0,0,0,0,0,1
,3,2,2,3,1,1,1,1,1,1
,1,1,1,1,1,1,0,4,5
DC 1050 DATA 5,4,0,0,0,0,0,0
,0,0,4,6,4,128,192,0,6
,4,64,192,128,128,128
,128,128,128,128,128
EK 1060 DATA 128,128,128,0,0,0
,2,160,160,32,0,0,0,0
,0,0,0,0,32,96,32,0,0
,0,28,54,35,19,15
BE 1070 DATA 3,1,0,0,0,0,0,0
,0,0,3,3,9,28,108,11
2,48,0,0,0,0,0,0,0,0
,0
AJ 1080 DATA 0,0,0,0,0,0,0,128
,192,224,112,56,28,8
,0,0,0,0,128,128,0,0
,0,0,0,0,4
FL 1090 DATA 6,0,48,16,0,0,0
,0,0,0,0,60,103,103,
103,60,0,0,0,0,0,0,0
,0,0,28
JJ 1100 DATA 28,0,24,24,24,0
,28,28,0,0,0,0,0,0,0
,0,0,0,254,254,254,0
,0,0,0,0
LP 1110 DATA 0,0,0,0,0,0,0,14,
4,0,0,0,4,14,0,0,0,0
,0,1,5,0,3,8,11,0,1
JB 1120 DATA 4,10,5,1,4,1,0
,0,0,0,6,0,0,0,0,6,0,
0,0,6,0,0,0,0,0,64
EL 1130 DATA 128,64,160,64,1
60,160,64,128,32,64,
128,128,0,0,0,0,0,12
8,0,0,0,0,128,0,192,
0
BC 1140 DATA 0,0,0,2,0,4,17,0
,32,10,0,20,64,2,16
,1,4,0,0,0,0,0,0,0,0,0
,0

```





1678:	C1	B1	E2	06	C1	00	19	0C	EE	1930:	1C	85	25	20	22	FC	EE	8D	0D	18E8:	8F	80	FF	8F	80	FF	8F	80	8A	35
1680:	65	D3	E9	64	E2	B1	C1	EE	67	1931:	4E	19	85	24	E8	B0	49	19	0E	18F0:	FF	8F	80	FF	8F	80	FF	8F	29	
1682:	8E	A2	24	AA	24	A4	C9	E8	04	1940:	F0	07	E8	20	ED	FD	4C	3D	09	18F8:	80	FF	8F	80	FF	8F	80	FF	80	
1694:	64	EC	00	0D	3F	A6	F2	82	76	1948:	19	E8	4C	2C	19	60	07	1F	05	1C00:	8F	80	FF	8F	80	FF	8F	80	8C	
1698:	E1	C2	EC	05	B2	C1	A2	C4	88	1950:	CD	C9	C1	CD	C9	0A	C9	C3	19	1C08:	FF	8F	80	FF	8F	80	FF	8F	82	
1699:	AC	C2	A1	E2	B1	00	05	94	5C	1952:	C5	00	09	11	C0	C5	06	C5	98	1C10:	8F	8F	80	FF	8F	80	FF	8F	A7	
16A8:	EC	15	95	16	F3	15	80	16	AF	1953:	0E	81	00	09	09	09	09	09	09	1C18:	DD	EA	80	AD	F1	8A	81	AD	AF	
16A9:	06	16	42	16	18	16	05	AA	7E	1954:	0E	81	00	09	09	09	09	09	09	1C20:	EA	8A	B1	A9	EA	8A	B1	A9	90	
16B8:	D5	DA	AA	D5	DA	AA	D5	27		1958:	C5	D3	D3	A0	C1	CE	D9	94		1C28:	EA	8A	B1	EA	8A	B1	EA	8A	EB	
16C0:	AA	00	D5	AA	00	D5	AA	54		1978:	C5	C7	C9	CE	00	00	2C	54	52	1C30:	F1	8A	B1	A9	DD	EA	80	FF	8A	
16C2:	D5	AA	00	D5	AA	00	D5	54		1980:	C0	2C	51	C0	20	58	FC	A2	53	1C38:	FF	FF	8F	80	FF	FF	8F	81	FF	83
16D0:	00	D5	AA	00	D5	AA	00	D5	F6	1988:	00	20	FD	19	F0	1A	85	25	98	1C40:	FF	FF	8F	80	FF	FF	8F	81	FF	88
16D2:	AA	00	D5	AA	00	D5	AA	00	6C	1990:	20	22	FC	E8	8D	FD	19	85	27	1C48:	FF	FF	8F	80	FF	FF	8F	81	FF	83
16E0:	D5	AA	00	D5	AA	00	D5	AA	8A	1998:	24	E8	8D	FD	19	F0	06	20	67	1C50:	FF	FF	8F	80	FF	FF	8F	80	D6	70
16E2:	D5	AA	00	D5	AA	00	D5	AA	8A	1998:	ED	FD	E8	8D	F5	E8	DD	E1	4A	1C58:	8A	75	B1	D1	8E	85	B1	D5	C4	
16F0:	AA	D5	AD	77	1E	C9	40	A9	59	19A8:	AD	83	1E	18	69	B1	8D	96	47	1C60:	86	84	B1	D5	86	94	B1	D5	F5	
16F8:	00	24	AA	8D	00	80	8A	A9	E4	19B8:	07	18	AD	88	1E	69	80	8D	63	1C68:	86	94	B1	D5	86	84	B1	D1	72	
1700:	01	8D	9E	1E	AD	77	1E	85	94	19C8:	8E	04	AD	8F	1E	C9	9A	90	89	1C70:	8E	85	B1	D6	8A	75	B1	FE	29	
1708:	E6	A9	60	8D	17	E6	AD	84		19D8:	07	EE	8F	05	E9	8A	80	F5	49	1C78:	FF	FF	8F	80	FF	FF	8F	81	FF	83
1710:	A3	1E	29	3F	AD	89	38	17	64	19D8:	69	80	AD	C0	05	AD	C0	1E	18	1C80:	FF	FF	8F	80	FF	FF	8F	81	FF	88
1718:	0D	97	1E	85	FD	AD	A3	1E	EA	19D8:	C9	0A	90	07	EE	AD	C0	1E	18	1C88:	FF	FF	8F	80	FF	FF	8F	81	FF	83
1720:	29	08	F0	02	A9	80	18	2C	CE	19D8:	0A	80	F5	69	80	8D	8E	05	CF	1C90:	FF	FF	8F	80	FF	FF	8F	81	FF	88
1728:	A3	1E	70	04	10	04	69	2B	89	19E8:	A9	02	8D	8C	1E	A9	00	80	8F	1C98:	0A	85	80	80	8A	94	80	80	28	
1730:	69	2B	AD	9D	1E	85	FE	60	0A	19F8:	8D	1E	AD	8E	1E	CE	8E	1E	E6	1CA0:	AA	75	80	8A	AD	80	80	80	80	
1738:	00	84	08	0C	10	14	18	1C	46	19F8:	D0	F8	CE	8D	1E	F0	6E	C3	1E	1C8A:	AA	75	B1	C0	8E	D5	80	80	F2	
1740:	00	84	08	0C	10	14	18	1C	46	19F8:	8C	1E	D0	F1	60	07	80	1C	CE	1C88:	00	85	80	74	C0	85	80	D2	F8	
1748:	01	85	09	0D	11	15	19	1D	56	19A8:	C5	D6	C5	CC	00	09	11	C3	CE	1CC0:	80	B1	0A	C8	AD	B1	00	D4	26	
1750:	01	85	09	0D	11	15	19	1D	56	19A8:	C1	D3	D3	00	09	09	09	09	09	1CC8:	AA	80	00	C8	AD	80	00	70	EA	
1758:	02	86	0A	0E	12	16	1A	1E	66	1A18:	C0	D3	20	20	20	20	20	20	20	1CDA:	8A	80	00	AD	80	00	00	00	EA	
1760:	02	86	0A	0E	12	16	1A	1E	66	1A28:	32	A5	20	20	20	20	20	20	20	1CDE:	80	87	80	00	8A	9F	80	00	8A	
1768:	03	87	08	0F	13	17	1F	1F	76	1A28:	20	00	20	20	20	20	20	20	20	1CE8:	F0	9F	80	00	FE	FF	80	00	86	
1770:	03	87	08	0F	13	17	1F	1F	76	1A38:	20	20	08	43	1A	64	1A	85	CD	1CF0:	FF	9F	80	00	FE	FF	80	00	86	
1778:	A9	00	80	0A	91	FA	AD	11	FA	1A48:	1A	A6	1A	C7	1A	E8	1A	09	94	1CF8:	FF	9F	80	00	FE	FF	80	00	86	
1780:	91	FA	AD	05	EC	91	FA	3A	3A	1A48:	18	2A	18	01	03	00	00	03	11	1CF8:	FF	9F	80	00	FE	FF	80	00	86	
1788:	C8	A5	ED	91	FA	AD	09	B1	79	1A48:	48	18	7E	18	20	35	20	20	20	1D08:	FF	81	00	FE	FF	81	00	FE	81	
1798:	FA	B5	EC	85	EC	91	FA	02	0C	1A50:	20	20	20	20	20	20	20	20	20	1D08:	8F	80	00	FE	8F	80	00	FE	C2	
17A8:	E6	AD	0E	91	FA	AD	09	B1	79	1A50:	2E	44	20	20	20	20	20	20	20	1D18:	8F	80	00	FE	8F	80	00	FE	81	
17B8:	FA	B5	EC	85	EC	91	FA	02	0C	1A60:	20	20	20	20	20	20	20	20	20	1D18:	8D	80	00	FE	8D	80	00	FE	C8	
17C8:	E6	AD	0E	91	FA	AD	09	B1	79	1A68:	10	97	1C	D7	1C	20	20	20	20	1D28:	AA	80	00	D4	AA	80	00	CA	3F	
17D8:	FA	B5	EC	85	EC	91	FA	02	0C	1A70:	20	20	20	20	20	20	20	20	20	1D28:	AD	80	00	D2	80	00	74	DE	4E	
17E8:	FA	B5	EC	85	EC	91	FA	02	0C	1A78:	20	20	3A	20	20	20	20	20	20	1D30:	C0	85	80	C0	85	80	D0	33		
17F8:	05	B1	FC	85	1C	C8	B1	FC	6A	1A80:	20	4F	20	0F	23	01	04	00	8A	1D38:	0E	95	80	C0	90	75	C0	82		
17A8:	85	D1	AC	99	1E	AC	8C	91	53	1A88:	04	08	17	1C	37	1C	20	3F	8A	1D40:	8E	D5	80	00	AA	85	B1	00	CE	
1800:	FC	C8	A5	ED	91	FA	AD	09	B1	1A90:	20	20	30	20	20	20	20	20	20	1D48:	AA	80	00	D5	80	00	AA	85	B1	
1808:	99	1E	20	36	18	AD	07	B1	6E	1A98:	45	20	20	20	20	20	20	20	20	1D58:	8F	80	00	FE	8F	80	00	FE	81	
1810:	FC	B5	1C	C8	B1	FC	85	D1	D9	1AC0:	20	20	20	20	20	20	20	20	20	1D60:	8F	80	00	FE	8F	80	00	FE	81	
1818:	AC	99	1E	AC	8C	91	FC	C8	93	1AC8:	03	06	03	11	81	18	E4	18	50	1D68:	FF	81	00	FE	FF	81	00	FE	81	
1820:	AD	99	1E	AC	8C	91	FC	C8	93	1AD0:	20	20	20	20	20	20	20	20	20	1D70:	FF	8F	80	00	FE	FF	8F	80	00	
1828:	20	36	18	EE	9E	1E	AD	7E	4F	1AD8:	20	20	20	20	20	20	20	20	20	1D78:	FF	9F	80	00	FE	FF	9F	80	00	
1830:	1E	C9	07	D0	8A	60	AD	A1	24	1AE0:	00	06	06	04	10	17	1E	57	18	1D80:	FF	FF	80	00	FE	FF	81	00	FE	
1838:	1E	8D	A4	1E	A9	00	8D	9A	54	1AF0:	1E	00	20	20	20	20	20	20	20	1D88:	FE	FF	80	00	FE	FF	80	00	FE	
1840:	1E	8D	A4	1E	A9	00	8D	9A	54	1AF8:	20	20	20	20	20	20	20	20	20	1D90:	8F	80	00	FE	8F	80	00	FE	81	
1848:	B1	C8	0D	9C	1E	0A	EA	9E	E8	1AFA:	20	20	20	20	20	20	20	20	20	1D98:	8A	80	00	D5	8A	80	00	D1	C6	
1850:	1E	8D	A4	1E	A9	00	8D	9A	54	1B00:	24	20	20	20	20	20	20	20	20	1D98:	86	B1	00	D4	83	85	80	D0	FD	
1858:	20	9C	1E	10	02	38	24	18	D8	1B08:	20	20	20	20	20	20	20	20	20	1D98:	B1	84	80	D0	B1	94	80	C0	12	
1860:	6A	0D	9A	1E	91	EC	AD	98	75	1B10:	00	06	06	06	04	01	04	17	9A	1DC0:	80	A5	80	C0	B2	A9	80	00	7C	
1868:	1E	8D	9A	1E	C8	CC	A0	1E	19	1B18:	20	20	20	20	20	20	20	20	20	1DC8:	AA	75	80	8A	AD	80	00	00	4A	
1870:	D0	C1	18	A5	1C	AD	A0	1E	D0	1B20:	20	20	20	20	20	20	20	20	20	1DD0:	AD	84	80	00	D2	80	00	FE	13	
1878:	85	D1</																												



# UFO Invasion

## For IBM And Amiga

John Robinson


*This arcade game sets up a classic confrontation—you, the lone defender, against a horde of deadly machines from outer space. The original IBM version requires Cartridge BASIC for the PCjr or BASICA and a color/graphics adapter for the PC. We've also translated the game for the Amiga computer.*

You are at the controls of a surface-to-air missile launcher located somewhere near the Arctic Circle. Your radar outposts have detected a fleet of unidentified flying objects (UFOs) invading the North American continent. Forewarned about this possibility, you know that the waves of UFOs will attack your missile site before

# Amiga

## SUPPORT FROM COMPUTE! BOOKS

Everything for the Amiga. From BASIC beginner's guides to advanced programming handbooks, COMPUTE! offers you information-packed tutorials, reference guides, programming examples, ready-to-enter applications, and games to help you develop your computing skills on Commodore's Amiga.



### COMPUTE!'s AmigaDOS Reference Guide

Alan R. Levitan and Sheldon Leemon

A comprehensive tutorial and reference guide to the powerful AmigaDOS—the operating system underlying the Workbench and Intuition—this book offers information useful to every Amiga owner. It defines and illustrates all DOS commands, and shows you how to create file directories, access peripherals, run batch file programs, and avoid "disk shuffle." The screen- and line-oriented text editors are explained in detail. Numerous examples and techniques explain how to use AmigaDOS to make operating your Amiga both convenient and efficient.


**\$14.95** ISBN 0-87455-047-5

### Elementary Amiga BASIC

C. Regena

Here's your introduction to the new and powerful BASIC on the Amiga personal computer. The Amiga's impressive graphics, animation, and sound can be unlocked with the right commands, and BASIC is the place to start. Complete descriptions of Amiga BASIC's commands, syntax, and organization take you from the beginner level to a full-fledged programmer. Plus, the book offers you ready-to-type-in programs and subroutines while showing you how to write your own programs. There is a disk available which includes the programs in the book, \$15.95. This title is also available as a book/disk combination for \$29.95 (057-2).

**\$14.95** ISBN 0-87455-041-6



### COMPUTE!'s Amiga Programmer's Guide

Edited

Your tutorial and reference manual to AmigaDOS, BASIC, Intuition, and other important software tools which accompany the new Amiga. *COMPUTE!'s Amiga Programmer's Guide* is a clear and thorough guide to the inner workings of this fascinating new-generation computer. The great speed of its 68000 microprocessor, coupled with the versatility of the Amiga-specific graphics and sound, makes the Amiga one of the most powerful computers available today. This book is the key to accessing the Amiga's speed and power.


**\$16.95** ISBN 0-87455-028-9

### Advanced Amiga BASIC

Tom R. Halfhill and Charles Brannan

This guide to applications programming on Commodore's new Amiga contains everything an intermediate programmer requires to begin creating sophisticated software on this powerful machine, including several ready-to-type-in programs. Clear, yet comprehensive documentation and examples cover advanced BASIC commands, designing graphic applications, generating sound and music, using the Amiga's built-in speech synthesizer, creating a user interface, and programming the computer's peripherals. There is a disk available which includes the programs in the book, \$15.95. (June release)

**\$16.95** ISBN 0-87455-045-9



### COMPUTE!'s Beginners Guide to the Amiga

Dan McNeill

Written in a lively and entertaining style, this book teaches you everything a beginner needs to know to get started quickly with the Amiga from Commodore. You will learn about setting up the system, all the most popular types of software, and details about the hardware.

**\$16.95** ISBN 0-87455-025-4

### Inside Amiga Graphics

Sheldon Leemon

The Amiga, Commodore's powerful new computer, is an extraordinarily impressive graphics machine. Easy to use, the Amiga can produce color graphics and excellent animation. You'll find thorough descriptions of the computer's abilities and the hardware required to create a complete graphics system. Software, too, is central to the Amiga's power, and complete tutorials show you how to get the most from the machine. (June release)

**\$16.95** ISBN 0-87455-040-8

### COMPUTE!'s Kids and the Amiga

Edward H. Carlson

The latest in this bestselling series written by Edward Carlson, *COMPUTE!'s Kids and the Amiga*, will acquaint you with BASIC. Over 30 sections—all with instructor notes, lessons, assignments, and lively illustrations—entertain and amuse you as you learn to program your new computer. Clear writing and concise examples make it easy for anyone—children and adults alike—to painlessly learn BASIC. (May release)

**\$14.95** ISBN 0-87455-048-3

To order, use the enclosed order form.

Or call toll-free 1-800-638-3822 (In NY 212-887-8527).

**COMPUTE! Publications, Inc.** 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies  
625 7th Avenue, 6th Floor, New York, NY 10019  
Publishers of COMPUTE! COMPUTE!'s Gazette COMPUTE!'s Gazette Disk COMPUTE!'s Arcade Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England, and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 2Z5.



proceeding to the more populous areas lying southward. Are you up to the challenge?

Though it's not a particularly long program, "UFO Invasion" offers quite a test for your gaming skills, particularly at the higher levels. Type in the version for your computer and save a copy before you run it. As the screen photos illustrate, both versions look and play almost identically.

Since the Amiga version doesn't use line numbers, we've used a special character (a left arrow) to show you where each program line ends. Don't try to type in the arrows—they're present only to show you where each line ends. (Actually, you can't type an arrow even if you want to, since we deliberately picked a symbol that's not available on the Amiga keyboard.) Instead, wherever you see a left arrow in the listing, you should press RETURN or move the cursor off the line to enter it into memory. To illustrate, look at these program lines:

```
DEFINT A-Z4
RANDOMIZE TIMER4
SCREEN 1, 320, 200, 2, 14
WINDOW 1,"UFO Invasion",(0,0)-(3
11,185),20,14
```

The first three lines are short enough to fit into one magazine column, but the fourth program line is so long that it wraps around onto a second line. The arrow shows you that the line ends after the final 1, not after the 3.

### First Line Of Defense

When UFO Invasion begins, you'll hear the sound of an alarm siren and see two warning messages scroll across the screen. The middle of the screen contains your control panel. The observatory window at the top gives you a direct view of the skyline in your defense sector. Within the window is the aiming crosshair for your missile launcher, and directly below is a radar screen.

When the saucer-shaped UFO appears, your job is to move the crosshair onto the UFO (using the cursor keys) and launch a missile at it (by pressing the space bar). If your missile hits the UFO, the automated craft is vaporized immediately.

Before it can fire at your base, the UFO must locate your position.

Once your position is located, the UFO is certain to hit the mark. Your force shields are powerful enough to protect you against three hits by the UFO, but the fourth hit neutralizes your defenses and paves the way for a successful invasion (ending the game as well).

### Control Panel

The control panel is equipped with six gauges to help you monitor events. On each side of the circular radar screen are two ladder gauges. The gauge at the far right shows you how many UFOs remain to be eliminated in the current level. There are eight levels in all; you must eliminate 29 UFOs at each level before advancing to the next.

The gauge directly to the right of the radar screen indicates how close the UFO is to locating your position. When this indicator reaches the top, the UFO scores a hit.

The gauge at the far left shows your points for the current level. You receive 100 points (shown as one bar on the ladder) for each UFO you destroy, with an additional bar for hitting the UFO before the timer is halfway to the top. If you score two bars for every UFO on the current level, you receive a bonus equal to 1,000 points times the level number.

Directly underneath the radar screen are two additional indicators that show you how many levels have been completed, and how many hits your shields have sustained.

Press the cursor keys to move the aiming crosshair left, right, up, or down. To fire a missile, press the space bar. You can quit the game at any time by pressing Q. In levels 1, 2, 4, 6, and 8 you can view the UFOs through the observatory window. In levels 3, 5, and 7 the sky is obscured by a thick cloud cover, forcing you to guide the missiles by radar alone. The radar screen shows the position of the UFO in relation to your aiming crosshair. Aim with the cursor keys until the red dot is in the center of the radar panel, then fire.

### Amiga Version

Converting the original PC/PCjr game to Amiga BASIC was a very easy project. First, we used mo-

dem to transfer the PC program text to the Amiga over the phone line. Then we changed a few lines that were obviously unusable in Amiga BASIC (those with KEY and PLAY statements). In less than an hour, after changing about a dozen program lines, we had the PC game running on the Amiga—a testament to the close similarity between the BASICs on both machines.

Though the two programs look very different on the surface, the differences are largely cosmetic. To improve the Amiga program's readability and make it easier to type, we stripped off the line numbers, substituted meaningful labels where needed, and chopped most multi-statement lines into single-statement lines. Line numbers are unnecessary in Amiga BASIC; statements like *GOSUB PrintMessage* and *GOTO MainLoop* are much easier to understand than number-oriented statements like *GOSUB 890*. And in most cases there's little to gain by "crunching" multiple statements onto one line. We made no efforts to speed up the Amiga version, yet because of the Amiga's speedier processor, this program runs much faster than the PC/PCjr game.

If you compare the two programs statement by statement, you'll see that they're still nearly identical. Of course, the Amiga needs SCREEN and WINDOW statements to create a graphics screen equivalent to the original PC/PCjr screen. Since ON KEY and PLAY don't exist in Amiga BASIC, substitutes had to be found there as well (we used INKEY\$ to read the keyboard and SOUND for sound effects). But the meat of the program—high-resolution drawing with LINE statements and animation with GET and PUT—is exactly the same.

If you're a PC owner who just bought an Amiga, or an Amiga owner looking for more type-in programs, this project shows how simple it can be to convert programs from IBM BASIC to Amiga BASIC. (Another language which is even more similar to Amiga BASIC is Microsoft BASIC for the Macintosh.) As a general rule, any game that relies chiefly on LINE, GET, and PUT should transfer from the

PC to the Amiga quite easily. Just be sure to set up the right sort of screen at the beginning of the program.

To highlight the similarity between the two versions of BASIC, we did not add many machine-specific features to the Amiga version. However, you may find it interesting to add some extra features of your own. For instance, why not add voice synthesis to the messages that scroll across the screen? If you have a stereo hook-up, you might want to modify the sound routines to take advantage of the Amiga's stereo sound capabilities. The Amiga version of "Switch-box" (COMPUTE!, March 1986) contains examples of how to do both, as well as other tips on writing games in Amiga BASIC. On a larger scale, you might want to try enlarging the playfield. In the original PC/PCjr version, the game screen is kept quite small to make the game run faster. But Amiga BASIC is fast enough to permit convincing animation within a much larger area.

```

EJ 160 LINE (1,0)-(6,0),1:LINE (
0,1)-(7,1),1:LINE (1,2)-(
7,2),3
IJ 170 LINE (0,3)-(7,3),1:LINE (
1,4)-(6,4),1:0ET (0,0)-(7
,6),UFO
JM 180 LINE (0,0)-(7,7),0,8F
LE 190 LINE (0,3)-(4,3),2:LINE (
2,1)-(2,5),2:0ET (0,0)-(5
,5),80
IN 200 LINE (0,0)-(7,7),0,8F
EN 210 GOSUB 270:8=ENEMY ALER
T:80SUB 250
BE 220 8=UFO INVASION*:80SUB
250
LA 230 LINE (0,0)-(1,1),2,8F:GET
(0,0)-(1,1),RADAR

```



The IBM PC/PCjr version of "UFO Invasion" pits you, the lonely defender in an Arctic wasteland, against waves of oncoming robot craft.

## Program 1: UFO Invasion For IBM PC/PCjr

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" in this issue of COMPUTE!.

```

LA 10 REM ----- INITIALIZE
VARIABLES
PN 20 SCREEN 1:COLOR 0,0,0:CLS:K
EY OFF:RANDOMIZE TIMER:PLA
Y "mb"
BF 30 DIM SH(2000),UFO(200),GO(2
00),X(30),Y(30),RADAR(50)
IG 40 L=1:TL=0:LIVES=0:SCORE=0:R
X=100/15:RY=50/12
EL 50 REM ----- SET UP SCRE
EN -----
IJ 60 LINE (111,51)-(111,159),3,
8:LINE (111,101)-(211,101)
,3
KO 70 LINE (121,101)-(121,159),3
:LINE (131,101)-(131,159),
3
AF 80 LINE (191,101)-(191,159),3
:LINE (201,101)-(201,159),
3
JP 90 FOR Y=157 TO 103 STEP -2
FF 100 LINE (111,Y)-(131,Y),3:L
I NE (191,Y)-(211,Y),3
NJ 110 NEXT Y
NL 120 CIRCLE (161,120),16,1:CIR
CLE (161,120),10,1:CIRCLE
(161,120),4,1
NO 130 LINE (146,120)-(176,120),
1:LINE (161,100)-(161,132
),1
IB 140 FOR X=145 TO 173 STEP 4:L
INE (X,135)-(X+4,140),3,B
:NEXT X
DA 150 FOR X=154 TO 162 STEP 4:L
INE (X,147)-(X+4,151),3,8
:NEXT X

```

```

BP 240 GOTO 320
PA 250 FOR I=1 TO 39:LOCATE 1,I:
FOR SA=1 TO 20:NEST 8A:FR
INT LEFT*(8,40-I):NEXT I
NI 260 RETURN
NK 270 FOR I=1 TO 10
KC 280 FOR P=1000 TO 1900 STEP 2
5:SOUND P,2:NEXT P
OK 290 NEXT I
NN 300 RETURN
JA 310 REM ----- SET UP KEY
BOARD
KO 320 DEF SEG=0:POKE 1047,PEEK (
1047):OR 64
DC 330 ON KEY (11) GOSUB 630:KEY
(11) ON
IL 340 ON KEY (12) GOSUB 640:KEY
(12) ON
ME 350 ON KEY (13) GOSUB 650:KEY
(13) ON
BN 360 ON KEY (14) GOSUB 660:KEY
(14) ON
JN 370 KEY 15,CHR*(H+40)+CHR*(H
39):ON KEY (15) GOSUB 670
:KEY 15) ON
DE 380 KEY 16,CHR*(H+40)+CHR*(H
10):ON KEY (16) GOSUB 680
:KEY 16) ON
CB 390 REM ----- START A NE
W LEVEL
CC 400 8=160:PTS=0:T=0
IB 410 FOR S=158 TO 102 STEP -2:
LINE (202,S)-(210,S),2:NE
XT S
IC 420 IF L=3 OR L=5 OR L=7 THEN
CLR=0:GOTO 440 ELSE CLR=1
MA 430 FOR S=1 TO 60:PSET (112+RN
O*98,52+RND*4B),INT(RND*4
):NEXT S
EA 440 S=100
FF 450 XU=112+RND*90:YU=52+RND*4
0:IF CLR THEN PUT (XU,YU),
UFO,XOR

```

```

FF 460 XG=160:YG=75:PUT (XG,YG),G
O,XOR
QJ 470 LINE (142+X*4,136)-(144+L*
4,139),1,8F
OC 480 REM ----- PERFORM MA
IN LOOP
CD 490 GOSUB 700 ' MOVE CROSS HA
IRS
LO 500 GOSUB 550 ' MOVE UFO
BD 510 IF FIRED THEN GOSUB 770:I
F S=158 THEN 1000
ON 520 T=+1:IF T>TL THEN B=B-2:
T=0:LINE (192,B)-(200,B),2
:IF B=102 THEN GOSUB 1190
' CHECK TIME
JH 530 GOTO 490
KK 540 REM ----- MOVE UFO &
RADAR
KF 550 IF RND<.1 THEN CXU=RND*10
-5:CYU=RND*6-3
PD 560 IF CLR THEN PUT (XU,YU),U
FO,XOR
LN 570 XU=XU+CXU:IF XU>200 THEN
XU=200 ELSE IF XU<112 THEN
N XU=112
GN 580 YU=YU+CYU:IF YU>90 THEN Y
U=90 ELSE IF YU<52 THEN Y
U=52
QI 590 IF CLR THEN PUT (XU,YU),U
FO,XOR
LF 600 PUT (XR,YR),RADAR,XOR:XR=1
61+(XU-XG)/RX:YR=120+(YU-
YG)/RY:PUT (XR,YR),RADAR,
XOR
NC 610 RETURN
FE 620 REM ----- RESPOND TO
KEY PRESSES
KP 630 CYB=CYB-5:RETURN
JB 640 CXB=CXB-5:RETURN
JL 650 CXB=CXB+5:RETURN
JN 660 CYB=CYB+5:RETURN
OD 670 FIRED=1:RETURN
LD 680 8=GAME STOPPED:SCORE=
SCORE+PTS*100/L:RETURN 13
90
KN 690 REM ----- MOVE CROSS
HAIRS
BO 700 PUT (XG,YG),GO,XOR
DO 710 XG=XG+CXB:IF XG>200 THEN
XG=200 ELSE IF XG<112 THEN
N XG=112
LO 720 YG=YG+CYB:IF YG>90 THEN Y
G=90 ELSE IF YG<52 THEN Y
G=52
KH 730 CXB=0:CYB=0
DH 740 PUT (XG,YG),GO,XOR
NL 750 RETURN
LA 760 REM ----- FIRE -----
NP 770 PLAY "L64 T255 BAGFECC <B
ABFECC">
QJ 780 IF CLR THEN PUT (XU,YU),U
FO,XOR
NS 790 LINE (160,100)-(XG+3,YG+6
),3
GB 800 FIRED=0:LINE (160,100)-
(XG+3,YG+6),0
IC 810 IF XG<3*XU AND XG<3*XU+9
AND YG+4*YU AND YG<3*YU+6
THEN 850
PD 820 IF CLR THEN PUT (XU,YU),U
FO,XOR
NI 830 RETURN
JE 840 REM ----- UFO IS HIT
EJ 850 PUT (XG,YG),GO,XOR
CJ 860 FOR E=1 TO 30:X(E)=XU+RND
*6+1:Y(E)=YU+RND*6+1:PSET
(X(E),Y(E)),2:SOUND 80,
1:NEXT E
NS 870 FOR E=1 TO 30:PSET (X(E)
,Y(E)),NEXT E
EL 880 IF CLR THEN PSET (XU+RND*
6+1,YU+RND*6+1),INT(RND*4
)
BB 890 XU=112+RND*90:YU=52+RND*4
0:IF CLR THEN PUT (XU,YU),

```

```

UFO, XOR
KI 900 PUT (XB, YG), GO, XOR
FJ 910 REM ----- ADD SCORE
DO 920 S=S+2:LINE (202, S)-(210, S)
0
HN 930 PTS=PTS+1:GOSUB 970
DO 940 IF B>130 THEN PTS=PTS+10
OSUB 970
EJ 950 FOR X=0 TO 160 STEP 2:LINE
E (192, X)-(200, X), 0:NEXT X
=160
F 960 RETURN
E 970 HK=112:HY=160-PTS*2:IF PT
S>2: THEN HK=122:HY=160-(
PTS-20)*2
L 980 LINE (HX, HY)-(HX+B, HY), 1
F 990 RETURN
H 1000 REM ----- ALL UFOS
DESTROYED - LEVEL COMPLE
TEO -----
IF 1010 L=L+1:TL=TL-1
DO 1020 FOR P=102 TO 158 STEP 2:
LINE (112, P)-(120, P), 0:LI
NE (122, P)-(130, P), 0:NEXT
P
H 1030 LINE (112, 52)-(207, 99), 0,
BF
L 1040 SCORE=SCORE+PTS*(L-1)*10
0
DN 1050 IF PTS<58 THEN 1140
DO 1060 PLAY "D3T120 LBGL16EELB
EL160+ELBEPB L16EELBEL16
EELBGL16EGL4FLBOPB"
PO 1070 PLAY "DOL16C+DLBDL16C+DL
8FP4 L16ED+ELBGP160L16ABA
BOSP4
KI 1080 B=S+STR$(1000*(L-1))+ " PD
INTS BONUS":GOSUB 250
F 1120 FOR I=1 TO 1000:NEXT I
F 1130 SCORE=SCORE+1000*(L-1)
OF 1140 IF L>8 THEN 1370
E 1150 B=S+STR$(L):GOS
UB 250
F 1160 FOR I=1 TO 500:NEXT I
DO 1170 GOTO 400
J 1180 REM ----- TIME'S UP
- TAKE A HIT -----
H 1190 XB=XU+4:YB=YU+6:IF CLR T
HEN PUT (XU, YU), UFO, XOR
CJ 1195 LINE (XB, YB)-(120, 100), 2
LINE (XB, YB)-(120, 100), 2
K 1210 LINE (XB, YU)-(112, 52), 2
LINE (XB, YU)-(112, 52), 2
FN 1210 LINE (XB, YB)-(112, 100), 0
LINE (XB, YB)-(112, 100), 0
OP 1220 LINE (XB, YU)-(112, 52), 0
LINE (XB, YU)-(112, 52), 0
H 1225 IF CLR THEN PUT (XU, YU),
UFO, XOR
EL 1230 FOR I=1 TO 20
DO 1240 COLOR 0, 1
IA 1250 PLAY "L64 T255 BAGFECD <
BAGFECD":
H 1260 COLOR 0, 0
H 1270 NEXT I
FK 1280 PTS=PTS-2:IF PTS<0 THEN
PTS=0
E 1290 IF LIVES<3 THEN 1340
DO 1300 FOR X=102 TO 158 STEP 2:
LINE (192, X)-(200, X), 0:NE
XT X:B=160
DO 1310 LIVES=LIVES+1:LINE (151+
4*LIVES, 148)-(153+4*LIVE
S, 150), 2, BF
H 1320 RETURN
EI 1330 REM ----- UFOS WIN
H 1340 SOUND 130, 0:COLOR 0, 1

```

```

DO 1350 B=S+STR$(GAME OVER):GOTO 139
0
H 1360 REM ----- SAM WINS
H 1370 B=S+STR$(YOU WIN !!!):GOSUB
1460
LP 1380 GOSUB 1460
H 1390 GOSUB 250
E 1400 C=S+STR$(SCORE)
DO 1410 FOR I=1 TO 15:LOCATE 1, I
:PRINT LEFT$(C, 40-I):NE
XT I
DN 1420 IF INKEY$<>" " THEN 1420
IN 1430 LOCATE 23, 7:INPUT "ENTER
Y TO PLAY AGAIN: ";R$
DN 1440 IF R$="Y" THEN RUN
H 1450 END
DO 1460 PLAY "TB003ML C4G4F16E16
0160C4 C3G4F16E160160C4
4"
OP 1470 PLAY "D3G4F16E16F1604M5C
4"
H 1480 RETURN

```

## Program 2: UFO Invasion For Amiga

Version by Philip I. Nelson,  
Assistant Editor

For instructions on entering this listing, please  
refer to "COMPUTE!'s Guide to Typing in  
Programs" in this issue of COMPUTE!.

```


4
DEFINT A-Z4
RANDOMIZE TIMER4
SCREEN 1, 320, 200, 2, 14
WINDOW 1, "UFO Invasion", (0, 0)-(3
11, 185), 20, 14
PALETTE 0, 0, 0, 0, 4
PALETTE 1, 1, 1, 1, 4
PALETTE 2, 0, 1, 0, 4
PALETTE 3, 1, 0, 0, 4
CLS4
DIM SH(2000), UFO(200), GD(200)4
DIM X(30), Y(30), Radar(50)4
L=1: TL=8: Lives=0: Score=04
RX=100/15: RY=50/124
LINE (111, 51)-(211, 159), 3, B4
LINE (111, 101)-(211, 101), 3, 4
LINE (121, 101)-(121, 159), 3, 4
LINE (131, 101)-(131, 159), 3, 4
LINE (191, 101)-(191, 159), 3, 4
LINE (201, 101)-(201, 159), 3, 4
FOR Y=157 TO 103 STEP -24
LINE (111, Y)-(131, Y), 34
LINE (191, Y)-(211, Y), 34
NEXT4
CIRCLE (161, 120), 16, 14
CIRCLE (161, 120), 10, 14
CIRCLE (161, 120), 4, 14
LINE (146, 120)-(176, 120), 14
LINE (161, 108)-(161, 132), 14
FOR X=145 TO 173 STEP 44
LINE (X, 135)-(X+4, 140), 3, B4
NEXT4
FOR X=154 TO 162 STEP 44
LINE (X, 147)-(X+4, 151), 3, B4
NEXT4
LINE (1, 0)-(6, 0), 14
LINE (0, 1)-(7, 1), 14
LINE (1, 2)-(7, 2), 34
LINE (0, 3)-(7, 3), 14
LINE (1, 4)-(6, 4), 14
GET (0, 0)-(7, 6), UFO4
LINE (0, 0)-(7, 7), 0, bf4
LINE (0, 0)-(4, 3), 24
LINE (2, 1)-(2, 5), 24
GET (0, 0)-(5, 5), GD4
LINE (0, 0)-(7, 7), 0, bf4
LINE (0, 0)-(1, 1), 2, bf4
GET (0, 0)-(1, 1), Radar4
PUT (0, 0), Radar4
GOSUB Siren4
B$=" Enemy Alert "4
GOSUB PrintMessage4

```

```

GOSUB Siren4
B$=" UFO Invasion "4
GOSUB PrintMessage4
GOTO NewLevel4
4
4
PrintMessage:4
FOR J=1 TO 394
LOCATE 1, J4
SOUND 400*(J*10), .14
PRINT LEFT$(B$, 40-J)4
NEXT4
RETURN4
4
4
Siren:4
FOR J=1 TO 104
FOR P=1000 TO 1900 STEP 554
SOUND P, .24
NEXT4
NEXT4
RETURN4

```



This photo illustrates how similar the  
Amiga version of "UFO Invasion" is to  
the PC/PCjr game. About 90 percent of  
the code is identical to the original  
program.

```

4
4
NewLevel:4
B=160: Pts=0: T=04
FOR S=158 TO 102 STEP -24
LINE (202, S)-(210, S), 24
NEXT4
IF L=3 OR L=5 OR L=7 THEN clr=0:
GOTO Mip ELSE clr=14
FOR S=1 TO 604
PSET(112+RND*98, 52+RND*48), INT(R
ND*4)4
SOUND 1500+INT(RND(1)*1000), .14
NEXT4
Mip:4
S=100: Xu=112+RND*904
Yu=52+RND*404
IF clr THEN THEN PUT (Xu, Yu), UFO4
XG=160: yg=754
PUT (Xg, yg), GD4
LINE(142+L*4, 136)-(144+L*4, 139),
1, bf4
4
4
MainLoop:4
X$=INKEY$: IF UCASE$(X$)="Q" THE
N Quit:4
IF X$=" " OR X$<CHR$(28) OR X$>CH
R$(32) THEN Skip4
ON ASC(X$)-27 GOTO Up, Down, Rig
ht, Left, Hit4
GOTO Skip4
Up:4
Cyg=Cyg+5:GOTO Skip4
Down:4
Cyg=Cyg+5:GOTO Skip4
Right:4
Cyg=Cyg+5:GOTO Skip4
Left:4
Cyg=Cyg+5:GOTO Skip4
Hit:4

```



```

Fired=14
4
4
Skip=4
PUT (Xg,Yg),GD4
Xg=Xg+Cyg4
IF Xg>200 THEN Xg=200 ELSE IF Xg
<112 THEN Xg=1124
yg=yg+Cyg4
IF yg>90 THEN yg=90 ELSE IF yg<5
2 THEN yg=524
Cyg=0;Cyg=40
PUT (Xg,Yg),GD4
IF RND<.1 THEN Cxu=RND*10-5;Cyu=
RND*6-34
IF clr THEN PUT (Xu,Yu),UFO4
Xu=Xu+Cxu4
IF Xu>200 THEN Xu=200 ELSE IF Xu
<112 THEN Xu=1124
Yu=Yu+Cyu4
IF Yu>90 THEN Yu=90 ELSE IF Yu<5
2 THEN Yu=524
IF clr THEN PUT (Xu,Yu),UFO4
IF NotFirst THEN PUT(Xr,Yr),Rada
r4
NotFirst=14
Xr=161+(Xu-Xg)/RX4
Yr=120+(Yu-yg)/RY4
PUT (Xr,Yr),Radar4
IF Fired THEN GOSUB Shoot:IF S=1
58 THEN AllGone4
T=T+14
IF T>TL THEN B=B-2;T=T:LINE(192,
B)-(200,B),2:IF B=102 THEN GOSUB
TakeShot4
GOTO MainLoop4
4
Quit:4
B$=" Game stopped"4
Score=Score+Pts*100*L4
GOTO GameOver4
4
Shoot:4
IF clr THEN PUT (Xu,Yu),UFO4
LINE (160,100)-(Xg+3,Yg+6),24
FOR J=50 TO 1000 STEP 2004
SOUND J,.14
NEXT4
Fired=04
LINE (160,100)-(Xg+3,Yg+6),04
IF Xg+3>Xu AND Xg+3<Xu+9 AND Yg+
4>Yu AND yg+3<Yu+6 THEN HitUFO4
IF clr THEN PUT (Xu,Yu),UFO4
RETURN4
4
HitUFO:4
PUT (Xg,Yg),GD4
FOR e=1 TO 304
X(e)=Xu-RND*6+14
Y(e)=Yu-RND*6+14
PSET (X(e),Y(e)),24
SOUND 820,.14
NEXT4
PRESET (X(e),Y(e))4
NEXT4
IF clr THEN PSET (Xu+RND*6+1,Yu+
RND*6+1),INT(RND*4)4
Xu=112+RND*904
Yu=52+RND*404
IF clr THEN PUT(Xu,Yu),UFO4
PUT(Xg,Yg),GD4
AddScore:4
S=S+24
LINE(202,S)-(210,S),04
P=0;P=14
GOSUB Here4
IF B>130 THEN Pts=Pts+1;GOSUB He
re4
FOR X=B TO 160 STEP 24
LINE(192,X)-(200,X),04
NEXT4
B=1604
RETURN4

```

```

4
Here:4
Hx=112; Hy=160-Pts*24
IF Pts>29 THEN Hx=122;Hy=160-(Pt
s-29)*24
LINE (Hx,Hy)-(Hx+B,Hy),14
RETURN4
4
AllGone:4
L=L+1: TL=TL-14
FOR P=102 TO 158 STEP 24
LINE(112,P)-(120,P),04
LINE(122,P)-(130,P),04
NEXT4
LINE(112,52)-(209,99),0,bf4
Score=Score+Pts*(L-1)*1004
IF Pts<58 THEN GOTO There4
FOR J=500 TO 2500 STEP 5004
SOUND J,24
NEXT4
B$=" You passed Level "+STR$(L-
1)4
GOSUB PrintMessage4
B$=STR$(1000*(L-1))+ " Points bon
us"4
GOSUB PrintMessage4
FOR J=1 TO 20004
NEXT4
Score=Score+1000*(L-1)4
IF L=9 THEN PlayerWins4
There:4
IF L>8 THEN PlayerWins4
B$=" Level "+STR$(L)4
GOSUB PrintMessage4
FOR J=1 TO 15004
NEXT4
GOTO NewLevel4
4
TakeShot:4
PUT (Xg,Yg),GD4
IF clr THEN PUT (Xu,Yu),UFO4
Xb=Xu+4: Yb=Yu+64
LINE(Xb,Yb)-(112,100),24
LINE (Xb,Yb)-(210,100),24
LINE (Xb,Yb)-(112,52),24
LINE (Xb,Yb)-(210,52),24
LINE(Xb,Yb)-(112,100),04
LINE (Xb,Yb)-(210,100),04
LINE (Xb,Yb)-(112,52),04
LINE (Xb,Yb)-(210,52),04
IF clr THEN PUT (Xu,Yu),UFO4
PUT (Xg,Yg),GD4
PALETTE 0,1,0,04
FOR K=400 TO 5004
SOUND K,.14
NEXT4
PALETTE 0,0,0,04
Pts=Pts-24
IF Pts<0 THEN Pts=04
IF Lives=3 THEN UFOgotcha4
FOR X=102 TO 158 STEP 24
LINE(192,X)-(200,X),04
NEXT4
B=1604
Lives=Lives+14
LINE (151+4*Lives,148)-(153+4*Li
ves,150),2,bf4
RETURN4
4
UFOgotcha:4
PALETTE 0,1,0,04
FOR J=400 TO 500 STEP 34
SOUND J,.14
NEXT4
FOR J=500 TO 400 STEP -34
SOUND J,.14
NEXT4
PALETTE 0,0,0,04
B$=" Game Over"4
GOTO GameOver4
4
PlayerWins:4

```

```

B$=" You win!"4
GOSUB WinSound4
4
GameOver:4
GOSUB PrintMessage4
c$=" Score"+STR$(Score)4
FOR J=1 TO 154
LOCATE 1,J4
PRINT LEFT$(c$,40-J)4
NEXT4
CleanBuffer:4
IF INKEYS<" " THEN CleanBuffer4
LOCATE 23,94
PRINT "Press Y to play again";4
X$=""4
WHILE X$=""4
X$=INKEY$4
WEND4
IF UCASE$(X$)="Y" THEN RUN4
CLS: END4
4
WinSound:4
FOR J=1 TO 24
RESTORE MusicData4
SoundLoop:4
READ X4
IF X>65535 THEN4
SOUND X,14
GOTO SoundLoop4
END IF4
NEXT4
SOUND 550, 84
RETURN4
4
MusicData:4
DATA 550, 500, 450, 400, 3504
DATA 550, 500, 450, 400, 3504
DATA 300, 350, 400, 450, 5004
DATA 655354
4

```

## Commodore 64 Only SOFTWARE \$4/disk

The Best Public Domain Software from 64 Gold  
☐ Printed Directory (33 disks) ... \$2.95  
**Games, utilities, and more software**  
☐ Five disk sampler with directory ... \$19.95  
**Best Games from England**  
☐ 02 Software Pirates, Treas, Brickbuster,  
 Stellar Strike, Space Arena ... \$4  
**Space Games**  
☐ 85 Starwar, Starrek, Eliza, Easy Dungeon,  
 Planet Probe, Deep Space ... \$4  
**Adam Handball, Grade Book, Math, Typing Tutor**  
☐ 79 Education, games, utilities ... \$4  
**Communications, BBS lister, disk doctor**  
☐ 94.95 Best utilities (2 disks) ... \$8  
**Directory Sort and function keys, recover files**  
☐ 80 Cookroach ... \$4  
☐ 66 Fast copy (4 minutes) ... \$4

## BULK DISKS 59¢ EACH

Foolish to pay more.  
 Dangerous to pay less.

Quality media • Lifetime replacement guarantee  
 Write protect tabs • Hub rings and Jivec covers  

Quantity	Item	1-50	51+	Amount
	5.25" SSDD	.69	.59	
	5.25" DSD	.79	.69	

 Add \$4 shipping & handling per order. Each additional 100  
 disks add \$3. CA residents add 6.5% sales tax.  
 Amount enclosed \$ \_\_\_\_\_ ☐ Check ☐ VISA ☐ MasterCard

Card No. \_\_\_\_\_  
 Signature \_\_\_\_\_ Exp. Date \_\_\_\_\_  
 Phone ( ) \_\_\_\_\_  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Call toll free 800-431-6249 In Calif. 415-550-0512



**BLACKSHIP**  
 COMPUTER SUPPLY R103  
 P.O. Box 883362 San Francisco, CA 94188

## Skyfox For Commodore And Apple

Richard Mansfield, Senior Editor

**Requirements:** Commodore 64 with a joystick; Apple II-series computer with at least 64K RAM; Apple Macintosh; Amiga with at least 256K RAM (joystick optional). The Amiga version was reviewed.

Some games are all strategy, some are all action, but many of the best games require both forethought and quick reflexes. *Skyfox* is one of those hybrid games, and it's clearly one of the best available for the Amiga. With its many levels of difficulty and player options, virtually anyone will find it challenging and rewarding.

The elements of strategy in this game recall the venerable computer game *Star Trek*. You're the last hope of the Federation asteroid base, the only pilot available. What's more, you've got to fly this experimental jet without sufficient training, and you can't even recall everything this advanced craft can do.

The asteroid base has been attacked by The Enemy, one or more immense motherships which convulsively disgorge wave after wave of tanks and planes. Their mission is to destroy the Federation Homebase which houses the *Skyfox* computer and the only place where you can refuel and recharge your shields. From time to time, you must check with your computer's grid map of the entire asteroid to see where enemy forces are massing. If they manage to get close to Homebase, you should try to take them out. If Homebase is destroyed you can still prevail, but it will be far more difficult.

The action elements of the game are among the best you'll ever see: realistic, realtime graphics; excellent stereo sound; complex air and ground battle scenes. Heat-seeking missiles, laser cannons, enemy tanks and planes, clouds, cockpit controls, Homebase, guided missiles, trees, shrubs, and sky are all vivid and believably recreated using computer graphics in three dimensions. *Skyfox* is more than a game;

it's an effective visual and aural simulation.

### Ace Of The Base

The simulation is made more rich by the large number of options you have during your struggle to overcome The Enemy: a tactical map; zoom maps of individual sectors; automatic pilot; an installation status report; fuel, speed, and shield indicators; x and y coordinates; a compass readout; forward and rear radar scanners; techniques to move between sky and ground battle; and an altitude indicator. Make good use of these tools and you'll find yourself capable of moving up in rank and attempting some of the more drastic invasion scenarios.

Before an invasion starts, you select one of five skill levels ranging from Cadet through Ace of the Base. Then you choose one of the 15 scenarios. There are 7 training scenarios during which you can work to improve the accuracy of your control over the inertial motion of *Skyfox* and steel your nerves against the smoke and flame and relentless attack of enemy tanks and planes. There are no Motherships during training, so there is a finite number of attackers. Also, Homebase cannot be destroyed.

When you feel confident that you're ready for the real thing, select a Small, Full, or Massive Invasion. These differ primarily in the number of Motherships active during the game. If you eventually become truly skilled, there are the five ultimate invasions during which multiple Motherships attack using different formations and varying strategies to take out your Homebase. These scenarios are called Halo, Alamo, Advancing Wall, Chess, and Cornered.

The Amiga, with its speed, sophisticated graphics, and quality stereo sound, is an excellent medium for this challenging, vividly realized game. The designers and programmers have outdone themselves in exploiting the Amiga's powerful features and have, in *Amiga Skyfox*, created a simulation

which rivals the best computer games available in any medium.



*Skyfox is an exciting action-strategy game that reveals much of the potential of the Amiga's graphics and sound.*

**Skyfox**

Electronic Arts  
2755 Campus Drive  
San Mateo, CA 94403 \$32.95 (64 version)  
\$39.95 (all other versions)

## The Battle Of Antietam

James V. Trunzo

**Requirements:** Apple II-series computer with at least 48K RAM; Commodore 64 or 128; or an Atari 400/800/XL/XE with at least 48K RAM. Disk only.


Less than a year before the battle of Gettysburg, a Civil War conflict erupted that became known as "the bloodiest day in American history." In Sharpsburg, Maryland, the battle of Antietam produced more than 22,000 casualties, and it has since been one of the most debated encounters of the Civil War.

The Union army, under the command of General McClellan, outnumbered Robert E. Lee's Confederate forces by more than two to one. Yet throughout the course of the battle, the cautious and indecisive McClellan failed to commit the bulk of his army. Along with a number of other blunders, this turned the day's battle into a

All  
The Best

# APPLE INFORMATION


Take advantage of the spectacular special features of your Apple II-series and Macintosh computers with these bestsellers from COMPUTE! Books.



## Advanced Macintosh BASIC Programming

Philip Calippe, 309 pages  
A reference guide and tutorial to Microsoft BASIC which shows you how to use the Macintosh's advanced features to create impressive programs. A disk is also available which includes programs. In the book, \$15.95 (0300BDSK).


**\$16.95** ISBN 0-87455-030-0



## Using Your Macintosh: Beginning Microsoft BASIC and Applications

Richard K. Swadley and Joseph Boyle Wikert, 274 pages  
Necessary and easy-to-understand information about the revolutionary Macintosh along with clear, easy-to-follow explanations of BASIC. Everything from writing your first statement to creating a finished program. A disk is also available which includes programs. In the book, \$15.95 (0211BDSK).


**\$16.95** ISBN 0-87455-021-1



## Apple II Applications: Forty Programs for Your Apple

Brian Flynn and Christopher Flynn, 374 pages  
Forty educational and strategy games, business and science applications, and home and personal organizational tools to use on any Apple II-series computer. A disk package is also available which includes programs in the book. Specify DOS 3.3 or ProDOS, \$12.95.

**\$14.95** ISBN 0-87455-016-5



## MacIdeas

J. Richard McLaughlin, 240 pages  
More than 100 ways to utilize the Macintosh's powerful graphics capabilities. Beautifully everything from personal gifts to correspondence, and learn how to use digitizers to create dazzling graphics.

**\$14.95** ISBN 0-87455-015-7

Mail this coupon with your payment to COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.  
Or call toll-free 800-346-6767 (In NY 212-887-8525).

Please send me the following books and disks:

- ☐ Advanced Macintosh BASIC Programming (030-0), \$16.95 each  
☐ Advanced Macintosh BASIC Programming Disk (0300BDSK), \$15.95 each  
☐ Apple II Applications (016-5), \$14.95 each  
☐ Apple II Applications Disk, DOS 3.3 (0165DSK1), \$12.95 each  
☐ Apple II Applications Disk, ProDOS (0165DSK2), \$12.95 each  
☐ Apple II Applications Book and DOS 3.3 Disk Combination package (050-5), \$29.95 each

- ☐ MacIdeas (015-7), \$14.95 each  
☐ Using Your Macintosh (021-1), \$16.95 each  
☐ Using Your Macintosh Disk (0211BDSK), \$15.95 each

Subtotal \_\_\_\_\_  
 NC residents add 4.5% sales tax \_\_\_\_\_  
 Shipping and handling (In U.S. \$2.00 per disk or book, airmail \$5.00 per item) \_\_\_\_\_  
 Total enclosed \_\_\_\_\_

All orders must be prepaid in U.S. funds.

Payment enclosed (check or money order)

☐ Charge ☐ MasterCard ☐ Visa ☐ American Express

Account No. \_\_\_\_\_ Exp. Date \_\_\_\_\_ (required)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Please allow 4-6 weeks for delivery.  
Prices subject to change without notice.

36612211

**COMPUTE! Publications, Inc.** 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies  
825 7th Avenue, 4th Floor, New York, NY 10019  
Publishers of COMPUTE!, COMPUTE! Quarterly, COMPUTE! Graphics, COMPUTE! Books, and COMPUTE! Apple Applications.

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England, and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 2Y5.



# COMPUTE!'s All New Apple Applications Special

COMPUTE!'s latest *Apple Applications Special* features in-depth articles and interviews, all the inside news about Apple, clearly written tutorials, software buyer's guides, new product information, and valuable ready-to-type-in programs for all Apple users.



**Apple owners find these special Apple Issues the most understandable, complete, and valuable resources available today.**

## PLUS

All the programs in *COMPUTE!'s Apple Applications Special* are also available on a timesaving disk, ready to run on your Apple II, II+, IIfx, and IIfx. The Disk costs only \$12.95 (plus \$2.00 shipping and handling) and gives you immediate access to all the great programs in this special issue.

Look for the Spring/Summer 1986 issue of *COMPUTE!'s Apple Applications Special* on sale where you buy other *COMPUTE!* publications, or order directly from *COMPUTE!*. This special issue goes on sale April 8, 1986.

Send in the attached order card or call toll free 800-346-6767 (In NY call 212-887-8525).

## Features

### • Business Applications

#### '86 Apple: An Interview with John Sculley

A wide-ranging interview with the president of Apple. The company's plans for the coming year, its markets, the new Macintosh, and the viability of the Apple II.

#### Business Software Buyer's Guide

A buyer's guide to the newest Apple II and Macintosh word processors, databases, spreadsheets, and more.

#### The Expanding Mac

### • Education

#### Apple Rules the Schools

Why does Apple have a lock on educational computing? Comments from teachers, administrators, and Apple.

#### Computers and the Humanities

#### Educational Software Buyer's Guide

### • The Expanding Apple

#### It's New II

A multitude of new hardware and software for the Apple II line—from color printers to Mac-like software—is evaluated.

#### Weirdware: Off the Beaten Software Path

Weirdware—out of the ordinary software—can turn the Apple II or Macintosh into a telescope, astrological fortune-teller, baby evaluator, and much, much more.

#### MacAdd's: More for the Macintosh

## Applications

### • Utilities and Tutorials

#### Windows

Create Macintosh-style windows on any Apple II-series computer. Set window size, open, close, and retrieve information.

#### Mouse Cursor

A Macintosh BASIC utility for altering the mouse pointer. Design data can be saved, then used in other BASIC programs.

#### Your Personal Ledger

A complete personal financial application for tracking expenses, income, and assets. Easy to use, and packed with features from report generation to customized category codes.

#### Personal Publishing With Your Macintosh

Tutorial and guide to using such software as *MacPaint* and *MacWrite* to customize letterheads, cards, banners, and more.

#### Keynote

### • Education and Recreation

#### Lexitron

Entertaining word game where players try to beat the clock while finding as many hidden words as possible.

#### Backgammon

Play the computer in this classic game. This version observes all the rules of standard backgammon.

#### Apple Automatic Proofreader

**COMPUTE!** Publications, Inc. 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies  
825 7th Avenue, 6th Floor, New York, NY 10019

Publishers of *COMPUTE!*, *COMPUTE!'s Gazette*, *COMPUTE!'s Books*, and *COMPUTE!'s Apple Applications*

nightmare encounter and possibly prolonged the Civil War by years. Had McClellan been more aggressive, the Confederacy might have been crushed at Antietam and the course of history changed.

"What might have been" is exactly what makes Strategic Simulation's *The Battle of Antietam* such an excellent game. You can choose to follow the exact order of battle, with troops being committed as they actually were during the real fighting, or you can take total control and have all troops put into action from the start of the battle and attempt to change the outcome of this bloody day in American history.

Like all SSI games, *The Battle of Antietam* has been meticulously researched and is a tactical game on a grand scale, incorporating 17 weapon types plus a wide variety of options. The game can be played on an introductory, intermediate, or advanced level; units may be represented by icons or symbols; units may be hidden or visible; and map details include towns, streams, ridges, and bridges superimposed on a square grid that displays four elevations. There are many other options, as well.

### Union Frustration

But it's more than just the accuracy and playability that makes this 11- to 15-hour game so special. Perhaps it's the battle itself.

When using the Activation option, troops are not available to the player until the time at which they historically entered the battle. This creates an extremely realistic simulation. In fact, when I tried commanding the Union forces using this option, I've never experienced such frustration. Turn after turn I watched the valiant blue coats charge the Confederate positions, fighting to gain a bridge or a hill. I watched them dissolve before the Confederate artillery, break ranks, and retreat—while a huge Union force sat dormant within striking range of the enemy. I came away with a much better understanding and appreciation of just what had occurred at Antietam—and this is what a computer simulation is all about.

Beyond these features, *The Battle of Antietam* incorporates such factors as fatigue, chain of command, limbering and unlimbering artillery, mounting and dismounting cavalry, line-of-sight targeting (which requires only a touch of the key to highlight all possible targets), and more tactical control than any other game in its class. The game may be played solo—either with the computer commanding either force—or two players can compete head-to-head

and try to match Lee's genius and avoid McClellan's indecision.

SSI has produced dozens of computer war games, gathering praise from many sources. *The Battle of Antietam*, however, may transcend previous efforts and become a true classic.

*The Battle of Antietam*  
Strategic Simulations, Inc.  
883 Stierlin Road  
Mountain View, CA 94043-1983  
\$49.95

## OnLine! For Amiga

Philip I. Nelson, Assistant Editor

*Requirements: Amiga computer with RS-232C modem.*

*OnLine!* is a full-featured telecommunications program that allows any Amiga to communicate with remote computers, bulletin boards, and commercial information services such as CompuServe. Since *OnLine!* takes full advantage of the Amiga's graphics-oriented operating system, the program is intuitive and convenient to use. In most cases, selecting an option is as simple as moving the mouse pointer to the desired menu item. But don't confuse ease of operation with a lack of features; this program offers a wide range of options, making it suitable for serious applications as well as recreational use.

For most home use (calling an information service, for instance), you'll want to use the default TTY, or dumb terminal configuration. But you can also choose from three popular DEC terminal modes (VT-102, VT-100, and VT-52) or ANSI emulation. The default window—with a status display line at the top, screen borders, and a sizing gadget at the lower-right corner—has room for a 79-column × 22-line text area. Other display options include a borderless 80 × 23 window, which removes the sizing gadget but leaves the status line in place, and a full 80 × 24 window which has neither a status line nor a sizing gadget.

The most novel display feature is the split or chat window, which is designed for realtime electronic conferencing (like the CB service on CompuServe). On many terminal programs, realtime conferencing is a very confusing business. Since your own keystrokes are intermixed with incoming characters, it's very difficult to keep track of what you're typing. By echoing only your keystrokes in a separate win-

# HOW TO TURN YOUR PERSONAL COMPUTER INTO YOUR PERSONAL BANKER.

Here's how to make the investment in your personal computer really pay off.

With SPECTRUM™, the electronic home banking and information system from The Chase Manhattan Bank, N.A. Teamed up with your PC, SPECTRUM is your direct link to Chase. And the start of a better way to manage your money and your time.

A push of a button lets you pay bills electronically, anywhere; transfer funds; keep records; and more. Even get vital financial information and trade stocks\* at discount rates.

Right at home, anytime—with complete security. All, including electronic mail, starting at just \$5 a month. And, with 2 months free for new subscribers, now's an even better time to get control of your finances. Call today for your free demo diskette.



**CALL TOLL FREE  
1-800-522-7766**



**CHASE**

© 1986 The Chase Manhattan Bank, N.A. Member FDIC.  
\*Stocks are traded through Rose & Company  
Investment Brokers, Inc., a Chase affiliate/Member NYSE and SIPC.

dow, *OnLine!*'s chat feature eliminates the confusion.

Unlike some early Amiga software that completely takes over the machine, *OnLine!* is clearly designed to exist in a multitasking environment. In all configurations except the 80 X 24 window, you can use sizing and/or depth gadgets to gain access to the Workbench or other windows. This welcome feature makes it possible to perform other tasks while the terminal remains active. For instance, you might want to open a new CLI window to check whether a disk has enough space to hold a file that you've captured.


## Flexibility

Few things are more frustrating than establishing a communications link only to find that the computer at the other end of the line requires a protocol that your software can't handle. *OnLine!* goes to considerable lengths to provide control over all the parameters you need, without forcing you to specify settings more often than necessary. When you first run the program, it defaults to the configuration used by most commercial information services: 1200 bps (bits per second), 7-bit word length, even parity, and a stop bit of 1. But these parameters (and many more) are easily changed via onscreen menus.

Once you've chosen new settings, you can save them in a terminal file, which also includes display choices, phone numbers (for an autodialing modem), and macrokey definitions (see below). Terminal files are a real boon to anyone who calls more than one service regularly. Instead of reconfiguring the program manually each time, you need only set the parameters once for each service and save them in a terminal file. After that, you simply select the desired terminal file from a menu. When *OnLine!* loads the file, it configures the display window, sets all the necessary parameters, and even dials the number for you automatically.

It's easy to see how this sort of automation speeds up and simplifies the process of getting online. Going one step further, you can also customize the way in which the program boots up. Whenever you run *OnLine!*, it looks for a special file named *OnLine!.trm*. If the disk contains a terminal file of that name, the program comes up with the settings specified in the file, and dials the phone number if one is included.

You can also save time by creating a custom macrokey definition for one or more of the Amiga's ten function keys. Once a macrokey has been defined, it sends as many as 64 characters to the serial port with only one keypress. In the simplest case, you might program a



*OnLine! is a convenient, professional-quality telecommunications program for Amiga computers. This screen shows the chat window feature designed for real-time teleconferencing.*

key to transmit a commonly used command such as BYE or GO AMIGA-FORUM. By including control codes and linking together more than one macrokey, it's possible to create much more elaborate one-key sequences.

Unlike some terminal programs, *OnLine!* has no separate phone book as such. Instead, two phone numbers (a primary number and one alternate) can be stored as part of each terminal file. If you need more than two numbers for a certain service, you could store additional numbers in macrokey definitions, which also become part of the terminal file. The autodial feature lets you set the number of times to redial the primary and alternate numbers before giving up. The default number of retries is zero, meaning that if the primary number isn't answered within 30 seconds, *OnLine!* dials the alternate number (if one is supplied) or simply hangs up.

If you've ever had to write a program to transfer data files from one computer to another, you know that character translation, while extremely simple in theory, can soak up a lot of programming time in practice. *OnLine!* lets you edit any of its seven 256-byte character-translation tables (which relate to screen, keyboard, printer, and serial input/output) simply by calling the table from a menu and editing the character values onscreen. This makes it easy to do character translations or filter out undesired characters for various purposes. When streaming input to a printer, for instance, you can check for certain characters which might be interpreted as control codes, producing unwanted results.

## Automation

Perhaps the most advanced feature of *OnLine!* is its ability to execute scripts. A script file is simply a collection of commands stored in a text file on disk (simi-

lar to a batch or script file in AmigaDOS). When you load a script file, *OnLine!* automatically performs all the commands found in the file. In other words, the script feature is actually a mini-language interpreter; you can write simple programs, store them in disk files, and execute them whenever you like. This powerful capability makes it possible for the system to carry out an elaborate series of actions without any supervision on your part.

To illustrate what a script can do, say that you want the program to wait until 3 a.m. (when rates are low), dial up a fictional information service called ChompuSerf, log on to the service, enter Data Library 3 in the area called Amigashop, download a file named EXAMPLE.BAS, log off the service, hang up the phone, and save the captured file to disk. Your script file might look something like this:

```
WAIT UNTIL 03:00
REPLY "ATDT 1 919 555 1212"
WAIT DELAY 50
REPLY "Y"
WAIT DELAY 5
REPLY "Y"
WAIT STRING "Host"
REPLY "CIS"
WAIT STRING "User ID:"
REPLY "53555,1212"
WAIT STRING "Password:"
REPLY "BUZZWORD"
WAIT STRING "your choice!"
REPLY "go amigashop"
WAIT STRING "C"
REPLY "DL3"
WAIT STRING "Y"
REPLY "DOW"
WAIT STRING "Y"
CAPTURE OPEN 100
REPLY "EXAMPLE.BAS"
WAIT STRING "Y"
CAPTURE CLOSE
REPLY "BYE"
WAIT DELAY 5
OFFLINE
CAPTURE SAVE "EXAMPLE.BAS"
```

The first command in this script causes *OnLine!* to wait until the system clock equals 03:00, or 3 a.m. (of course, it's your responsibility to set the time correctly at the beginning of the session). The next command calls ChompuSerf by sending a Hayes-format autodial command to the modem. The next two REPLY commands simulate the process of pressing RETURN twice. The following WAIT STRING commands cause the program to pause until a particular character string is received. Each REPLY command sends a character string, so by REPLYing to prompts as needed, we move to the Amigashop section of ChompuSerf, enter Data Library 3, and download the file EXAMPLE.BAS. The CAPTURE OPEN command opens the ASCII capture buffer, specifying a buffer length of



100K. When the capture is complete, we log off ChompuSerf (REPLY "BYE"), hang up the phone (OFFLINE), and save the captured file to disk with CAPTURE SAVE.

The example script is actually quite primitive compared to what *OnLine!*'s command set allows. More advanced commands such as IF, WHEN, ASK, JUMP, SKIP, and ABORT permit the script to test for certain conditions, branch to other parts of the script program, and interact with the user to a certain extent. The DO command even lets you load and execute a second script file from within the first.

Writing an automated script like the example shown here requires that you know in advance exactly what the remote system will send in the way of prompts and what you must supply as responses. The simplest way to glean such information is to note each prompt/reply sequence on paper as you go through a typical session. Once that's done, you can write the script file using the ED system editor or a word processor.

But that process takes time and multiplies the chance for errors. *OnLine!*'s learn mode automates the process of creating script files by letting you capture the relevant information on the fly. In learn mode, the program automatically records the most recent prompt as well as your last reply, giving you a chance to edit each string on the spot and insert additional commands before adding it to the script file. At the end of a session, you should have a script that requires little or no extra editing.

## Transfer Options

*OnLine!* offers several options for capturing or sending data files, including ASCII capture, standard XMODEM protocol, XMODEM with CRC (cyclic redundancy checksum) error-checking, and HVP (Hayes verification protocol). The timing requirements for standard XMODEM are relaxed somewhat to facilitate communications via packet-switching networks. Though it's not supported by every information service, CRC error-checking improves the reliability of XMODEM transfers.

One headache that confronts Amiga owners concerns XMODEM transfers of executable machine language files. Since the XMODEM protocol always sends a file in even 128-byte chunks, any file that doesn't divide evenly by 128 is padded with extra characters when you download it with XMODEM. If you try to load and run a padded file, AmigaDOS notices the padding, concludes that the file is not executable, and refuses to run it. Chop-

ping off the padding is a simple matter from BASIC, but the file is useless until that's done. So this problem adds just one more layer of aggravation and delay to the process of getting someone else's program to work on your computer.

It's worth noting that the padding problem applies only to XMODEM transfers—more specifically, to XMODEM transfers of executable machine language files or other binary files for which exact file length is critical. It shouldn't affect text that you save from the capture buffer, or ASCII text files (including BASIC programs in ASCII form) downloaded with XMODEM. Of course, the padding problem isn't unique to *OnLine!* or any other terminal program. It's a consequence of the way that XMODEM and AmigaDOS treat certain files, and occurs with any Amiga terminal program that supports XMODEM.

*OnLine!* does not contain any feature to help you chop executable files downloaded with XMODEM. However, it does support HVP protocol (compatible with *Smartcom*) which can transfer executable files without padding. The only problem with HVP, or any protocol other than standard XMODEM, is that not everyone uses it. (Perhaps the best solution is for programmers to pad their executable files before uploading them to public bulletin boards.)

## Confusing Manual

While the *OnLine!* instruction manual is fairly complete, it is disorganized. All the information is there—someplace—but it's not always easy to find. Despite the manual's length of 100 pages, there is no index. Fortunately, documentation is less important for a menu-oriented program of this type, which displays nearly every option onscreen. Many people will be able to use *OnLine!* without glancing at the manual. But some important program features—learn mode, for instance—don't appear in the menus at all.

On the whole, however, *OnLine!* is a very impressive package with the look and feel of a finished, professional product. It's convenient, reliable, and well-integrated with the Amiga's personality. Another plus is the quality of customer service. The authors (Micro-Systems Software, Inc.) offer technical support in two different forms: on voice lines during regular business hours, and on their own 24-hour, 7-day BBS. I found that questions to the customer BBS were answered very promptly.

*OnLine!*  
Micro-Systems Software, Inc.  
4301-18 Oak Circle  
Boca Raton, FL 33431  
\$69.95

**NOW...from the creators  
of MATH BLASTER!™**



**ALGE-BLASTER!™**

**Learn the abc's of**

$$a^2 + b^2 = c^2$$

ALGE-BLASTER! is the most complete algebra program ever put on one disk. Master all the fundamentals: positive and negative numbers, monomials and polynomials, factoring, and equations—670 problems in all! Receive step-by-step tutoring... earn graphic rewards for right answers... add new problems with Davidson's easy-to-use editor... and enjoy sound effects, score-keeping and print features, and much, much more. 7th–12th grade. Apple™ II family (64K). IBM™ version available 11/85.

**Educational Software  
That Works.**

Davidson & Associates, Inc.

**800-556-6141**  
(In Calif., 213-534-4070)

**D Davidson.**

Davidson & Associates, Inc.  
3135 Kashiwa Street  
Torrance, CA 90505



Please send me a FREE COLOR BROCHURE and the name of my nearest Davidson Dealer.

Name

Address

City  State  Zip

SOMEONE'S HOLDING  
TARGET PRACTICE...



Okay, so you knew when you got into the private eye business that it wasn't going to be easy. That you'd have to deal with some pretty unsavory types. That you'd make a lot of enemies.

But now the word's out that one of them wants to put you out of commission. Permanently. What do you do? Where do you go? Whom do you trust?

**BORROWED TIME™**, the newest computer adventure

from Activision, puts you in a race against the clock. You've got less than a day to find your would-be assassin—before he or she finds you.

You're the detective, so get to work! Talk to your sources. Search through your case files for clues.

But keep in mind

look, the more of a target you become.

**BORROWED TIME.** It's the only thing you're living on. And it's only from Activision.

**BORROWED TIME™**

Created by Interplay Productions for Commodore 64/128 and Amiga, Apple II series, Macintosh, IBM PC/PCjr, Tandy 1000, Atari ST and compatible computers.

Commodore 64/128 and Amiga are trademarks of Commodore Electronics Limited. Apple and Macintosh are trademarks of Apple Computer. IBM is a trademark of International Business Machines Corporation. Tandy is a trademark of Tandy Corporation. Atari and ST are trademarks of Atari Corporation. Activision is the registered trademark of Activision, Inc. © 1986 Activision, Inc.

**ACTIVISION**  
HOME COMPUTER SOFTWARE®

## Hippo Computer Almanac For Atari ST

George Miller  
Assistant Technical Editor

Requirements: Atari ST computer with at least one disk drive. Printer optional.

Do you know how many ounces are in a liter? Quick, what time is it in Moscow? What's the zip code for Denver? Who won the Super Bowl in 1974?

No, we're not playing another version of Trivial Pursuit. These are questions you can answer in seconds with the *Hippo Computer Almanac* for the Atari ST, a valuable information resource that points the way toward a new generation of intelligent software.

The higher processing speeds and greater disk capacities available with the new generation of personal computers are making possible more powerful and sophisticated programs. For example, much larger databases are becoming available for use in the home. Although the *Hippo Computer Almanac* is not yet in the class of an encyclopedia on a CD-ROM, it is loaded with information. Over 35,000 pieces of information, in fact, according to Hippo.

### It Understands English

Like any good almanac, this electronic repository contains information on such general topics as history, geography, sports, languages, science, awards, and units of measure.

Perhaps the best feature of all is that you communicate with the program by typing plain English sentences. A parser routine swiftly evaluates your query, and the program usually retrieves the information in less than ten seconds. If the almanac doesn't know the answer to a question, there's no cryptic comment or error message. The screen simply displays, "I don't know."

Of course, even with a first-rate parser, there are always going to be occasions when the program won't follow your questions. However, the *Almanac* does have the ability to find the closest match to any request, and it tries to satisfy any query.

If, after several attempts, you still can't make the program understand your question, just type **HELP**. Online help is always available in all categories. The help screens are easy to understand and even offer sample questions illustrating the format for communicating with the program. As your familiarity with the *Almanac* increases, you'll

learn how to communicate in the least number of words. For instance, "Time London" yields the time of day in London, England, eliminating the need to type "What time is it in London, England?"

### A Personalized Almanac

You can also customize your version of the *Almanac*. For instance, it's easy to set up the database so the program knows where you are geographically. This makes it possible for the *Almanac* to calculate time zone differences and mileages between your home town and distant lands. You can also use the "remember" command to store important personal information in the *Almanac*, such as birthdays, anniversaries, and phone numbers.

The *Almanac* is easy to use without extensive instructions. In fact, a single information sheet is provided instead of a manual. There is also an easy-to-use print option that lets you make hardcopies of anything you call up.

Browsing through the *Hippo Computer Almanac* is fun. It's an engaging program that entertains at the same time that it offers a useful database of information.

Hippo Computer Almanac  
Hippopotamus Software, Inc.  
985 University Avenue, Suite 12  
Los Gatos, CA 95030  
\$34.95

## Zoomracks For Atari ST

Arthur Leyenberger

Requirements: Atari ST computer with disk drive. Printer optional.

*Zoomracks* by Quickview Systems is a powerful, easy-to-use database manager that lets you keep track of lists, names, addresses, notes, schedules—almost anything you can think of—in a unique and interesting way. What's unique about the program is the concept of the "rack."

Consider a familiar timecard rack—the vertical holder that sits next to the time clock and holds employee timecards. The first line of each card is always visible. You can remove any card to examine its contents. Cards can also be inserted or moved into other slots in the same or adjoining racks. Cards in the racks are typically in the same form (timecards), but contain different information, such as names and hours worked. They may be arranged

Ever have one of those days when you wish you were anyone but yourself? Now with *Alter Ego™*, you can.

*Alter Ego*, Activision's fantasy role-playing game lets you experiment with "What if" . . . just for the fun of it.

Hundreds of entertaining life situations lie in store for you. Explore new options. Make new choices. Live your

computer track your development through 7 life stages, from infancy through the golden years.

Become a high-powered executive. A rock star. A beach bum. Or the President of the United States.

*Alter Ego*. Ground breaking entertainment packed into 3 disks. Have all the fun of living a secret life. Without any of the risk.

## ALTER EGO™

Conceived and Created by Peter J. Favaro, Ph. D.

Male and Female versions available for Apple II series, IBM PC/PCjr and compatibles, Tandy 1000, Commodore 64 and 128 and Macintosh computers.

Commodore 64 and 128 are trademarks of Commodore Electronics Limited. Apple and Macintosh are trademarks of Apple Computer. IBM is a trademark of International Business Machines Corp. Tandy is a trademark of Tandy Corp. Activation is the registered trademark of Activision, Inc. © 1986 Activision, Inc.

**ACTIVISION**  
HOME COMPUTER SOFTWARE®



in some order, such as by name or employee number.

This describes the visual metaphor upon which *Zoomracks* is based—the card rack. It is a familiar concept and translates well to the computer. When you choose a card from the rack in order to see its contents, you notice that it has several fields, each of which shows the top line of information just as all the cards appear. Each field can be pulled up to expose as much as three pages of information.

## Stretching The Rack

The way your information is organized is always visually obvious because the screen shows as many as ten racks at once. The number of cards in each rack is limited only by the amount of computer memory, and the racks grow or shrink as required. If your rack is too large to fit on the screen, it can be scrolled. Or you can search for the card or field you're looking for. The cards in one rack can be sorted by any field, and each card can have up to 29 fields.

*Zoomracks* offers three different field types: short fields, text fields, and columns. Short fields are similar to those found in traditional database programs. One field is displayed at a time on each line. Text fields are used for multiple notes. The document (your notes) is displayed across the entire width of the screen on consecutive lines. Finally, the column field is used for spreadsheet-type information—for example, sales orders.

Rack formats can be inserted and deleted by moving fields; cards and fields can be copied between racks; you can do simple word processing, since any field can be up to 250 lines long; and the cards and racks can be printed in many different formats.

One interesting feature of *Zoomracks* is its macro capability. Macros are any series of *Zoomracks* commands that are strung together and issued at once by a single keypress. You can have one rack with up to 26 macros. There are several sample macros provided, and



41012	
Johnson, Mr. Bill	842-1022
Kramer, Mr. John	242-1011
Smith, Mr. Robert	342-1012
Thompson, Mr. John	842-1013
White, Mr. John	842-1014
Wilson, Mr. John	842-1015
Young, Mr. John	842-1016
Zimmerman, Mr. John	842-1017
Adams, Mr. John	842-1018
Allen, Mr. John	842-1019
Anderson, Mr. John	842-1020
Armstrong, Mr. John	842-1021
Baker, Mr. John	842-1022
Barrett, Mr. John	842-1023
Bell, Mr. John	842-1024
Bennett, Mr. John	842-1025
Bird, Mr. John	842-1026
Bishop, Mr. John	842-1027
Black, Mr. John	842-1028
Blake, Mr. John	842-1029
Blackburn, Mr. John	842-1030
Blackwell, Mr. John	842-1031
Blackburn, Mr. John	842-1032
Blackburn, Mr. John	842-1033
Blackburn, Mr. John	842-1034
Blackburn, Mr. John	842-1035
Blackburn, Mr. John	842-1036
Blackburn, Mr. John	842-1037
Blackburn, Mr. John	842-1038
Blackburn, Mr. John	842-1039
Blackburn, Mr. John	842-1040

*Zoomracks* uses a unique visual metaphor to let you organize and retrieve information.

one serves as a tutorial for the program.

## Mail-Merge Feature

The program disk contains several sample racks as well. One sample which is useful for more than just learning about *Zoomracks* is a mail-merge template. One card within a rack serves as a form letter, and the card-merge macro can be used to print out a rack of cards consisting of names, addresses, and salutations. With a little imagination, you can develop all kinds of applications by using macros.

All in all, *Zoomracks* is a practical and even a fun way to keep track of various types of information. With its visual interface and zooming feature, you can always visualize your data as you want—from a broad overview of the whole database to a specific detail of a single field. Help is available at any time and the menus are straightforward. As you get more experienced, you can use the commands instead of the menus. In either case, there are few rules to follow and few limitations.

*Zoomracks* is a well-done program and a unique concept. If you need a database manager and want to get up to speed as quickly as possible, *Zoomracks* is an excellent choice.

**Zoomracks**  
Quickview Systems  
146 Main Street  
Los Altos, CA 94022  
\$80

better job than traditional methods of teaching. A good typing tutor program provides immediate feedback—both aural and visual—for incorrect keypresses, and allows a student to progress automatically through levels as each is mastered, rather than dictating progress with a schedule or lesson plan.

*Stickybear Typing* does all this and more. Each of the program's 30 levels introduces the student to the keys covered in the lesson, then offers practice using them. The lower half of the screen displays the keyboard; as keys are highlighted one at a time, the student must press the corresponding key on the computer's keyboard. A correct keypress prints the letter at the top of the screen. Incorrect keypresses make a low "bloop" sound, and the letter doesn't appear. At the end of each two screens of typing practice, the student gets a progress report which shows the starting level, current level, number of words typed per minute, number of errors, and corrected words per minute.

## A Typing Game

Another section of the program—*Stickybear Thump*—allows typing practice in the form of a game. *Stickybear* and a robot throw things at each other while the player copies lines of letters displayed on the screen. The robot throws boxes at preset intervals; each time a line is completed, *Stickybear* throws a ball at the robot. The faster you type, the more balls *Stickybear* throws, the more points you get, and so on.

A third section of *Stickybear Typing*, the *Stickybear Stories* Module, provides typing practice of a more practical sort—copying amusing stories, paragraphs, and jokes.

*Stickybear Typing* has a number of nice features. Up to 25 names can be stored on the disk with current level information for each person. The sound can be toggled on and off, as can a hands display which illustrates proper finger placement on the keyboard. In two sections of the program, you can choose either typewriter mode (you must press RETURN at the end of each line, and you can't backspace to that line) or word processing mode (free-style typing).

Although *Stickybear Typing* is intended primarily for children, it can be used by adults just as effectively. We found only one problem with the program: A decent typist can outrun it. Particularly in the game sections, frustrating errors can occur as the program drops letters which are typed too quickly. However, most students won't be fast enough to experience that problem, at least at first.

# Stickybear Learning Games For Apple And Commodore

Karen G. McCullough

**Requirements:** Apple II-series computer with at least 48K RAM and a disk drive. Joystick optional. Commodore 64 version scheduled for release by this summer.

With their *Stickybear* series, Optimum Resources and Weekly Reader Software

have developed a reputation for producing software that is reliable, educational, and entertaining. They maintain those high standards with three new releases: *Stickybear Typing*, *Stickybear Town Builder*, and *Stickybear Spellgrabber*.

Typing is an application ideally suited to computerized instruction—it's an area where the computer can do a



Stickybear Typing offers several ways for youngsters to sharpen their keyboard skills (Apple version).

## Build A Town

*Stickybear Town Builder*, for children ages six to nine, lets the youngsters build their own towns on the screen, drive through them with a small keyboard- or joystick-controlled car, hunt for hidden keys, and learn some elementary map-reading skills in the process. Towns can be saved and loaded again later, or you can use one of three towns provided on the disk. The graphics are attractive, and the program is easy enough to be used by children

even younger than six. But children at the older end of the suggested age range may not find the program challenging enough to hold their attention for long.

If your child needs work on spelling, *Stickybear Spellgrabber* might be the answer. Three different games help a child learn selected word lists. All three games are fun, challenging, and really can help with spelling drills. A nice feature of the program allows you to enter your own spelling list or use one of the four lists included (keyed to grades 1-4). *Stickybear* can be controlled with either keyboard or joystick. While the joystick is slightly easier to use, both require practice to master. Unlike *Town Builder*, all three games are difficult enough to be challenging even to nine- or ten-year-olds, as well as educational.

**Stickybear Typing**  
**Stickybear Town Builder**  
**Stickybear Spellgrabber**  
*Weekly Reader Family Software*  
 245 Long Hill Road  
 Middletown, CT 06457  
 \$39.95 each (Apple versions)  
 \$29.95 each (64 versions)

## Kennedy Approach For Commodore And Atari

David and Robin Minnick

*Requirements: Commodore 64 or 128 (in 64 mode); or an Atari 400/800, XL, or XE with at least 48K RAM. Disk drive and joystick also required. The Commodore version is reviewed.*

It's 10:53 a.m.

You're in the midst of your second shift as an air traffic controller. Six flights await your clearance for takeoff. Five more are waiting to land. Compounding your headache are a thunderstorm approaching from the west and the Concorde approaching from the east.

Suddenly you hear, "This is United 101. Emergency! Eight minutes fuel!"

The Concorde moves at eight miles every minute. Within two minutes the planes will be at a point of intersection. Unless United 101 gets on the ground fast, lives will be lost.

Your palms begin to sweat.

"United 101. Turn left, heading 90 degrees. Descend to 3,000 feet. Air France 314. Hold right at VDR at 5000 feet."

Oh no! you think, staring at the screen. I forgot Delta 626 coming in at the same altitude!

The conflict buzzer sounds.

Your spouse looks up from the couch. "Could you please turn that thing down?"


### It's Just A Simulation

This is *Kennedy Approach*, an air traffic control simulation from Micro Prose. It puts you in the seat of an air traffic controller in one of five U.S. cities. Each airport presents you with skill levels ranging from 1 (Atlanta—a challenging beginning) to 5 (New York City—no margin for error).

In *Kennedy Approach*, you work a shift of approximately ten minutes real-time, longer at the higher levels. At the end of your shift, your performance is evaluated and you're promoted, given a bonus, or fired. Additional options let you continue your career, see an instant replay, save your shift to resume playing later, or return to the main screen.

It's only a simulation, a game, you tell yourself between shifts—but the sweat on your palms when you play *Kennedy Approach* is quite real.

Keyboard or joystick controls are used to establish contact with a plane. Then the joystick is used to change its heading and/or altitude. A push of the fire button prompts an exchange of dia-



Keeping the friendly skies friendly is a frenzied job in *Kennedy Approach*, an air traffic control simulation (Commodore 64 version).

log between you and the pilot. Probably the most delightful feature of the program is the use of digitized voices for this exchange. This is software-driven speech synthesis from Electronics Speech Systems. The dialogs have the quality of genuine "black box" air traffic recordings.

The graphics overall are very good, particularly the thunderstorms, but a few effects require getting used to. The one representing a plane's location is somewhat confusing, and it's difficult at first to decipher the display of flight plans. Both these problems are conquered by familiarity.

### Some Minor Quirks

There are a few quirks in *Kennedy Approach*. Planes start to wrap around the screen, a sight which can be disconcerting to the newly hired controller. Routing flights into a holding pattern is a lip-biting maneuver, as this requires you to press the fire button at the right moment while commands are sequentially displayed in the command line. This is the most difficult task in the program, and it seems that it could be accomplished more easily.

Another oversight is that *Kennedy Approach* lacks a disk directory function for selecting which shift to retrieve.

The instruction manual is superb in providing information about the air traffic control aspects of the simulation. This technical information allows even the beginner to feel familiar with the new environment. One small flaw, though: At one point the manual directs you to a nonexistent Section VI, leaving you to your ingenuity and experience to discover how to instruct the pilot to climb to the desired altitude at takeoff. (This is corrected in later editions of the manual. Users with early manuals should refer to B-3 instead of Section VI.)

Despite these small problems—they're the only ones we found and are

minor compared to the whole package—*Kennedy Approach* is a fascinating, well-designed simulation for someone who wants to get a taste of what air traffic controllers do all day (and night). More simulation than game, it still elicits game-type responses. If you judge a game by how it affects your psyche, by how excited you get, and by how nervous it makes you, *Kennedy Approach* gets a clammy hands rating of 9 out of a possible 10.

Kennedy Approach  
Micro Prose Software  
120 Lakefront Drive  
Hunt Valley, MD 21030  
\$34.95

## Save Your Copies of COMPUTE!



Protect your back issues of *COMPUTE!* in durable binders or library cases. Each binder or case is custom-made in flog-blue binding with embossed white lettering. Each holds a year of *COMPUTE!*. Order several and keep your issues of *COMPUTE!* neatly organized for quick reference. (These binders make great gifts, too!)

### Cases:

\$6.95 each;  
3 for \$20.00;  
6 for \$36.00

### Binders

\$8.50 each;  
3 for \$24.75;  
6 for \$48.00

(Please add \$2.50 per unit for orders outside the U.S.)

Send in your prepaid order with the attached coupon

## COMPUTE!

TOLL FREE  
Subscription  
Order Line

1-800-247-5470

In IA 1-800-532-1272

Mail to: Jesse Jones Industries, P.O. Box 5120,  
Dept. Code COTE, Philadelphia, PA 19141

Please send me \_\_\_\_\_ *COMPUTE!* ☐ cases ☐ binders.  
Enclosed is my check or money order for \$ \_\_\_\_\_. (U.S. funds only.)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

Satisfaction guaranteed or money refunded.  
Please allow 4-6 weeks for delivery.

### COMPUTERS

65KE... ATARI	Call
130KE...	139.95
520ST (RGB)...	Call
520ST (MONO)...	Call
C-128... COMMODORE	275.95

### PRINTERS

STAR MICRONICS	
SG-10...	210.95
SG-15...	369.00
SG-10...	321.95
SG-15...	441.00
SG-10...	469.00
SG-15...	502.00
SG-10...	565.00
PowerType...	299.95

### LEGEND

800...	154.95
1000...	205.95
1380...	259.95
1305...	295.00

### OKIATA

Okimate 10...	170.95
Okimate 20...	210.00
182...	215.95
192...	349.95

### PANASONIC

KX-P1000...	209.00
KX-P101...	231.95
KX-P102...	369.00
KX-P1502...	Call
KX-P1555...	Call
KX-P3131...	299.95
KX-P3151...	425.00

### CITIZEN

NSP10...	259.00
NSP15...	359.95
NSP20...	335.95
NSP25...	499.95

### SEIKOSHA

SP-1000(C-64)...	179.95
SP-1000(Centronics)...	185.95

### EPSON

Call for current pricing on all Epson models  
PRINTER RIBBONS  
AND  
OUST COVERS AVAILABLE

### SOFTWARE

BATTERIES INCLUDED	
Homepak...	31.95
Paper Clip...	36.95
BRODERBUND	
Bank Street Writer...	32.95
Karekaka...	10.95
Lode Runner...	18.95
Print Shop...	27.95
Print Shop Companion...	Call
Graphics Library I, II, & III...	16.95

### CONTINENTAL

Tax Advantage...	34.95
Home Accountant...	32.95
MICROPROSE	
F-15 Strike Eagle...	20.50
Silent Service...	20.50
Kennedy Approach...	20.50

### OSS

MAC 65...	40.95
Action...	40.95
Basic XL...	38.95
Basic XE...	48.95
Tool Kits...	18.95

### SUBLOGIC

Flight Simulator II...	31.95
Jet...	Call
Night Mission Pinball...	20.50

### SYNAPSE

Synlilo...	31.95
Syncalc...	31.95

### DISK DRIVES

ATARI	
1050...	149.95
Happy 1050...	299.95
Happy Enhancer...	139.95
U.S. Duplicator...	54.95
IT Duplicator...	149.95
IT Doubler...	54.95
Indus GT...	190.00
FS314...	215.95
FS34...	169.95
Haba 10 Meg Hard...	Call
COMMODORE	
1571...	249.95
Enhancer 2000...	185.95
Indus GT...	209.00

### INTERFACES

ATARI	
MPP1150...	45.95
U-Print/Port...	49.95
U-Print/16K...	69.95
U-Print/64K...	79.95
PR Connection...	64.95
COMMODORE	
Super G...	59.95
HW500...	56.95
Xerox Super...	64.95
G-Wiz...	48.95
Microstuffer...	69.95

### DISKETTES

PRECISION 5 1/4 3 1/2	
SS/DD...	\$0.59
DS/DD...	11.75
MAXELL	
MD1...	\$15.95 32.95
MD2...	19.95 38.95
NASHUA	
SS/DD...	26.95
DS/DD...	32.95
as QuasiCarry a Lifetime Warranty	
INNOVATIVE CONCEPTS	
F-N-F 25/Lock...	12.50
F-N-F 50...	12.50
F-N-F 50/Lock...	15.50
Disk Notchers...	3.50

### MONITORS

TEKNIKA	
MJ-10...	189.95
MJ-22...	254.95
ZENITH	
ZVM 122...	74.95
ZVM 123...	74.95
AMODEK	
306G...	117.00
306A...	127.00
310A...	145.00
Color 300...	175.95
Color 600...	289.95
Color 700...	469.00
Color 710...	539.00
ATARI	
SM124...	174.95
SC1224...	335.95
NEC	
1201...	139.00
1205...	139.00
1260...	79.95
SAKATA	
SC100...	159.00
THOMSON	
CM365...	289.95
14" RGB Color Composite Amber & Green Switch	
CM360...	189.95
14" Color Composites	

### MODEMS

Team Modem	
100% Hayes Compatible...	199.00
ATARI	
XM301...	39.95
Mpp1000E...	52.95
Mpp1200...	199.95
OM1200ST...	185.95
300/1200 100% Hayes Compatible	
COMMODORE	
1670...	169.95
Misty Mo...	59.95
Messenger...	Call
V.I.P./CompuServe...	46.95
Volks 6470...	159.95

### PAPER

WHITE 20 LB	
2500 Sheets: Laz. Edge...	26.95
1000 Sheets: Laz. Edge...	16.95
500 Sheets: Laz. Edge...	11.95
ASSORTED PASTELS	
2500 Sheets: Laz. Edge...	44.95
1000 Sheets: Laz. Edge...	26.95
500 Sheets: Laz. Edge...	16.95
Mailing Labels 1000QTY...	9.95

ORDER TOLL FREE 1-800-351-3442  
CUSTOMER SERVICE AND PA RESIDENTS CALL 1-717-322-7700

Please order from the White House Computer Service. No cash orders. No orders under \$10.00. Free freight on all prepaid cash orders over \$500 in the continental U.S. A.P.O. & F.R.O. orders add \$5 per hundred. Privacy mail add \$10 per hundred. All foreign orders add \$10. For shipping, UPS shipping add \$4 per hundred. Last Order: \$5 per hundred. West Coast: PA residents add \$10. Sales tax. Free shipping for PA residents. Orders by company and personal checks hold 3 weeks. Defective products require prior return authorization. Defective products will be replaced or repaired according to warranty. No use of nonauthorized products sold. Prices and availability are subject to change without notice.

"Where Prices are Born, Not Raised."



**WHITE HOUSE  
COMPUTER**  
P.O. Box 4025  
Williamsport, PA 17701  
VISA 4% MASTER CARD 4% AMERICAN EXPRESS 5%



# Sideways Text For Atari

Bill Morris

*Here's a short machine language routine that converts your lowercase letters (a-z) to uppercase sideways letters. Why? Well, it's so short that it's worth typing in just to see the amusing effect, but it's also useful for labeling charts and designing one-of-a-kind title screens. The program works on any Atari 400/800, XL, or XE.*

Wouldn't it be nice to have sideways letters that could be displayed anywhere on a GRAPHICS 0 screen? Imagine the interesting title displays you could add to programs. Or, from a more practical standpoint, sideways letters could be more than just a show-off effect for charting programs—they could become a necessity.

One way to get sideways letters is to spend a couple of hours with graph paper or a character editor to redefine the lowercase character set. But that would be the hard way. Such a laborious task is best left to a labor-saving device such as your Atari computer.

The program below contains a machine language routine that decides where in memory to place the new character set, relocates the set to that area, changes the character base pointer, erases the lowercase alphabet, and replaces it with uppercase letters that are rotated 90 degrees to the left.

You might notice that the machine language routine doesn't contain any data to define what the sideways letters should look like. Instead, it actually flips each letter mathematically before relocating it in memory. It does all this in about one second and takes up less space in your BASIC program than would

the DATA statements alone if you were doing it the hard way.

## Sideways Text In Action

If you want to see sideways text on your own computer screen, just type in the program, save a copy on disk or tape, and then run it. What you'll see is the word SIDEWAYS displayed in GRAPHICS 0 actually turned sideways. Next to this you'll see the word TEXT in normal letters.

Everything appears on a light screen with dark characters. On the normal default screen of white letters on a blue background, the sideways text can be hard to read, so dark letters are preferable. Also, for charts, you might want to blank out the screen borders by adding this line:

```
95 POKE 712,PEEK(710)
```

Lines 40-90 POKE the machine language routine into memory page 6, but once the routine is executed, you can reuse this memory for some other purpose without affecting the sideways text. It stays sideways until you press SYSTEM RESET.

## Sideways Text For Atari

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" in this issue of COMPUTE!.

```

1K 10 ? CHR$(125)
2A 20 PDKE 557,0
3F 30 GDSUB 20000
4J 40 PDKE 557,34
5E 50 X=USR(1536)
6F 60 PDKE 710,158:PDKE 709,
7F 70 ? " s"
8E 80 ? " y"
9N 90 ? " a"
NA 100 ? " w TEXT"
HK 110 ? " e"
HK 120 ? " d"
IA 130 ? " i"
IL 140 ? " s"
BJ 150 ? " "
60 160 END

```

```

8L 20000 FDR A=1536 TO 1715:
      READ B:PDKE A,B:NEX
      T A:RETURN
      DATA 104,165,89,56,
      233,4
9K 20020 DATA 141,244,2,133,
      205,169
9K 20030 DATA 224,133,207,16
      9,0,133
9B 20040 DATA 204,133,206,16
      2,0,160
9B 20050 DATA 0,177,206,145,
      204,200
9B 20060 DATA 208,249,230,20
      5,230,207
00 20070 DATA 232,224,4,208,
      238,32
9L 20080 DATA 167,6,160,0,16
      9,0
9C 20090 DATA 145,204,200,19
      2,216,208
9B 20100 DATA 249,32,167,6,1
      69,0
9N 20110 DATA 141,186,6,141,
      182,6
9B 20120 DATA 141,183,6,169,
      8,141
9F 20130 DATA 184,6,141,185,
      6,174
9C 20140 DATA 182,6,169,128,
      141,181
9B 20150 DATA 6,172,183,6,16
      9,1
9P 20160 DATA 141,180,6,189,
      0,225
9D 20170 DATA 45,180,6,205,1
      80,6
9I 20180 DATA 208,8,177,204,
      24,109
9B 20190 DATA 181,6,145,204,
      173,180
9I 20200 DATA 6,10,141,180,6
      ,200
9C 20210 DATA 204,185,6,208,
      224,173
9N 20220 DATA 181,6,74,141,1
      81,6
9B 20230 DATA 232,236,184,6,
      208,203
9D 20240 DATA 173,184,6,141,
      182,6
9L 20250 DATA 141,183,6,24,1
      05,8
9D 20260 DATA 141,184,6,141,
      185,6
9D 20270 DATA 238,186,6,173,
      186,6
9A 20280 DATA 201,27,208,167
      ,96,173
9F 20290 DATA 244,2,24,105,3
      ,133
9D 20300 DATA 205,169,0,133,
      204,96

```

# Loading And Linking Commodore Programs

## Part 4: Overlaying

Jim Butterfield, Associate Editor

*This installment of Jim Butterfield's series on loading and linking Commodore programs talks about overlays—a technique that allows a program to call in additional subroutines and other data. The principles apply to most Commodore computers, including the 64, 128, VIC-20, PET, Plus/4, and 16.*

There are three major ways of connecting Commodore programs together. *Chaining* allows several programs to perform a job, each program continuing the work that a previous program began. *Linking* enables one program to call up another, with the new program starting fresh on a new task. *Overlaying* allows a main program to call in supplementary material such as machine language subroutines, data tables, or display information. This article discusses overlay programming techniques. (Though the example programs are designed for a disk drive, you should be able to change most of them to work with tape by replacing ,8,1 with ,1,1.)

In some situations a computer program may need extra pieces of information to perform its task. The extra material may be one or more programs (often machine language), or it could be pure data.

Data can be of several types: information, display screens, character sets, sprite shapes, or whatever. The difference between overlaying and chaining or load linking is that the main program stays in memory at all times, calling up the modules it needs.

### Why Overlay?

The classic reason to overlay programs is so that a main program can call up a machine language module to do a specific job. This permits you to keep a library of special programs on disk and call in each program as it is needed. For example, you might bring in one machine language program to scan through a file, searching for information; another might be used to display data neatly on the screen; yet another module could be called to handle printer output, and so on. In the simplest case, only one program module is brought in at a time, and a certain section of the computer's memory is set aside to hold the current program. This lets you run programs which are, in effect, much larger than the amount of memory in your computer.

One obvious use for this technique is to bring in a series of attractive high-resolution graphics screens. Since each hi-res screen requires 8,000 bytes of memory

(with more needed for color information), it's not practical to keep more than one or two in memory at a time. But a disk can hold the data for many hi-res screens. By calling in each screen only when it's needed, you can display dozens of hi-res pictures in the course of a program run.

The same factors apply to other sorts of data, too. For instance, a program could use many different sprite shapes as it runs. Sprite-animated figures could change from bicycles to cars, and later to horses, elephants, or boats as a schedule of race events progresses. All that's required is to replace one set of sprite shapes with a new set by means of overlaying.

Alternate character sets also require extensive amounts of data, usually thousands of bytes for each different set. If you want to switch from Roman (the characters you're reading right now) to Greek, Arabic, Hebrew, Russian, or whatever, simply haul in each new character set as you need it.

### Breaking The Chain

Before you overlay information, you must set aside space to hold it. This isn't a new requirement: Regardless of where the data comes from, it's always necessary to allocate room for sprite shapes, hi-res

screens, machine language programs, and so on. So we won't repeat the familiar methods of setting aside memory for such purposes.

Let's work through the sequence of events that occur when you bring in an overlay module. Keep in mind that the BASIC program itself is not replaced—the program is still present and running.

The first step is for the BASIC program to load the desired module with a command like `LOAD "MODULE",8,1`. (The ,1 at the end of the `LOAD` command is needed on most Commodore computers to specify a *nonrelocating* load—one that loads the file back into the exact part of memory from which it was saved.)

Here comes the tricky part. When the load is complete, the computer thinks that it has performed a *chain*. It concludes (wrongly in this case) that the old BASIC program has been replaced by a new one. None of the program's existing variables are erased or changed, but the computer reruns the BASIC program from its first line.

This phenomenon isn't a bug; it's simply what the designers intended to happen whenever you `LOAD` from within a BASIC program. However, it raises a puzzling problem for beginners. If you write a program that begins with the line `10 LOAD "MODULE",8,1` and run it, here's what happens. The `MODULE` file is loaded. Then the program reruns, beginning at line 10. So `MODULE` is loaded again. Then the program reruns again, loading `MODULE` again, which causes another restart, and so on. Until you press `RUN/STOP`, the program continues forever.

Fortunately, there's an easy solution. Because `LOAD` from within a program doesn't destroy existing variables, we can change a variable when the load occurs and use it to branch around the `LOAD` command when the program restarts. It's like building a bypass around the `LOAD` after the overlay is complete. Take a look at this program fragment:

```
10 IF A=1 GOTO 40
20 A=1
30 LOAD "MODULE",8,1
40 REM PROGRAM CONTINUES...
```

Let's trace what happens when

this program runs. The first time it's run, the variable `A` is equal to 0 (it hasn't been defined yet). So the `IF` test in line 10 (which tests for the condition `A=1`) fails, and we don't branch to line 40. Instead, the program proceeds to the next line. Line 20 then makes `A` equal to 1. Line 30 loads the `MODULE` file to wherever it's going in memory. At this point (the end of line 30), the program goes back to the first statement. This time the `IF` test is true (`A` is equal to 1), so we branch to line 40. The program continues without getting caught in an endless series of loads. You could also condense the whole operation into one program line:

```
10 IF A=0 THEN A=1:LOAD "MODULE",8,1
20 REM PROGRAM CONTINUES
```

This example combines the `IF` test, the setting of `A` to 1, and the `LOAD` command all in one line. Another option is to replace line 10 of the original example with `10 ON A GOTO 40`. In a moment, we'll use a variation of this technique to allow for several overlays.

## Setting Up Files

Let's write an example geared to the Commodore 64. We'll overlay three items: a graphics screen and two small machine language programs. The screen will load into the usual screen memory area, locations 1024–2023. The machine language programs will come into the cassette buffer, which starts at location 828 on the 64. (Because this example uses the cassette buffer, it works only with disk.) Only one machine language module will be in memory at a time.

Enter `NEW`, then type in this program. It creates a screen that will be loaded later.

```
100 DATA 8,1,16,16,25,32,2,
9,18,20,8,4,1,25
110 OPEN 1,8,2,"0:SCREEN,P,
W"
120 PRINT#1,CHR$(0);CHR$(4)
;
130 FOR J=1 TO 986
140 PRINT#1,CHR$(32);
150 IF J<>494 GOTO 200
160 FOR K=1 TO 14
170 READ X
180 PRINT#1,CHR$(X);
190 NEXT K
200 NEXT J
210 CLOSE 1
```

Make sure that lines 120, 140, and 180 each end with a semicolon.

When you run this program, it creates a file called `SCREEN` which is four disk blocks in length. When that's done, enter `NEW` again and type in the next program. This one creates a machine language program called `MLA`. When the `ML` program loads into memory, it will do three small jobs: It will clear the screen, change the screen background color to white, and set the screen's `POKE` color to red.

```
100 DATA 60,3
110 DATA 169,147,32,210,255
120 DATA 169,31,32,210,255
130 DATA 169,1,141,33,208
140 DATA 169,0,133,252,169,
216,133,253
150 DATA 162,4,169,2,160,0
160 DATA 145,252,200,208,25
1
170 DATA 230,253,202,208,24
6,96
200 A=42
210 FOR J=1 TO A
220 READ X
230 T=T+X
240 NEXT J
250 IF T<>6238 THEN STOP
260 RESTORE
270 OPEN 8,8,8,"0:MLA,P,W"
280 FOR J=1 TO A
290 READ X
300 PRINT#8,CHR$(X);
310 NEXT J
320 CLOSE 8
```

Be sure that line 300 ends with a semicolon. Run the program; if it stops at line 250, you have an error in one of the `DATA` statements.

Once that's done, enter `NEW` again. The next generator program creates a machine language routine to blink the screen. This `ML` module, which we'll call `MLB`, will occupy the same part of memory as `MLA`. The memory conflict isn't important since we'll load the programs one at a time. Type in and run this program:

```
100 DATA 60,3
110 DATA 169,0,133,252,173,
136,2
120 DATA 133,253,162,4,160,
0
130 DATA 177,252,201,32,240
,4
140 DATA 73,1728,145,252,200
,208,243
150 DATA 230,253,202,208,23
8,96
200 A=34
210 FOR J=1 TO A
220 READ X
230 T=T+X
240 NEXT J
250 IF T<>5022 THEN STOP
260 RESTORE
270 OPEN 8,8,8,"0:MLB,P,W"
280 FOR J=1 TO A
290 READ X
```



```
300 PRINT#8,CHR$(X);
310 NEXT J
320 CLOSE 8
```

Be sure to put a semicolon at the end of line 300. If you've typed the program correctly, it writes the ML program MLB to disk. At this point, all of the modules are complete. Let's write the main program to tie it all together.

## The Main Program

Enter NEW and type in the following program lines. We'll start with a line that dispatches the program to the correct line after each load:

```
100 ON X GOTO 130,160,180
```

The first load brings in the machine language program MLA.

```
110 X=1
120 LOAD "0:MLA",8,1
```

After the first load is complete, line 100 sends us to line 130, where we activate the ML program with SYS:

```
130 SYS 828
```

The next two lines bring in the graphics screen.

```
140 X=2
150 LOAD "0:SCREEN",8,1
```

When the screen has loaded, you'll see the message it contains. After the second load is done, line 100 sends us to line 160, where we bring in the second machine language program:

```
160 X=3
170 LOAD "0:MLB",8,1
```

We resume at line 180 (courtesy of line 100) with a screen in place, the colors set as desired, and a blink program waiting to be called with another SYS command. Let's finish off with a loop to flash the message.

```
180 FOR J=1 TO 20
190 SYS 828
200 FOR K=1 TO 100
210 NEXT K
220 NEXT J
```

That's all it takes. It's a simple example, but the program shows the potential of the overlay technique.

## Self-Chaining

Earlier in this series, we mentioned *self-chaining*, a method of restarting a program that has snarled itself

inside several levels of subroutines. Again, keep in mind that prevention is the best way to avoid this problem. Good program structure should ensure that you never get tangled up in your own code. But occasionally you may program yourself into a corner and need a simple way to get out.

Assuming that you've gotten into this deplorable situation somehow, you can escape by making the dubious program chain to itself. The chaining activity cancels all FOR-NEXT loops and subroutine RETURNS, and also RESTORES the DATA pointer to the very first DATA statement in the program. However, all existing variables are preserved, and all open files (if any) remain open.

Don't misunderstand what a self-chain does. The program text itself doesn't change—all you've done is reload the same program lines into memory. But the act of doing so untangled the snarled subroutines and FOR-NEXT loops and restarted the program from its first line. Other than that, everything remains as it was before the self-chain.

Since it's the chaining (not the loading) that does the trick, we can skip loading the program itself. Instead, we can overlay a single byte somewhere in memory to trigger the chaining process. To illustrate, let's write to disk a simple one-byte program file that will load the useless byte to some unimportant memory location. The chaining action that accompanies the load will do the job we want.

To write this file, type NEW and enter the following program:

```
100 DATA 255,0,0
270 OPEN 8,8,"0:DUMMY,P,W"
"
280 FOR J=1 TO 3
290 READ X
300 PRINT#8,CHR$(X);
310 NEXT J
320 CLOSE 8
```

Again, be sure that there is a semicolon at the end of line 300. When you run this program, it creates a tiny file named DUMMY. Now let's repeat the dreadful program that we used before. Again, please don't write programs this way; it's here just to illustrate the

point. Type NEW and enter this program:

```
100 IF N>0 GOTO 130
110 PRINT "NAME LIST"
120 DIM N$(50)
130 PRINT
140 PRINT "DO YOU WANT TO -"
"
150 PRINT "1. ENTER NAMES"
160 PRINT "2. LIST NAMES"
170 PRINT "3. QUIT"
180 INPUT "YOUR CHOICE";C
190 ON C GOSUB 210,310,350
200 GOTO 130
210 PRINT "ENTER EACH NAME"
220 PRINT "FOLLOWED BY AN "
"
" CHARACTER"
230 PRINT "TO END ENTRY"
240 GOSUB 260
250 GOTO 240
260 INPUT N$
270 IF N$="" OR N=50 THEN
LOAD "DUMMY",8
280 N=N+1
290 N$(N)=N$
300 RETURN
310 FOR J=1 TO N
320 PRINT N$(J)
330 NEXT J
340 RETURN
350 END
```

Try to write programs in such a way that you don't get into the problem shown above. By the time the program reaches line 210, it's in a subroutine. At line 260, it's nested within a second subroutine. When line 270 discovers that an exit is wanted, we're almost stuck and don't dare GOTO 130, which would leave unRETURNed subroutine addresses on the computer's internal stack.

Here's how to escape. At line 270, LOAD the one-byte DUMMY file. The load does nothing, but the act of chaining untangles the rest of the mess. How does this compare to our first solution of the same problem, where the entire program chained to itself? You get the same results, but gain in speed because you're loading a much smaller file.

Overlaying, like the other methods examined in this series, becomes especially useful in big-program situations, and generally eases the burden of bringing large amounts of data into memory when it's needed. The computer still thinks that it's performing a chain, but overlaying uses the same general technique for a different purpose. Once you understand the difference between chaining and overlaying, you can write even more powerful, flexible programs. ©

# Custom Title Bars For ST BASIC

George Miller, Assistant Technical Editor

*This short program demonstrates how to put a custom title on ST BASIC's Output window. It works on all Atari ST-series computers.*

ST BASIC puts four windows on the screen entitled Command, List, Edit, and Output. The Output window is where your programs actually run, and the window always displays the same title at the top of the screen: Output. By now you're probably tired of staring at this title bar and wish there was some way to change it.

Fortunately, there is. Not with a built-in BASIC command, however. You have to call a routine in a part of the ST's operating system known as AES (Application Environment Services). The job is not difficult, but the ST BASIC manual lacks the necessary information for making system calls.

When programming the ST, it's helpful to remember that the operating system contains many routines which can be of help. These routines are part of GEM, the Graphics Environment Manager, which is divided into two sections:

AES and the VDI (Virtual Device Interface). These libraries contain almost all the routines necessary to handle screen output. Although VDI and AES routines are most easily accessed by programmers using C or machine language, ST BASIC programmers can also call them with the VDISYS and GEMSYS commands. It requires a little extra effort, though.

The short routine listed below, "Custom Title Bars," is an example of a GEMSYS call to the AES library. It can be inserted into any ST BASIC program to display your program's title on the Output window's title bar. Run the routine to see what it does; then modify it in the following ways when using it in your own programs:

1. Change line 20 to assign to the string variable `title$` the name to be displayed in the title bar.

2. Delete line 40, the END statement, and insert your own program at this point. However, be sure you insert an END statement at the end of your program and before line 63000. Otherwise, your program will fall through into the subroutine and cause an error.

Before actually making the GEMSYS call in line 63040, the routine POKES several parameters into system variables at the addresses pointed to by the built-in BASIC variable `gintin`. These parameters are required by this AES routine. The setup is done in lines 63010-63040.

More information about calling VDI and AES routines can be found in the Atari documentation available to software developers and in *COMPUTE!'s ST Programmer's Guide*, published by COMPUTE! Books.

## Custom Title Bars

```
10 FULLW 2 : CLEARW 2
20 title$="New Title" : 'Define title$ =
   program title.
30 GOSUB titlebar
40 END : 'Start your program here.
63000 titlebar : 'Custom title bar routine.
63010 a# = gb : gintin = PEEK(a#+8)
63020 POKE gintin+0,PEEK(systab+8) :
   POKE gintin+2,2
63030 s# = gintin+4 : title$ = title$ +
   CHR$(0)
63040 POKE s#,varptr(title$) : GEMSYS
   (105)
63050 RETURN
```

©

# Looking Glass: Windows For The 64

James E. Hosek

*This interesting program adds two new commands to Commodore 64 BASIC which let you create text windows and pull-down menus similar to those on Commodore 128, Atari ST, Amiga, and Macintosh computers. You can also add four text screens of information, including help screens.*

"Looking Glass" is an all machine language utility that brings advanced windowing capabilities to the Commodore 64. Since it works as an extension to BASIC, you can use this program without understanding machine language at all.

To get started, type in the data from Program 1 using the "MLX" machine language entry program published elsewhere in this issue. Here are the starting and ending addresses you need for MLX:

Starting address: C000  
Ending address: C62F

When you're finished entering all the data, be sure to use the MLX Save option to save at least one copy. If you want to try out the examples detailed below, be sure to save the data with the filename LG.

To use Looking Glass, load it with LOAD "LG",8,1 for disk or LOAD "LG",1,1 for tape. Activate it by typing SYS 49152 and pressing

RETURN.

You now have two new BASIC statements for creating windows and menus. The OPENW (Open Window) statement opens a window on the text screen from any of five different sources (see below). The SAVEW (Save Window) statement saves the contents of an existing window into one of the four available workspaces which Looking Glass uses.

The new BASIC statements work either in immediate mode (when you're not running a program) or in program mode. Just like normal BASIC keywords, they can be abbreviated if you wish. The abbreviation for OPENW is O SHIFT-P W. The abbreviation for SAVEW is S SHIFT-A W.

To use Looking Glass in a program of your own, include these lines:

```
10 IF PEEK(49152)<=>169 THEN LOAD  
  "LG",8,1  
20 SYS 49152
```

If you're using tape instead of disk, change the ,8,1 to ,1,1.

## OPENW Opens Windows

Here is the general format for the OPENW statement:

OPENW *s,x,y,w,h,f*

OPENW can use from one to six parameters (values). The first pa-

rameter (*s* in this example) can range from 0 to 9 and must always be present. This value tells Looking Glass the *source* of the text which will appear in the new window. A source value of 0 designates the normal text screen (memory locations 1024-2023) as the source for the window. Opening a window from source 0 does not change what's currently displayed, since it merely copies the current contents of screen memory into the same locations.

Source values 1-4 designate one of the four workspaces which Looking Glass allocates underneath the 64's Kernal ROM. As you'll learn below, these areas initially contain garbage; the SAVEW command can be used to store meaningful information there.

Source values 5-9 have a special function. They automatically create a window the same size as the entire screen, using one of the four workspaces as a source of information. When you specify a source from 5 to 9, only the first parameter is relevant; Looking Glass ignores all additional parameters (see below).

## Window Coordinates

The second and third parameters in an OPENW command (indicated by *x* and *y* in the previous example)



locate the upper-left corner of the window you want to open. Specifying this corner's location effectively determines the screen position for the entire window. The horizontal (x) coordinate can range from 0 to 39, and the vertical (y) coordinate can range from 0 to 24.

The next two parameters (*w* and *h* in the previous example) represent the *width* and *height* of the window, respectively. The width value can range from 1 to 40, while the height value can range from 1 to 25. Note, however, that the maximum width and height for a given window depends on where its upper-left corner is located. For instance, if you locate the upper-left corner 10 columns from the left edge of the screen, you won't have room for a window that's 40 columns wide. To keep everything on the screen, you must make sure that a window's horizontal coordinate plus its width doesn't exceed 40, and that its vertical coordinate plus its height doesn't exceed 25.

The last parameter (*f* in the previous example) specifies the type of *frame* the window will have, and whether the window's contents will be normal or reverse video. A frame value of 0 creates a frameless window. A value of 2 selects a normal frame, and 4 creates a reversed frame. To make the window appear in reverse video, add 1 to any of the previous three values. The table below outlines the options for the frame parameter.

**Table: Frame Parameter**

0	No frame, normal window
1	No frame, reverse window
2	Normal frame, normal window
3	Normal frame, reverse window
4	Reverse frame, normal window
5	Reverse frame, reverse window

Any of the parameters for OPENW can be specified as a constant, variable, or arithmetic expression. For example, if  $S=1$ , then the statement OPENW S has the same effect as OPENW 1. If you omit a parameter, it defaults to the most recently used value (if any). To allow room for the frame, framed windows must have a width and height of at least three. Here are a few examples of legal OPENW commands:

OPENW 1,10,10,20,5

OPENW 4,25,10  
OPENW 2,X,Y,10+X\*2,5+Y\*3,F

## Saving With SAVEW

The SAVEW command saves the contents of a window in one of the special Looking Glass workspaces. This is useful when you need to save the contents of a window for further use and for certain other purposes which we'll explain below. Here is the general format for SAVEW, which takes only one parameter:

SAVEW *w*

In this example *w* stands for *workspace*, and corresponds to the values used for the source in an OPENW command. Legal workspace values can range from 0 to 9. If you SAVEW with a value from 1 to 4, Looking Glass saves the contents of the current window in one of the four workspaces located under ROM. If you SAVEW with a value from 6 to 9, Looking Glass saves the entire display screen (which may be bigger than the current window) in the designated workspace.


Thus, after deciding which workspace to use, you have a basic choice between saving an entire screenful of information or saving only the contents of a window. Note that SAVEW stores the contents of a window or screen without disturbing what's already there. Values of 0 and 5 are legal for SAVEW, but have no visible effect since they simply store the contents of the current window or screen back into their present locations.

## Working Inside Windows

After you open a window with a screen number of 0 to 4, certain restrictions apply. All text and output go only into the defined window area. Windows scroll separately from the rest of the screen, and a screen clear operation clears only the window. In immediate mode, commands can occupy only one physical line, without any wraparound at the window's edge. (If you wish to edit a program after creating a window, either press RUN/STOP-RESTORE or execute an OPENW command with a source value of 5 to 9.)

Windows also affect the behavior of the INST/DEL key and

certain control codes for printing. When you type inside a window, either in direct mode or in response to an INPUT statement, the INST key (SHIFT-INST/DEL) always inserts a space at the cursor until the current line is full. DEL always deletes the character to the left of the cursor. If the cursor is at the beginning of a line, it wraps back to the end of the previous line, but does not pull any text with it. Looking Glass ignores CHR\$(20) and CHR\$(148) when they are printed to screens 0-4.



"Looking Glass" adds advanced windowing capabilities to Commodore 64 BASIC, making it easy to create and manipulate windows like this.

When you type inside a reversed window in immediate mode, control characters do not work when embedded in quotation marks. For example, typing PRINT "(HOME)" prints the letter S instead of homing the cursor as usual. To circumvent this problem, either type PRINT CHR\$(147) or specify a nonreversed window. However, the control keys (RVS ON, CLR, BLK, and so on) work normally in every window.

When PRINTing inside a window, the SPC function works normally, since it refers to the current cursor position. The TAB function, however, refers to the left edge of the screen, not the left edge of the window, and may cause unexpected results unless the two edges coincide. Avoid using commas to separate items for printing (for instance, as in the statement PRINT X,Y,Z). When you separate printed items with commas, the computer arranges them into columns that are multiples of ten spaces—which may or may not fall inside the current window.

You will probably find the string functions (LEFT\$, RIGHT\$, MID\$) and the semicolon (;) most useful for formatting text inside a window. If you exit a window by pressing RUN/STOP-RESTORE, don't forget to reactivate Looking Glass with SYS 49152 before trying to use OPENW or SAVEW again.

## A Graphic Demonstration

Let's try some experiments to become familiar with windowing. First, activate Looking Glass as described above. Then clear the screen and enter the following statement in immediate mode (without a line number):

```
OPENW 1,5,30,15,2
```

A large boxful of random characters appears in the middle of the screen. Press SHIFT-CLR/HOME to get rid of the garbage characters. If you move around the window with the cursor keys, you'll notice that the window is actually only 28 X 15; the rest of the space is taken up by the frame. Enter a few direct commands to get a feel for how the window works. For instance, you may want to load a BASIC program, LIST it in the window, change the character colors, and so on.

Now type SAVEW 2 and press RETURN. This command stores the contents of the window in workspace 2. (Notice that you don't have to SAVEW a window to the same workspace that was used when you opened it.) Press SHIFT-CLR/HOME again, then enter OPENW 2. This retrieves the stored information from workspace 2. The frame color is the last color that you specified; all other window parameters default to their previous values.

To open a reversed window, enter this command:

```
OPENW 1,,,1: PRINT CHR$(147)
```

Note that the window is now a full 30 X 15. PRINTING CHR\$(147) clears the window immediately so that no garbage appears. If you still have a program in memory, LIST it to confirm that the text indeed PRINTs in reverse video. To change the text color, press CTRL and any color key, then press SHIFT-CLR/HOME. The entire window changes to the selected color.

Press CTRL-RVS ON and type a few characters. Characters that

are actually normal now appear in reverse mode. Next, enter OPENW 5 to leave the window and enter full screen mode. If you press SHIFT-CLR/HOME at this point, the whole screen is cleared. Enter OPENW 7. The previously stored text is now instantly recalled, along with the garbage that was not previously overwritten.

## More Hints

The following line can be used to clear all four workspaces at the beginning of a program:

```
30 PRINT CHR$(147): SAVEW 6: SAVEW 7: SAVEW 8: SAVEW 9
```

In some cases, you'll want two windows to overlap, but also be able to restore either window at any time. To accomplish this, save each window to a different workspace as soon as it is complete (that is, as soon as you're done printing in it). To restore the window, open it again with OPENW, using the same workspace number used when you saved it.

Sometimes it may be desirable to put a header or title in the frame of a window. The following example opens a 15 X 15 window with a normal frame and the header DIRECTORY:

```
100 OPENW 1,10,5,15,15,2: PRINT
    CHR$(147)
110 OPENW 0,10,5,15,1,0: PRINT
    "DIRECTORY";
120 OPENW 0,11,6,13,13
```

Notice that line 120 opens from window 0 and that x and y are incremented by one, and w and h are decremented by two. In this case the f parameter defaults to zero, preventing Looking Glass from redrawing the frame and erasing the header.

While Looking Glass does not use any of the 64's BASIC programming space, it does use virtually all the RAM underneath the Kernal ROM, as well as RAM from locations 49152-50728 (\$C000-\$C628). The 64's BASIC ROM is also copied to underlying RAM and modified.

The more you learn about how Looking Glass works, the more uses you'll find for it. A pull-down menu, for instance, is simply a window located on the top edge of the screen. Program 2 demonstrates how to create nondestructive pull-down menus as well as many other

unique effects. Once you master the techniques involved, you'll probably think of even more applications.

## Program 1: Looking Glass

For instructions on entering this listing, please refer to the "MLX" article published in this issue of COMPUTE!

```
C000:A9 51 8D 08 03 A9 C3 8D B0
C008:26 03 A9 E6 8D 02 A9 25
C010:DD 8D 04 AC A9 F6 8D 18 FB
C018:03 A9 C5 8D 19 03 A9 C8 8B
C020:8D 09 03 A9 C3 8D 27 03 AB
C028:A9 C4 8D 03 A9 C5 8D 69
C030:05 AC A9 05 F8 A9 A0 A4
C038:85 FC A0 00 B1 FB 91 FB 6C
C040:E6 F8 D0 FB E6 FC A5 FC 51
C048:C9 C0 D0 F0 A9 76 85 01 3B
C050:6D 20 73 00 8D 16 C6 C9 94
C058:9F D0 0E A0 01 B1 7A C9 37
C060:57 D0 18 A9 06 85 FB D0 6E
C068:18 C9 94 D0 0E A0 01 B1 AE
C070:7A C9 57 D0 06 A9 01 85 F7
C078:FB D0 06 20 79 00 4C E7 3B
C080:A7 20 73 00 20 73 00 88 A3
C088:98 48 20 9E AD A9 00 2A 94
C090:20 90 AD 20 1B BC 20 BF C9
C098:B1 68 AB A5 65 99 01 C6 D6
C0A0:20 79 00 C9 2C D0 1C 20 2A
C0A8:73 00 C8 C9 2C D0 F0 33
C0B0:F6 C4 FB F0 0E D0 D1 AC 71
C0B8:09 C6 20 C4 F1 88 C0 02 56
C0C0:D0 FB 60 AD 01 C6 30 0E 61
C0C8:C9 0A 10 0A AE 16 C6 0E 90
C0D0:94 D0 D0 4C 2A C3 A9 00 AE
C0D8:8D 19 AC A2 0E 6C 00 03 BF
C0E0:AD 01 C6 C9 30 07 18 FD
C0E8:6E 19 C6 4C DE C2 38 6E 66
C0F0:19 C6 A0 B9 01 C6 99 F0
C0F8:06 C6 8D D0 F7 AD C6 98
C100:1B 6D 09 C6 C9 29 10 C6 5A
C108:AD 08 C6 1B 6D A4 C6 C9 A9
C110:1A 10 C3 A9 00 8D 17 C6 E2
C118:AD 06 C6 4A 8D 1B C6 6E 3A
C120:17 C6 C9 03 10 80 C9 00 21
C128:F0 02 A9 02 CD 09 C6 10 2A
C130:A5 CD 0A C6 10 AD 18 1E
C138:C6 C9 D0 03 4C F6 C1 97
C140:AD 18 C6 C9 01 F0 A4 A9 93
C148:12 D0 82 A9 92 20 C4 F1 80
C150:AE 08 C6 AC 07 C6 18 86 DA
C158:02 20 F0 FF E6 02 A9 B0 46
C160:20 C4 F1 A9 20 87 C0 33
C168:A9 AE 20 C4 F1 AD A4 C6 3E
C170:38 E9 02 85 FB A6 02 AC 3E
C178:07 C6 18 20 F0 FF A9 7D 8E
C180:20 C4 F1 A5 D3 18 6D 09 42
C188:C6 AB 88 88 A4 D3 A9 7D 77
C190:20 C4 F1 E6 02 C6 FB D0 77
C198:DC AE 02 AC 07 C6 18 20 E2
C1A0:F0 FF A9 AD 20 C4 F1 A9 66
C1A8:6D 20 B7 C6 AD 08 C6 18 94
C1B0:6D 0A C6 C9 19 D0 23 AD E2
C1B8:07 C6 18 6D 09 C6 C9 28 6A
C1C0:D0 18 AD 18 C6 C9 02 F0 3C
C1C8:0A A9 7D D0 02 A9 FD D8 B5
C1D0:E7 07 AD 86 02 8F D8 1A
C1D8:D0 05 A9 BD 20 C4 F1 EE 16
C1E0:07 C6 EE 08 C6 C9 0E 42
C1E8:CE 09 C6 0A C6 CE 0A EE
C1F0:C6 A9 BD 1B C6 00 0E 4A
C1F8:BD 21 C6 AC 01 C6 A9 04 A9
C200:8D 1F C6 B9 C0 C6 8D 22 A1
C208:C6 20 61 C2 AC 01 C6 A9 F1
C210:D8 8D 1F C6 B9 11 C6 8D E2
C218:22 C6 20 C1 C2 A9 92 AD A9
C220:17 C6 20 C4 F1 AE 08 C6 B4
C228:AC 07 C6 1B D0 F0 FF AD 92
C230:07 C6 18 6D 09 C6 AB 8C 06
C238:1B C6 8B 1A C6 AD 08 26
```





```

{3 LEFT}COURT":PRINT"FA
MILY{DOWN}{4 LEFT}TIES"
:PRINT"LATE NIGHT";
XF 460 X=PEEK(203):IFX=22THEN4
60
GD 470 TV=-1:SAVEW4:OPENW7:GOT
0300
KJ 480 PRINT"§7§":OPENW4,27,0,
12,23,5:IFRTHEN540
PH 490 PRINT"{CLR}{2 SPACES}FR
UITS"
JD 500 PRINT"{DOWN}APPLES":PRI
NT"ORANGES":PRINT"BANAN
AS":PRINT"PEARS":PRINT"
LEMONS"
HQ 510 PRINT"KUMQUATS":PRINT"K
IWI FRUITWATERMELONGRAPE
FRUITTANGERINE STRAWBE
RRY";
CQ 520 PRINT"PLUM":PRINT"PEACH
":PRINT"BLUEBERRY":PRIN
T"APRICOT":PRINT"RASPB
ERRY"
KF 530 PRINT"PINEAPPLE CHERRY"
;
DD 540 X=PEEK(203):IFX=21THEN5
40
HD 550 FR=-1:SAVEW4:OPENW7:GOT
0300
KX 560 PRINT"{CLR}{10 DOWN}
{3 RIGHT}{RVS}PLEASE PU
T ON YOUR SAFETY GOGGLE
S"
DG 570 PRINT"{DOWN}{3 RIGHT}
{7 SPACES}THEN PRESS RE
TURN":POKE198,0
QG 580 GETA$:IFA$<>CHR$(13)THE
N500
ES 590 POKE198,0:PRINT"{CLR}":
C$(0)="[CYN]":C$(1)="-"
[YEL]":C$(2)="[GRN]":C$(
3)="[WHT]"
SE 600 FORX=0TO70:PRINT"LOOKIN
G GLASS "C$(XAND37):NEX
T:SAVEW6
DR 610 PRINT"{CLR}{RVS}":FORX=
1TO23:PRINT"§39 +§":NEX
T
JG 620 OPENW0,0,0,40,25,4
PP 630 OPENW0,6,5,29,15,0:PRIN
T"[WHT]{CLR}":FORX=1TO1
3:PRINT"§28 *§"
QX 640 NEXT:OPENW0,5,5,30,15,4
:PRINT"[YEL]":SAVEW7
GA 650 FORX=1TO10:OPENW1,19-X,
12-X,2*X+2,2*X+2,4:GOSU
B750:NEXT
XM 660 FORX=0TO9:OPENW2,9+X,2,
1,22,0:OPENW1,10+X,2,21
-X,22,4:GOSUB750:NEXT
MG 670 FORX=0TO9:OPENW2,18+X,
13,1,0:OPENW1,19,3+X,1
2,21-X,4:GOSUB750:NEXT
PD 680 FORX=1TO10:OPENW2,20-X,
24-X,12,1,0:OPENW2,31-X
,13-X,1,11,0
JM 690 OPENW1,19-X,12-X,12,12,
4:GOSUB750:NEXT:SAVEW7
FM 700 FORX=1TO11:OPENW7:GOSUB
750:GOSUB750:OPENW6:GOS
UB750:GOSUB750:NEXT
BB 710 FORX=1TO50:PRINT"[DOWN]
":NEXT
QJ 720 PRINT"PLEASE REMOVE YOU
R SAFETY GOGGLES NOW.
[10 DOWN]"
SD 730 END
QC 740 FORX=1TO1500:NEXT:RETUR
N
SR 750 FORZ=1TO100:NEXT:RETURN

```

# ST

## Hints & Tips

George Miller, Assistant Technical Editor

*Here are some interesting tricks for setting up autobooting programs, customizing your GEM desktop, reading a joystick from ST BASIC, and soup-ing up BASIC's performance with machine language subroutines. All the techniques work on the 520ST and 1040ST.*

The Atari ST series computers are extremely powerful and complex machines. The numerous demo programs which are widely available offer only small peeks at the true capabilities of these computers. For programmers, however, the ST's power can be frustrating because it's so elusive. Virtually no technical documentation is supplied with the ST, and the two languages it comes with—Logo and ST BASIC—have their shortcomings.

If you invest \$300 for an Atari development system package, you receive an assembler, a C compiler, and a huge mass of documentation on the Graphics Environment Manager (GEM), but most of it is not even ST-specific—it refers to GEM as implemented on the IBM PC.

However, careful study of this mountain of paper can reveal quite a few "secrets" about the ST. We'll let you in on a few of these tricks

which enhance the power of your computer.

### Autobooting Programs

How you ever wished that a certain program—perhaps a RAM disk utility, or an application, or a language—could run automatically when you start up your ST? This feature would be especially handy if you need to set up a disk for someone who wants to run a program without understanding anything more than how to turn on the computer.

The eight-bit Atari computers can automatically load and run programs by using AUTORUN.SYS files. Apple has the HELLO program, PC-DOS and AmigaDOS have batch files, and the Commodore 128 has provision for autobooting. Although it's not documented, so does your ST. Clues on how to create an auto-execute file can be found in GEMDOS.

As part of the initialization sequence, the ST looks for a folder called AUTO on the boot disk. Any files with a .PRG extender found in the AUTO folder are executed in sequence. These files are known as COMMAND.PRG files.

It's very easy to set up an autoboot program. Place your boot disk

in your drive, then point to the File heading on the menu bar. Select the New Folder option and create a folder named AUTO.

Move any program you want to autoboot into this folder. Any time you boot your ST from this disk, the program you placed in the AUTO folder will automatically run. This technique works with TOS in ROM or with the earlier disk-loaded TOS. There may be a problem, however, with autobooting some programs when using the high-resolution monochrome mode. Otherwise, it's the most fool-proof autorun system yet.

## Customizing The Desktop

Have you ever tried renaming your disk icons using the Install Drive option from the Options menu? Some characters can't be used. For instance, it isn't possible to name an icon Disk A because lowercase letters and spaces are not permitted. Also, you can't do anything with the trash can.

However, there is a way to change the names to anything you want. After saving your desktop, you can edit the file which stores the information for these options—DESKTOP.INF. For now we'll only change the icon names using this technique. Be careful to not change any other characters in the file.

First, you'll need a text editor such as *Mince* or *EMACS*, or even a word processor, like *ST Writer*. If you're using a word processor, set the left and top margins to zero.

The job itself is rather easy. Load the file DESKTOP.INF. It should look something like Figure 1.

Figure 1: DESKTOP.INF

```
#a000000
#b001100
#c7700070007000700552005055522207
70557075057705504112306
#d
#E 9B 03
#W 00 00 0C 01 1D 16 08 A: \*.*@
#W 00 00 28 01 1F 17 00 @
#W 00 00 0E 09 2A 0B 00 @
#W 00 00 0F 0A 2A 0B 00 @
#M 00 02 00 FF A Floppy Disk @ @
#M 00 03 00 FF B Floppy Disk @ @
#T 00 07 02 FF TRASH CAN @ @
#F FF 04 @ *.*@
#D FF 01 @ *.*@
#G 03 FF *.PRG @ @
#F 03 04 *.TOS @ @
#P 03 04 *.TTP @ @
```

Each character in this file is information about your desktop. Any change will affect what you see on the desktop and even how your ST functions to a certain extent. Use caution, since some changes might not yield the results you expect. To be safe, make sure you're working with a backup copy of your boot disk. Store the original in a safe location. This is always a good idea when experimenting with any file on a disk, and especially when modifying files that control the operation of your ST.

Now, move the cursor to the first line which begins with #M. Change the text, replacing the words FLOPPY DISK, so the line reads like this:

```
#M 00 02 00 FF A Disk A @ @
```

Then change the next line to:

```
#M 00 02 00 FF B Disk B @ @
```

If you want, you may change the name of the trash can icon. I called mine *Black Hole*! as a constant reminder that unlike the Amiga or Macintosh, the ST trash can does not let you easily recover files which are deleted. (There are some disk utilities available which allow you to recover trashed files, under limited conditions.)

To change the trash can icon, modify the next line to read:

```
#T 00 07 02 FF Black Hole! @ @
```

The revised DESKTOP.INF file should be similar to Figure 2.

Figure 2: Revised DESKTOP.INF

```
#a000000
#b001100
#c7700070007000700552005055522207
70557075057705504112306
#d
#E 9B 03
#W 00 00 0C 01 1D 16 08 A: \*.*@
#W 00 00 28 01 1F 17 00 @
#W 00 00 0E 09 2A 0B 00 @
#W 00 00 0F 0A 2A 0B 00 @
#M 00 02 00 FF A Disk A @ @
#M 00 03 00 FF B Disk B @ @
#T 00 07 02 FF Black Hole! @ @
#F FF 04 @ *.*@
#D FF 01 @ *.*@
#G 03 FF *.PRG @ @
#F 03 04 *.TOS @ @
#P 03 04 *.TTP @ @
```

Finally, save the file back to the disk as DESKTOP.INF. The file must be saved in ASCII format, so make sure your text editor or word processor has this feature. If you're

using *ST Writer* or some other word processors, it may be necessary to print the file to the disk in order to save it in ASCII format.

## Reading The ST Joystick

ST BASIC is a fairly generic BASIC that has very few ST-specific commands. One of the most noticeably missing commands when you're trying to write a game is a function for reading the joystick. The ST works with any of the joysticks sold for the eight-bit Atari and Commodore computers, but there's no STICK or STRIG functions as in eight-bit Atari BASIC.

Actually, a joystick command does exist in the ST, but it's hidden deep within GEMDOS in the BIOS (Basic Input/Output System). This is an area not readily available from ST BASIC without using a few special techniques.

One easy way to find out what the joystick is doing is to ask the Intelligent Keyboard Device (IKBD). The keyboard has its own microprocessor, a 6301 chip, which is a member of the 6800 family. The keyboard processor is really a small computer system, with input/output lines, RAM, ROM, and even a serial interface which handles traffic to and from the 68000 central processing unit. The 68000 is not responsible for polling the keyboard continuously for activity. The 6301 notifies the 68000 via an interrupt when anything needs processing. In addition to reading the keyboard, the 6301 also reads the mouse, the joystick, and performs other functions.

The ST's link to the keyboard processor is through a chip called an ACIA (Asynchronous Communications Interface Adapter). The control register for the keyboard ACIA is located at memory address \$FFFC00 in the ST, and the data register is at location \$FFFC02. If you've moved to the ST from an earlier eight-bit computer, those may be the biggest hexadecimal numbers you've ever seen. Remember that the 68000 microprocessor in the ST has 24 address lines, enough for over 16,000,000 bytes of memory, as compared to the 65,536-byte maximum for earlier computers with only 16 address lines. For the ST you must become

accustomed to seeing hexadecimal addresses that are six digits long.

The following program is a short ST BASIC routine to read the values of the joystick plugged into port 1 (the rear joystick connector).

```
70 POKE &hfff02,&h0012 : turn off mouse
80 POKE &hfff02,&h0014 : joystick = PEEK(&hfff02)
90 IF joystick = 511 THEN ? "north"
100 IF joystick = 2559 THEN ? "northeast"
110 IF joystick = 2303 THEN ? "east"
120 IF joystick = 2815 THEN ? "southeast"
130 IF joystick = 767 THEN ? "south"
140 IF joystick = 1791 THEN ? "southwest"
150 IF joystick = 1279 THEN ? "west"
160 IF joystick = 1535 THEN ? "northwest"
170 IF joystick < 0 THEN ? "fire button"
180 POKE &hfff02,&h0008 : turn on mouse
190 GOTO 70
```

Line 70 sends a command to the IKBD, via the data register at \$FFFC02, instructing it to turn off the mouse. (Note that ST BASIC uses &h to indicate hexadecimal numbers.)

Line 80 sends a command via the same address to turn on the joystick. Every movement of the joystick is reported to the processor. The joystick position is read by PEEKing the value returned in \$FFFC02.

Lines 90-170 interpret the values returned from the IKBD.

Line 180 turns the mouse back on again. This should be done before exiting the program so the user will have control of the mouse when returning to BASIC or the desktop.

Line 190 makes the routine an infinite loop, so you'll need to press CTRL-C to stop this demonstration. If the mouse pointer isn't visible on the screen when the program stops, enter the following line and press RETURN to make the pointer reappear:

```
POKE &hfff02,&h0008
```

To adapt this routine for use in your own programs, replace line 190 with 190 RETURN, then use GOSUB 70 to call the routine. Replace the PRINT statements in lines 90-170 with statements to perform the desired actions when the joystick is pressed in the indicated direction.

## Mixing BASIC And Machine Language

To add real speed and power to any BASIC, it's often necessary to use machine language routines for certain tasks. In ST BASIC, machine language routines can be run using the CALL statement. The syntax for CALL is:

**CALL address variable, parameter list**

The *address variable* is a variable which holds the memory address of the beginning of the machine language routine. This location may be the address where the routine was loaded using the BLOAD command, or the address where the ML routine was POKEd. The *parameter list* is a list of values which can be passed to the ML routine. Some routines don't require any values to be passed, so this is optional.

The program below demonstrates how to POKE an ML routine into a variable, then use the VARPTR function to find the address to CALL.

As your library of ML routines expands, you'll find this method useful. Although the example program does nothing but print the letter A on the left side of the menu bar, it does demonstrate that ML routines give you full access to the ST, since the menu bar is usually off-limits to BASIC.

```
110 CLEARW 2 : FULLW 2
120 GOSUB init
130 ' ML opcodes in DATA statements
140 DATA &h3f3c,&h0041,&h3f3c,&h0002,&h4e41,&h588f
150 DATA &h3f3c,&h000d,&h3f3c,&h0002,&h4e41,&h588f
160 DATA &h3f3c,&h000a,&h3f3c,&h0002,&h4e41,&h588f,&h4e75
170 FOR I = 1 TO 19 : READ a : POKE x+(I*2), a : NEXT I : POKE ml into ml$
180 CALL x
190 END
200 init : ml$="This is a dummy variable."
210 x = VARPTR (ml$)
220 RETURN
```

These tricks demonstrate only a small part of the ST's potential. Carefully studying the documentation reveals that some extremely powerful programming techniques are lurking just below the surface. If you're a curious programmer, explore GEM for ways to use the ST's features from within the tight BASIC framework. ©

## CONVERSE WITH YOUR COMPUTER

**AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your personal computer!**

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are often amazingly appropriate! Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new personal computer version possessing the **FULL** power and range of expression of the original is being offered at the introductory price of only \$45. And to let you find out how she does it (for techs to do more) we have included the complete **SOURCE PROGRAM** (written in BASIC) at no extra cost.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

**READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA:**  
"Much more than a mere game... You'll be impressed with ELIZA. A convincing demonstration of Artificial Intelligence." —PC MAGAZINE

"Delightful entertainment... An ideal medium for showing off your system." —MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software... A fascinating program to use and study." —BARON'S MICROCOMPUTER REPORTS

"ELIZA is a great way to introduce your friends to computers. A very funny party game." —PETER A. MCWILLIAMS

"ELIZA is an exceptional program, one that's fun to use, shows off your machine, and has great historical interest." —POPULAR COMPUTING MAGAZINE

"This version of ELIZA is the best we have seen. As a party game, it is unmatched." —HOME APPLICATIONS FOR THE C-64

**ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:**

• IBM PC, PCjr, PC-XT and all compatibles

• AT Apple II computers III, IIe, IIc, IIx

• Apple Macintosh (Microsoft BASIC required)

• Commodore 64 (spacely disk or cassette)

• 5 1/4 inch or 8 inch disk for all CP/M systems

All versions are \$45 and include a six page users manual.

Please add \$2.00 shipping and handling to all orders.

(California residents please add 6 1/2% sales tax)

**ARTIFICIAL INTELLIGENCE RESEARCH GROUP**  
921 North La Jolla Avenue, Dept M  
Los Angeles, CA 90046  
(213) 656-7396 (213) 654-2214  
MC, VISA and checks accepted

LIMITED TIME

IT'S HERE NOW

## THE MANAGEMENT INFORMATION DATABASE

©1986

**Under \$40**

For Commodore 64 and 128K  
First time offered at this price

Powerful  
Easy To Use  
Menu Drive

**\$39.95**

♦♦♦♦ NOT  
♦♦♦♦ COPY  
PROTECTED

For Sample Send \$3.00  
(postage & handling) to:

National  
Advancement  
Corporation

3001 Redhill Ave. • Bldg 5, Suite 108/113  
Costa Mesa, CA 92626 • (714) 540-9988

also available at  
\$59.95 for IBM PC, XT, AT

IBM PC, XT, AT are trademarks of International Business Machines



# Minding Memory From BASIC

D. W. Neuendorf

*Are your programs fighting wars with each other for control of memory? Would you like to find a safe, protected place in RAM for machine language subroutines and other data in your BASIC programs? Here's how to use the memory management functions of PC-DOS to avoid conflicts and maximize the amount of memory available to BASIC. For the IBM PC, PCjr, and compatibles with DOS 2.0 or higher.*

Over the past year, memory management in PC-DOS has become an important issue. The new desktop tools and coresident programs are designed to wait in the background to be called during the operation of another program. A number of these utilities may be lurking in memory at once, and programmers can't predict which other programs will be present with their own. The result can be memory conflicts and system crashes.

The designers of PC-DOS anticipated this situation to some extent. DOS 2.0 and later versions contain several function calls designed to give the operating system control over how the computer's memory is divided among programs residing in memory simulta-

neously. The most basic of these functions simply attempt to allocate and deallocate blocks of memory at a program's request. These DOS calls are readily available to machine language programmers, just like all other machine-level resources.

BASIC programmers, on the other hand, have no direct access to many DOS functions. But as we'll see, there are ways for BASIC programs to call on DOS to perform these memory management tasks.

## Translating ML To BASIC

There are two DOS functions we're interested in—one for allocating memory and another for deallocating memory.

In machine language, both functions are called by placing a *function number* in the microprocessor's AH register and calling interrupt 21h. (Function numbers indicate to DOS which function is being called. The interrupt then performs the function.) The numbers are 48h for the allocate function and 49h for the deallocate function.

In addition to these numbers, each function call requires that you pass an argument. The allocate function requires the number of 16-byte *paragraphs* of memory to be allocated. This number must be placed in the microprocessor's BX

register. The deallocate function requires the segment address of a block to be deallocated. This number must be placed in the ES register.

After each function is performed, it returns a value. The allocate function returns, via the AX register, either the segment address of an allocated block or an error code (7 or 8 plus a set carry bit) if the function was unsuccessful. The deallocation routine returns nothing if successful, but sets the carry bit and returns an error code (7 or 9) if unsuccessful. For those who are interested, Programs 1 and 2 show the assembler code necessary to call these functions.

Program 3 shows how to call these functions from BASIC. Since the allocate routine is not available initially and therefore can't allocate space for itself, the program reserves a few bytes for it just above BASIC (using the CLEAR statement in line 10). Once the allocate routine has been installed (lines 40-60), it can be used to get memory from DOS for machine language routines and other data. An example of its use is the call in line 70, which gets the segment address of a memory block for the deallocate routine.

Finally, line 120 shows an example of using the deallocate routine—it deallocates its own memory.

## Program 1: DOS Memory Allocation

Note: This source code listing is for illustrative purposes only. It requires an assembler to enter.

```

page 50,132
0000      alloc segment para
           assume cs:alloc
           assume ds:alloc
           assume es:alloc
0000      allocate proc far
;
;Routine to allow BASIC to make DOS
call to allocate a block of memory
;outside of BASIC's own segment. CALL
ALLOC(MEMORY)-when BASIC calls the
;routine, MEMORY contains the number
of bytes to be allocated. When the
;routine returns to BASIC, MEMORY
contains the segment address of the
;allocated block of memory. A 7 or 8
indicates allocation failed.
;
0000 55      push bp
0001 88 EC    mov bp,sp
0003 88 5E 06  mov bx,[bp+6] ;get address of MEMORY
0006 88 1F    mov bx,[bx] ;get number of bytes to
           be allocated
0008 84 4B    mov ah,4Bh ;DOS function number
000A CD 21    int 21h ;DOS call itself
000C 88 5E 06  mov bx,[bp+6] ;address of MEMORY
000F 89 07    mov [bx],ax ;put segment address of
           allocated memory in MEMORY
0011 50      pop bp
0012 CA 0002  ret 2
;
0015      allocate endp
0015      alloc ends
end

```

## Program 2: DOS Memory Deallocation

Note: This source code listing is for illustrative purposes only. It requires an assembler to enter.

```

page 50,132
0000      dealloc segment para
           assume cs:dealloc
           assume ds:dealloc
           assume es:dealloc
0000      dlc proc far
;
;Routine to allow BASIC to make DOS
call to deallocate a block of memory
;Previously allocated using ALLOC. CALL
OEOALLOC(MEMORY)-when BASIC calls the
;routine, MEMORY contains the segment
address of the block of memory to be
;dealloc. When the routine returns to
BASIC, MEMORY contains either the
;original segment address or an error
code. A 7 or 9 indicates allocation
failed.
;
0000 55      push bp
0001 06      push es
0002 88 EC    mov bp,sp
0004 88 5E 06  mov bx,[bp+6] ;get address of MEMORY
0007 8E 07    mov es,[bx] ;get segment address of
           block to be deallocated
0009 84 49    mov ah,49h ;DOS function number
000B CD 21    int 21h ;DOS call itself
000D 88 5E 06  mov bx,[bp+6]
0010 89 07    mov [bx],ax ;put error code in MEMORY
0012 07      pop es
0013 50      pop bp
0014 CA 0002  ret 2
;
0017      dlc endp
0017      dealloc ends
end

```

## The Honor System

After studying Program 3, perhaps you've noticed another good reason for BASIC programmers to have access to these DOS calls: It's possible to put a machine language subroutine outside BASIC's 64K memory area, thus saving some space for BASIC programs. Better yet, you don't have to worry about where in memory you're hiding the routine—DOS takes care of it. If you use a lot of machine language subroutines, or store large amounts of data in memory, you'll have a lot more room to work with if you don't have to put everything inside BASIC's own segment.

One final comment about the DOS memory allocation functions: Please use them. Think of it as an honor system. If everyone relies on DOS to determine where their programs reside in memory, we can all feel confident that our coresident programs are not overlapping and conflicting with each other. But if too many programmers bypass these DOS functions, the rest of us won't dare to rely on them, either. After all, DOS can protect only the data or programs that it knows about.

## Program 3: DOS Memory Functions in BASIC

For instructions on entering this listing, please refer to "COMPUTE!'S Guide to Typing in Programs" in this issue of COMPUTE!.

```

1L 10 CLEAR ,&HFFDF:REM *** Rese
           rve a few bytes just above
           BASIC for alloc. routine
CL 20 OEFINT A-Z
J0 30 OEF SEG:ALLOC=&HFFDF:DMEMO
RY=21:OEALLOC=0
X0 40 RESTORE 50:FOR X=0 TO 20:R
EAO Y:POKE X+ALLOC,Y:NEXT:
REM *** Install alloc.
1J 50 OATA &h55,&h8b,&hec,&h8b,&
h5e,&h06,&h8b,&h1f,&hb4,&h
4B,&hcd
EO 60 DATA &h21,&h8b,&h5e,&h06,&
h89,&h07,&h5d,&hca,&h02,&h
0
OJ 70 CALL ALLOC(OMEMORY):REM **
* OOS call to allocate mem
ory for dealloc. routine
FF 80 DEF SEG=DMEMORY
KH 90 RESTORE 100:FOR X=0 TO 22:
REAO Y:POKE X,Y:NEXT:REM *
** Install dealloc.
OE 100 DATA &h55,&h06,&h8b,&hec,
&h85,&h5e,&h06,&h8e,&h07,
&hb4,&h49,&hcd
HN 110 OATA &h21,&h8b,&h5e,&h06,
&h89,&h07,&h5d,&hca,
&h02,&h00
PL 120 CALL DEALLOC(DMEMORY)
LA 130 END

```

# Meet ED The AmigaDOS Editor

Christopher J. Flynn

*AmigaDOS—the command-driven operating system which underlies the graphics-oriented Workbench—contains two text editors. Although they aren't full-fledged word processors, these editors are ideal for entering program source code, creating batch files, and even writing short documents. This article shows how to use ED, the more powerful of the two editors. For more information on AmigaDOS and batch files, see "Introduction To AmigaDOS," a two-part series in the January and February 1986 issues of COMPUTE!, and "AmigaDOS Batch Files," April 1986.*

The Amiga comes with more software than most people realize. Besides Amiga BASIC, Electronic Arts' *Kaleidoscope*, Mindscape's *Amiga Tutor*, the RAM disk, the speech synthesizer, the printer drivers, the icon editor, the calculator, the clock, and numerous demo programs, there are also three complete text editors. Most people know about the Notepad because it's available from the Workbench. But the other two text editors—ED and EDIT—don't show up as icons and must be run from an AmigaDOS CLI (Command Line Interface) window.

The most powerful of these text editors is ED. Although it doesn't handle multiple fonts and styles like the Notepad, it has many more editing functions and is the ideal tool for writing AmigaDOS batch files or program source code. EDIT, on the other hand, is a little more specialized. It is a sequential file editor. In practice, EDIT is best used to make changes to an existing disk file. You'll probably prefer to use ED for composing new text.

We'll be exploring ED version 1.10. Future releases of ED may change things around a little and

introduce new features, so keep this in mind.

## Starting ED

Where is ED hiding? Even if you peek through every nook and cranny of the Workbench, you will not find an icon for ED. It turns out that ED is actually an AmigaDOS command. This means that you have to start ED from a CLI window.

If you've never used a CLI window before, your first step will be to activate the CLI. Open the Workbench and check the contents of the System drawer. If CLIs are activated, you'll see a cube-shaped icon labeled CLI in this drawer. If the icon is not present, point to the Preferences icon and double-click the mouse's left button. Look for the CLI On/Off selector on the Preferences screen and click on the On box, then exit Preferences by specifying Save (not Use). Now when you reopen the System drawer, it should contain a CLI icon. If not, go back to Preferences and make sure CLI is turned on. (If you find yourself using the CLI often, you may want to drag the CLI icon from the System drawer into the main Workbench window to avoid the extra step of opening the System drawer.) To open a CLI window, double-click on the CLI icon. Now you'll have a window in which you can type AmigaDOS commands.

ED can be started in two ways:

**ED filename [SIZE n]**

**RUN ED filename [SIZE n]**

The first method starts ED from the CLI which you've just activated. It ties up the CLI until you're finished with ED. In other words, you have to leave ED before issuing other AmigaDOS commands. When you specify RUN ED, AmigaDOS automatically starts another CLI task for you and starts ED in this

new CLI. Thus, you can temporarily suspend ED by moving the mouse to another window. You can go back to the original CLI and issue other AmigaDOS commands. If you are adventuresome, you can even have multiple ED sessions in progress at the same time. (What you're really doing is multitasking more than one AmigaDOS simultaneously.)

In either case, the ED command requires a filename. You can either supply the name of an existing disk file you wish to edit, or create a new file by specifying a new filename. Remember that Amiga filenames can be up to 30 characters long. So, choose filenames that take advantage of this feature. It helps you recognize your files later on.

There is a SIZE option for the ED command. (Don't type in the brackets, by the way. Brackets just signify options.) A text document must be able to fit entirely in memory. ED just cannot handle a document partly on disk and partly in memory. The SIZE option gives you a way of telling ED how much memory you want to set aside for working on the document. If you don't type in SIZE, ED will set aside 40K for you. The maximum SIZE is determined by the amount of memory you have.

Here are a few examples of commands for starting up ED:

**ED GROCERY-LIST**

**ED WAR-PEACE-BOOK-REPORT SIZE 90000**

When SIZE is used, type out the number. Note that 90,000 bytes is typed as 90000 and not as 90,000 or 90K.

## Leaving ED

When ED has been successfully started, its display occupies the entire screen. So, how can you return



to the CLI? There is no close gadget on ED's window. There is nothing to point at and click. Instead, ED requires either a Quit or an Exit command. Press the ESC (escape) key. An asterisk appears on the last line of the display. Type either Q for Quit or X for Exit and then RETURN. That's all there is to it.

There is a difference between Quit and Exit. Q leaves the editor without saving the document to disk. Anything you have typed will be lost. ED recognizes that this can be quite an inconvenience, so if you do type Q, ED displays the following warning message:

Edits will be lost - type Y to confirm:

Pressing Y at this point gets you out of ED, and no text is saved. If you type anything else, ED lets you continue working on your document.

ESC-X, the Exit option, *does* save the document on disk, using the filename you specified when you started ED. No messages are given. When ED finishes, you're back in the CLI and can then proceed with other AmigaDOS commands. When you're finished with the CLI, type ENDCLI. If you've got only one CLI window running, this returns you to the Workbench.

## ED Commands

There are two types of editor commands in ED. The more direct ones are called *immediate commands* because you can enter them while typing text. Examples are line insertions and deletions. Immediate commands are always CTRL key combinations. The other category—*extended commands*—can be typed only when in the command mode. ESC-Q and ESC-X are examples. Pressing ESC opens the lowest display line on your screen for these extended commands.

When ED starts, it positions the cursor at the upper-left corner of the screen. If you are working on a new document, the screen is blank. Otherwise, the screen shows the first page of the document.

If you're creating a new document, just start typing. Notice what happens when the text approaches the right side of the screen. If a word is too long to fit on the remainder of the line, ED pulls the word down to the next line. You

**Table 1: ED Immediate Commands**

Command	Description
<b>Special Keys</b>	
BACK SPACE	Deletes the character to the left of the cursor.
DEL	Deletes the character under the cursor.
ESC	Switches to extended command mode.
RETURN	Ends the line at the cursor and starts a new line.
TAB	Moves the cursor right, adding spaces, to the next tab position.
up-arrow	Moves the cursor up one line.
down-arrow	Moves the cursor down one line.
left-arrow	Moves the cursor one character position to the left.
right-arrow	Moves the cursor one character position to the right.
<b>Control Key Combinations</b>	
CTRL-A	Inserts a line after the line on which the cursor is located.
CTRL-B	Deletes the line on which the cursor is located.
CTRL-D	Scrolls the text down 12 lines toward the beginning of the document.
CTRL-E	If the cursor is at the top of the screen, moves the cursor to the bottom of the screen. If the cursor is at the bottom of the screen, moves the cursor to the top of the screen.
CTRL-F	Switches the case (upper to lower or lower to upper) of the character under the cursor.
CTRL-G	Repeats the last extended command which was issued.
CTRL-H	Deletes the character to the left of the cursor. Equivalent to the BACK SPACE key.
CTRL-I	Moves the cursor right to the next tab position. Equivalent to the TAB key.
CTRL-M	Equivalent to the RETURN key.
CTRL-O	If the cursor is on a nonblank character, deletes all characters from the cursor to the first space. If the cursor is on a space, deletes all spaces from the cursor to the first nonblank character.
CTRL-R	Moves the cursor left to the first space after previous word on the current line.
CTRL-T	Moves the cursor right to the first character of the next word on the current line.
CTRL-U	Scrolls the text up 12 lines toward the end of the document.
CTRL-V	Redisplays (Verifies) the screen. Insures that all the text is visible and is useful after moving or sizing the display window.
CTRL-Y	Deletes all characters on the line starting with the character under the cursor.
CTRL-[	Switches to the extended command mode. Equivalent to the ESC key.
CTRL-]	If the cursor is at the start of the line, moves the cursor to the end of the line. If the cursor is at the end of the line, moves the cursor to the start of the line.

can keep typing without being concerned about hitting RETURN at the end of a line as you would on a typewriter.

There are several ways of correcting typos. The BACK SPACE key deletes the character to the left of the cursor. DEL deletes the character under the cursor. Table 1 lists other ways of deleting text.

ED is a full-screen editor, so you can move the cursor wherever you want with the arrow keys. To insert text, position the cursor at the desired location and begin typing. Notice that ED does not have a strikeover mode. Unwanted text has to be deleted—you can't just type over it.

## The Insertion Gotcha

Try typing a few fairly long lines. Now, move the cursor to the beginning of the text. Start typing again. The existing text on the current line is moved to the right off the edge of the screen. During insertions, ED

neither brings the excess text down to the next line nor enforces margins.

The disappearing text is not lost, however. ED has made one long line. The long line can be split at any point by placing the cursor where you want and pressing RETURN. If you're working with ordinary text, not source code or batch files, this may leave gaps of several spaces between sentences. To clean up the appearance, the extra spaces will have to be removed. Some other lines may need adjusting as well.

## Using The Extended Commands

Extended commands (Table 2) can be typed only when ED is in the extended command mode, entered by pressing the ESC key. The cursor appears on the last line of the display. At this point, you can type one or more extended commands. It's quite handy to be able to give ED a series of commands separated by semicolons (;). When you press

RETURN, ED acts on the command or commands you've requested.

Extended commands can move the cursor, mark blocks of text for certain operations, and perform searches and exchanges. Some of the operations are tricky and require care. Cursor commands apply

only to the cursor position in the text and not to the command line. This is fine except that you can't see the cursor in the text. You have to remember where the cursor is before you use some of the extended commands.

Sections of text can be marked

by block start (BS) and block end (BE) commands. Blocks can be deleted, copied elsewhere in the document, or saved to disk. Marking a block involves moving the cursor to the first line in the block and executing the BS extended command. The end of the block is marked similarly with BE. Unfortunately, there is no visible indication of the defined text. Be very careful of cursor movements. The only help ED offers is the show (SH) command. It displays the first and last line of the block and some other information.

Text search and exchange operations work without a hitch. You can search forward (F) or backward (BF) through the document. You can exchange (E or EQ) one text string for another. Lowercase text can be treated as matching uppercase text (UC), or it can be treated as not matching (LC).

The repeat (RP) command is often used for exchanges. RP causes the command following it to be executed repeatedly until something (an error, for example) stops it. Thus, RP E carries out multiple exchange operations. Here is an example:

T; RP E /Compute/COMPUTE/

Here, the typing of COMPUTE! is being corrected. T moves the cursor to the top of the document so that the entire document will be examined. RP precedes the exchange command. Note that the two text strings are delimited by slashes. This is ED's convention when text strings are used. A "Search failed" error occurs when Compute can no longer be found in the text. This halts the repeat command, and the entire document will have been corrected.

The save command (SA) saves the document to disk without exiting ED. You should do this periodically to prevent disasters in the event of a power failure.

Overall, ED is an excellent general-purpose text editor. You can use it when programming, since it works with any language that accepts ASCII text files as input (including Amiga BASIC). ED can also prepare data files or help you write short letters and notes. It's not a fancy word processor, but it can handle smaller, less complex tasks quite well. ©

## Table 2: ED Extended Commands

Note: /s/ refers to a single text string ( /this is a string/ ).

/s/t/ refers to two text strings ( /brown/blue/ ).

Command	Description
A /s/	Inserts the string on a new line after the current line.
B	Moves the cursor to the end (bottom) of the document.
BE	Places an end-of-block marker at the cursor.
BF /s/	Searches the document for the string going in a direction from the cursor toward the beginning of the document (backward find).
BS	Places a start-of-block marker at the cursor.
CE	Moves the cursor to the end of the current line.
CL	Moves the cursor one character position to the left.
CR	Moves the cursor one character position to the right.
CS	Moves the cursor to the start of the line.
D	Deletes the current line. Moves all following lines up.
DB	Deletes the text marked by start-block and end-block markers.
DC	Deletes the character at the current cursor position.
E /s/t/	Replaces (exchanges) occurrences of the first string with the second string.
EQ /s/t/	The same as E, but asks you to confirm the replacement each time a match is found. Type Y or N in response to the Exchange ? prompt.
EX	Extends the right margin allowing additional text to be typed.
F /s/	Searches the document for the string going in a direction from the cursor position toward the end of the document (find).
I /s/	Inserts the string on a new line before the current line.
IB	Inserts the block of text marked by start-block and end-block markers after the current line.
IF /s/	Inserts the contents of a file before the current line. The filename is given by /s/.
J	Joins the current line with the next line. This makes one new line where there were formerly two.
LC	Treats upper- and lowercase characters as different in searches.
M n	Moves the cursor to the line number given by n.
N	Moves the cursor to the starting position of the next line.
P	Moves the cursor to the starting position of the previous line.
Q	Quits ED without first saving the text. A warning message will be given stating that the text may be lost.
RP	Repeats commands. Commands are typed following RP. For example, T; RP E /brown/red/ moves the cursor to the top of the document. The Exchange command is repeated, thus changing all occurrences of brown to red. Repeat ends when an error is found. In this case, an error occurs after all the changes have been made since brown can no longer be found.
S	Splits the current line at the cursor location. This makes two lines where there was formerly one.
SA	Saves the document to the file specified by the original ED command. Use SA periodically to make sure you have a good copy of the text on disk.
SB	Shows the text block marked by start-block and end-block markers. The block (and any following text) will be displayed starting at the top of the screen.
SH	Shows the filename, tab distance, margin settings, first and last line of any marked text block, and the buffer full percentage.
SL n	Sets the left margin to the position specified by n. SL affects the margin setting for the entire document. New text will be typed within the margins. Existing text is not automatically reformatted when the margins change.
SR n	Sets the right margin to the position specified by n. SR affects the margin setting for the entire document. New text will be typed within the margins. Existing text is not automatically reformatted when the margins change.
ST n	Sets the distance the cursor moves when the TAB key is pressed.
T	Moves the cursor to the top of the document.
U	Undoes any changes made to the current line. This does not restore line deletes (D). It also does not work if you have moved the cursor from the current line.
UC	Treats upper- and lowercase characters as equivalent for searches (for example, it will match it).
WB /s/	Writes the text block marked by start-block and end-block markers to the file specified by /s/.
X	Exits ED first making sure that the document has been saved on disk.

# Converting IBM ML To BASIC DATA

Mark Russinovich With Dennis Moul

*This short utility converts object code created with a machine language assembler into DATA statements ready to be merged with a BASIC program. It works on any IBM PC, PCjr, or compatible with DOS 2.0 or higher.*

An efficient way of speeding up crucial parts of BASIC programs or performing operations not possible in BASIC is to write a machine language subroutine. Usually, the machine language (ML) routine is loaded from disk by the BASIC program or is encoded in BASIC DATA statements that are POKEd into memory. The latter method has the advantage of making the BASIC program a stand-alone unit, not dependent on other files that must be on the same disk. Its major disadvantage, though, is that if the ML routine is more than a few bytes long, the job of converting the object code to DATA is extremely tedious and error-prone. One minor mistake could mess up the whole routine and possibly crash the system.

The solution is Program 1 below, "BIN2DAT." It takes an ML (binary) file on disk and converts it to DATA statements, ready to be merged into your BASIC program. It is impeccably reliable and takes only seconds to do its work.

## Using BIN2DAT

After typing in Program 1 and saving it on disk, make sure that the ML object file you wish to convert into DATA statements is stored on disk in the .COM format. This is necessary because .EXE files have relocation information used by DOS when they are loaded into memory. Since DOS isn't used when a BASIC program POKes an ML routine into memory, an .EXE program would not be relocated and therefore would not execute. If you've already written an .EXE file that you wish to convert to DATA statements, convert it to .COM format by using the EXE2BIN program included on the PC-DOS disk.

Now follow these steps:

1. Run BIN2DAT. It asks you for the filename of the .COM file you wish to convert. Enter the filename and press Enter. As an extra safeguard, BIN2DAT makes sure that the file has a .COM extension.
2. BIN2DAT prompts you for the output filename (the file that will contain the DATA statements). If you simply press Enter here, the filename defaults to the one displayed within brackets.
3. Next, you're asked for the starting line number of the DATA statements. Again, a default, which is line 100, is printed within brackets. Either press Enter or type your own starting line number.

4. BIN2DAT now asks for the line number increment (the default is 10) and the numeric base of the data—decimal or hexadecimal. The base makes little difference, but the default is hexadecimal because sometimes it's useful to compare the .LST file generated by the assembler with the DATA statements.

## Merging The DATA

Once you've entered all the required information, BIN2DAT creates the BASIC data file to your specifications. To merge it with your BASIC program, load the BASIC program and type:

`MERGE "filename.ext"`

You'll notice that the first line in the file has only one data value. This isn't part of the ML. This value is the size of the ML routine in bytes, minus one. Therefore, it corresponds to the upper limit of a FOR-NEXT loop that is required to POKE the ML routine into memory.

Next are the lines containing the data for the ML program. An example of an ML routine is seen in Program 2, "EXAMPLE.ML." Program 3, "Demo DATA," shows the file produced by BIN2DAT after converting the .COM file produced by an assembler and EXAMPLE.ML. Extra lines have been added to POKE the ML routine into memory and CALL it. Examining these listings should clear up any questions about how to use BIN2DAT.



## How It Works

BIN2DAT is fairly straightforward. Once all the information has been entered by the user, the SHELL command is used to create a file with the directory entry of the ML file. SHELL allows the use of DOS commands from BASIC, but in the DOS 2.0/2.1 generation, it has the flaw of altering memory locations 30H and 31H, which happen to point to the beginning of the BASIC program in memory. To overcome this, the values for these locations are PEEKed before the SHELL command is executed and then POKEd back later.

The next part of the program reads the size of the ML file out of the directory random file which was made by SHELL. Then it begins constructing the DATA statements, which are sent to the output file. The first DATA line has only the count value (described above). Subsequent lines have ten data numbers each. The MOD 10 function checks for the end of a line. When a line ends, it is sent to the output file and a new line is started.

After the ML program has been completely read and the new file is finished, the CLOSE command closes the input and output files, and the program terminates.

Several changes can make BIN2DAT serve your particular needs better. If you usually start your data on some line other than 100, this default value can be changed. Also, the default values for the line increment and numeric base can be changed to make running the program easier. If you want to have more than or fewer than ten items per data line, you can change the number 10 in each MOD function to some other number.

## Program 1: BIN2DAT

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" in this issue of COMPUTE!.

```

LJ 10 DEF SEG
BH 20 KEY OFF
GC 30 ON ERROR GOTO 570
CM 40 :
CF 50 REM Print title and get in
fo
DO 60 :
KN 70 PRINT "Binary to Data Stat
ement Converter"
NR 80 PRINT "(c) Copyright 1986,
Compute! Publications"
FL 90 PRINT
AO 100 INPUT "File to convert: "

```

## Program 2: EXAMPLE.ML

Note: This source code listing is for illustrative purposes only. It requires an assembler to enter.

```

; This is a sample assembly
; language program that will
; be poked in and run from
; BASIC.

prog      segment

          assume  cs:prog,ds:prog

main      proc    far
          push    ax
          push    bx
          push    dx

; Print characters

print:    mov     bx,offset mess1
          mov     dl,cs:cbx1 ;get char
          cmp     dl,0       ;are we through?
          je      exit       ;yes, return
          inc     bx         ;no, get nxt char
          mov     ah,2       ;dos print routine
          int     21h
          jmp     print      ;get more
exit:     pop     dx         ;restore stack
          pop     bx
          pop     ax
          ret

mess1     db 0dh,0ah,'This is output of a'
          db ' sample assembly language'
          db ' program.',0dh,0ah,0dh,0ah
          db 0dh,0

main      endp

prog      ends
          end       main

```

```

,F$OURCE$
BF 110 IF INSTR(F$OURCE$,".COM")
AND INSTR(F$OURCE$,".c
om")=0 THEN PRINT:BEEP:P
RINT "File must have .COM
extension." :END
DO 120 FILE=INSTR(F$OURCE$,".")
-1:FILE$=LEFT$(F$OURCE$,
FILE)+".BAS"
PL 130 PRINT "Data file [" :FILE$
:"]":INPUT " ",FDEST$
NF 140 IF FDEST$="" THEN FDEST$=
FILE$
HF 150 INPUT "Starting line numb
er (100): ",SLN
EO 160 INPUT "Line increment (10
): ",LINC
JF 170 INPUT "Hex/decimal (h): "
,H$
FD 180 IF SLN=0 THEN SLN=100
NC 190 IF LINC=0 THEN LINC=10
SM 200 IF H$="" OR H$="h" OR H$=
"H" THEN H=1
MG 210 :
NG 220 REM Capture directory in
random file
NK 230 :
JA 240 P1=PEEK(&H30):P2=PEEK(&H3
1)
NC 250 SHELL "dir "+F$OURCE$+" >
$$$ztemp"
MS 260 POKE &H30,P1:POKE &H31,P2
OB 270 OPEN "$$$ztemp" FOR INPUT
AS 2
OJ 280 FOR I=1 TO 4:INPUT#2,DMY$
:NEXT
JH 290 INPUT#2,ENTRY$
PL 300 REM Get size of com file
from dir
KO 310 SIZE=VAL(MID$(ENTRY$,16,6
))
NO 320 CLOSE #2 :KILL "$$$ztemp"
NL 330 :
EL 340 REM Open com file and new
dat file
NP 350 :
NF 360 OPEN F$OURCE$ AS 1 LEN=1
MO 370 FIELD 1,1 AS BYTE$
IF 380 OPEN FDEST$ FOR OUTPUT AS
2
LO 390 LINNUM=SLN+LINC
HF 400 LIN$=STR$(SLN)+" DATA"

```

```

10 IF H=1 THEN LIN$=LIN$+" &
  h"+HEX$(SIZE-1) ELSE LIN$
  =LIN$+STR$(SIZE-1)
20 PRINT#2,LIN$
30 LIN$=STR$(LINNUM)+" DATA
  "
40 LINNUM=LINNUM+LINC
50 FOR COUNT=1 TO SIZE
60 GET #1,COUNT
70 WBYTE$=BYTE$
80 IF H=1 THEN NUM$="&h"+H
  EX$(ASC(WBYTE$)) ELSE NUM
  $=STR$(ASC(WBYTE$)):
  NUM$=RIGHT$(NUM$,L
  EN(NUM$)-1)
90 IF COUNT MOD 10>0 THEN
  S20
500 PRINT#2,LIN$+NUM$:LIN$=
  STR$(LINNUM)+" DATA "
60 LINNUM=LINNUM+LINC:GOTO
  530
520 LIN$=LIN$+NUM$+" ",
530 NEXT
540 IF COUNT MOD 10<>1 THEN L
  IN$=LEFT$(LIN$,LEN(LIN$)-
  1):PRINT#2,LIN$
550 CLOSE
560 PRINT:PRINT "File written
  ":END
570 BEEP:PRINT "DOS error - a
  borting.":CLOSE:END

```

# 64 Fleet List

Buck Childress

## Program 3: Demo DATA

For instructions on entering this listing, please refer to "COMPUTE! Guide to Typing in Programs" in this issue of COMPUTE!

```

10 REM This program will pok
  e in an
20 REM assembly language pro
  gram and
30 REM then CALL it.
40
50 DEF SEG=&H1700
60 READ COUNT
70 FOR MEM=0 TO COUNT
80 READ BYTE
90 POKE MEM,BYTE
100 NEXT
110 :
120 SAMPLE=0
130 CALL SAMPLE
140 END
150 :
160 DATA &H55
170 DATA &H50,&H53,&H52,&H88,
  &H19,&H0,&H2E,&H8A,&H17,&
  H0
180 DATA &HFA,&H0,&H74,&H7,&
  H43,&H84,&H2,&HCD,&H21,&HE
  8
190 DATA &HF1,&H5A,&H5B,&H58,
  &HCB,&HD,&HA,&H54,&H68,&H
  69
200 DATA &H73,&H20,&H69,&H73,
  &H20,&H6F,&H75,&H74,&H70,
  &H75
210 DATA &H74,&H20,&H6F,&H66,
  &H20,&H61,&H20,&H73,&H61,
  &H6D
220 DATA &H70,&H6C,&H65,&H20,
  &H61,&H73,&H73,&H65,&H6D,
  &H62
230 DATA &H6C,&H79,&H70,&H6C,
  &H61,&H6E,&H67,&H75,&H61,
  &H67
240 DATA &H65,&H20,&H70,&H72,
  &H6F,&H67,&H72,&H61,&H6D,
  &H2E
250 DATA &HD,&HA,&HD,&HA,&HD,
  &HD

```

*Have you ever wished you could zip forward or backward through a program listing at the touch of a key? That capability is especially valuable when you're writing or debugging a long BASIC program. This Commodore 64 utility lets you do exactly that—scroll a program listing up or down on the screen using the 64's special function keys.*

"Fleet List" simplifies and speeds up the process of editing a BASIC program listing. As a bonus, it can also tell you the current number of lines in a program and is very easy to use.

Since Fleet List is written entirely in machine language, it must be entered using the "MLX" machine language entry program, published elsewhere in this issue. Be sure you have read and understood the instructions for using MLX before you begin entering the data for Fleet List. When you first run MLX, you'll be asked for starting and ending addresses. The proper values for Fleet List are as follows:

Starting address: C000

Ending address: C367

After you have entered all the data

for Fleet List, be sure to use the MLX Save option to store at least one copy of the data before proceeding.

## Scroll In Either Direction

To use Fleet List, load it into memory with LOAD "filename",8,1 (for tape, change the ,8,1 to ,1,1), then type NEW and press RETURN to reset memory pointers. Fleet List is now in memory, but it's not active yet. You should first load the BASIC program you wish to edit, then type SYS 49152 and press RETURN to activate Fleet List. (For the utility to function properly, there must be a BASIC program in memory when Fleet List is activated.) It can handle programs up to 1,600 lines in length (a warning is issued if your program is too long).

To scroll the listing forward, press the f1 function key (the text will be dark gray). To scroll backward, press f3 (the text will be black). To move quickly from one part of the program to another, hold down the Commodore key while pressing f1 or f3. You'll see the line numbers spin past on your screen. When you release the Commodore logo key, Fleet List begins listing from that point onward. At other times you may want a slow-motion listing. To slow down the

scrolling in either direction, press f2 (SHIFT-f1) or f4 (SHIFT-f3).

If you scroll past the end or beginning of your program, Fleet List simply wraps around to the other end of the program. For instance, say that your program starts with line 10 and ends at line 1000. If you scroll forward past line 1000, Fleet List prints a line on the screen as a marker and then begins to list forward from line 10. If you scroll backward past line 10, Fleet List prints a marker line and begins to work downward from line 1000.

Fleet List also provides an easy way to move immediately to the beginning or end of the program. If you press the f7 key, the list starts at the first line in the program. Remember, Fleet List wraps around the ends of the program automatically, so to get to the very last line, simply scroll backward one line from the beginning.

## Line Count

You can find out how many lines you have in your program at any time by pressing the f5 function key. When Fleet List is first activated, it also displays the number of lines in whatever program is currently in memory. As you add and delete lines, the f5 key comes in handy.

Of course, if you're writing a program that uses the function keys for its own purposes, you want to be able to enter them normally in a program line. To allow for this possibility, Fleet List checks for quote and insert modes and does not respond when you're in either mode. When you leave quote or insert mode (usually by pressing RETURN), Fleet List is active again.

Fleet List does not interfere with the process of editing existing program lines, entering new ones, or moving around on the screen with the cursor keys. And there's no need to clear the screen to relist after such activities. Before it begins to list again, Fleet List automatically positions the cursor at the bottom of the screen.

Because Fleet List resides in a memory area that's not normally used by BASIC, you should be able to load and save BASIC programs without disturbing it. However,

before loading or saving, it's a good idea to deactivate Fleet List by pressing RUN/STOP-RESTORE. To reactivate Fleet List, type SYS 49152 and press RETURN.

## Fleet List

For instructions on entering this listing, please refer to the "MLX" article in this issue of COMPUTE!

```

C000:AD 14 03 AE 15 03 C9 5E 4F
C008:D0 04 E0 C0 F0 4F 8D 70 6B
C016:C3 8E 71 C3 20 B0 C2 8C 57
C024:73 C3 8C 74 C3 8C 76 C3 1E
C032:8C 78 F3 C3 8C 79 C3 8C 7E B9
C040:C3 78 F0 A2 0B 8D 20 D0 A1
C048:8D 21 D0 8E 86 02 8E 75 92
C056:C3 20 44 E5 A9 8E 8D 22 D5
C064:FF A9 08 20 D2 FF A0 00 07
C072:20 FB C0 20 18 C3 A9 5E 74
C080:8D 7E C3 A2 C0 78 8D 14 F1
C088:83 8E 15 03 58 60 AD 74 F5
C096:C3 D0 6D A5 D4 D0 66 A5 8C
C104:D8 D0 62 AD 8D 02 C9 03 BC
C112:80 5E A5 C8 C9 40 F0 58 DC
C120:7A C9 01 D0 03 8D 79 C3 C9 D0
C128:03 D0 0C 8D 74 C3 20 B0 85
C136:C2 8C 76 C3 4C A3 C2 C9 D9
C144:09 06 D0 32 8D 74 C3 8D 75 AB
C152:C3 A0 00 8C 7E C3 A5 FB 37
C160:A4 45 FC 48 A9 01 20 FB 61
C168:0C 68 85 FC 68 85 FB A2 19
C176:18 86 C0 8E 7E C3 A0 00 A6
C184:18 20 F0 FF 20 4D C3 20 4A
C192:C8 18 C3 4C A3 C2 C9 04 90 D8
C200:C8 04 C9 06 90 06 8D 78 C3 A3
C208:6C 70 C3 8D 74 C3 AD 78 7C
C216:D8 C3 F0 13 A9 00 8D 73 C3 56
C224:E0 78 C3 A2 18 A0 00 18 45
C232:20 F0 FF 20 4D C3 AC 73 FE
C240:F3 C3 D0 05 AD 79 C3 D0 03 83
C248:7C 7B C1 8C 7C C3 8C 7D 0A
C256:C3 A5 FD 48 A5 FE 48 20 EC
C264:00 C2 A0 01 84 C0 88 81 D2
C272:FB F0 06 20 C4 C2 AC 0A 64
C280:C1 20 C4 C2 20 C4 C2 81 94
C288:FB F0 1E 20 C4 C2 A5 FB 1C
C296:A6 FC 91 FD 20 C8 C2 BA 90
C304:91 FD 20 C8 C2 20 E9 C2 B9
C312:20 C4 C2 20 C4 C2 4C 9A 2B
C320:C1 20 F2 C2 A5 FD A6 FE AB
C328:8D 7A C3 8E 7B C3 A0 00 BE
C336:A5 FE 8D 80 16 E6 FD 56
C344:D0 08 E6 FE A5 FE C9 D0 A0
C352:80 A5 FE 85 C0 98 91 85
C360:F0 4C 56 C1 20 B0 C2 68 9E
C368:F5 85 FE 8D AD 7E C3 43
C376:D0 01 60 A0 01 84 C0 88 FE
C384:AD 74 C3 C9 04 F0 28 8C D3
C392:86 02 AD 76 C3 64 D0 07 07
C400:06 20 F2 C2 20 F2 C2 A5 A5
C408:01 8D 76 C3 20 F2 C2 20 7D
C416:A0 F2 C2 A0 01 B1 FD F0 F4 CE
C424:8A 85 FC 88 B1 FD 85 F0 AC 34
C432:B2 C1 A9 08 8D 86 02 AD A4
C440:76 C3 C9 01 D0 06 20 8B C5
C448:C2 20 C8 C2 A9 02 8D 76 3A
C456:C3 B1 FD 85 FB 20 C8 C2 6D
C464:D0 B1 FD D0 09 20 B0 C2 20 C8
C472:C3 4C C9 C1 85 FC 20 3B
C480:1B C2 AD 8D 02 48 48 D0 38
C488:77 C3 C9 02 D0 08 20 4D A6
C496:F0 C3 A9 91 20 D2 FF B1 FB EA
C504:F8 A4 20 C4 C2 B1 FB 20 CD 2A
C512:00 BD 20 C4 C2 A9 20 20 D2 12
C520:FF 68 AA E0 02 D0 08 A9 18
C528:10 20 D2 FF 20 D2 FF A0 F4
C536:00 81 FB 3D 00 D0 0D DA
C544:00 06 20 C4 C2 4C 17 C2 C9 83
C552:00 90 26 A6 D4 D0 22 38 A7
C560:89 7F AA A6 FF CA F0 08 FE

```

```

C238:C8 B9 9E A0 18 FA 30 F5 31
C246:C8 B9 9E A0 C9 80 06 2E
C254:20 D2 FF 4C 40 C2 38 E9 8E
C262:80 D2 D2 FF 4C C4 C2 4C 5D
C270:17 C2 68 C9 02 80 03 20 8D
C278:4D C3 A5 C9 04 90 31 F9
C286:C9 06 B0 20 8D 74 C3 AD 86
C294:8D 02 C9 02 F0 8A AD 77 19
C298:C3 C9 02 D0 06 20 D3 AE
C306:4C 7B C1 AD 82 F0 FB 6D
C314:C3 82 B0 F7 A2 D0 00 57
C322:E8 D0 FD C8 D0 FA 4C 78 91
C330:C2 AD 77 C3 C9 02 D0 03 9D
C338:20 AD 4D C3 A9 00 85 C6 8D C0
C346:A4 C3 8D 79 C3 6C 70 C3 17
C354:00 A0 00 A2 80 84 FB 86 FD 02
C362:A4 C2 A3 8D 73 C3 85 EC
C370:FC 06 FE 06 E6 FB D0 02 17
C378:FE FC 06 E6 FD FB E6 8D
C386:A5 FE C9 D0 90 F3 20 8C
C394:45 E0 13 C3 A2 08 20 08
C402:41 C3 20 30 C3 C0 00 F0 11
C410:FE FC 7C C3 D0 C2 E6 7D C9
C418:C3 60 A5 FE C9 C4 00 06 DD
C426:A5 FD C9 FF D0 02 C6 FE 5E
C434:60 AD 7A C3 AE 78 C3 85 27
C442:F0 86 FE A9 00 8D 75 C3 97
C450:20 C4 A3 28 A9 2A 20 02
C458:D2 FF CA D0 FA AD 75 C3 B4
C466:F0 23 8E 75 C3 20 4D C3 17
C474:AE 7C C3 AD 7D C3 20 CD 8A
C482:8D A0 20 C1 C3 4C AD 12 13
C490:C3 5D C3 F0 E6 20 C2 D2 D2
C498:FF 8E 4C A1 C3 A9 D0 20 A6
C506:D2 FF A0 00 60 20 4C 49 BA
C514:4E 45 53 D0 00 4F 56 45 C2
C522:52 20 00 00 00 00 00 19

```

C

## COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE! Magazine  
P.O. Box 10954  
Des Moines, IA 50340

or call the Toll Free number listed below.

**Change Of Address.** Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

**Renewal.** Should you wish to renew your COMPUTE! subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

**New Subscription.** A one year (12 months) US subscription to COMPUTE! is \$24.00 (2 years, \$45.00; 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

**Delivery Problems.** If you receive duplicate issues of COMPUTE!, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

**COMPUTE!**  
**1-800-247-5470**  
In IA 1-800-532-1272



# Automatic Typist: Using Apple Exec Files

Mike Miyake

*Although it's often overlooked, the EXEC command offers an easy way to extend the power of Applesoft BASIC. EXEC can read and perform commands directly from a disk file, just as if you'd typed the commands on the keyboard yourself. It can also be used as a convenient, built-in merge command for adding frequently used subroutines to Applesoft programs. The example programs below run on any Apple II-series computer; most work with either DOS 3.3 or ProDOS. A disk drive is required.*

Have you ever wanted to know the address of a machine language program, or the number code for one of the Apple's 16 low-resolution colors? Are you curious about how a particular Applesoft program uses the computer's memory? In most cases finding the answers to such questions means thumbing through a reference book or typing cumbersome statements like `PRINT PEEK(N)+256*PEEK(N+1)` to examine memory. And the PEEK statement usually must be typed in immediate mode, since running a short program to get at the information would destroy any program that's already in memory.

"Automatic Typist" shows you how *exec* files can solve such problems. An *exec* file is simply a text file which you activate with an EXEC command from Applesoft BASIC. It executes like an immediate mode statement—something you type directly on the keyboard, without a line number—but it can

also be saved to disk and reused over and over, just like a program. In effect, *exec* files let you control the computer with disk files that act like immediate commands without disturbing a program that's in memory. We'll show how to put both immediate mode commands and program lines in *exec* files, and provide some useful examples of what *exec* files can do.

## Creating Exec Files

Type in Program 1, then run it once to make sure it works correctly. Run the program and follow the prompts, entering any filename when prompted. Since this is just for practice, it doesn't matter what filename you use. After that's done, exit the program and type CATALOG to view the new file; it should show up as a text (T) file. Now delete the file (it doesn't contain any data, so you're not losing anything of importance).

Once you're satisfied that Program 1 works correctly, it can be used to create *exec* files. An *exec* file ordinarily contains one or more statements in the form of ordinary text. Unfortunately, the Apple II DOS Manual tells you very little about how to create such a file. In most cases the simplest way to do so is within a BASIC program. Program 1 illustrates the basic technique. Once the file has been opened (line 18) and a WRITE statement has executed (line 20), all subsequent PRINT and LIST statements send their output to the disk file instead of to the screen. Other BASIC statements function normally while the output of PRINT and LIST is being diverted. When the

file is closed (line 1000), PRINT and LIST resume their normal functions.

Program 1 provides you with a template program for creating *exec* files. It lets you choose a filename, opens the file, and prepares it for writing. To use this program, you need only add appropriate PRINT and/or LIST statements in new lines between lines 20 and 1000 of the template.

Let's try a simple example. Load Program 1, then type in the lines listed in Program 2. The object is to add the lines from Program 2 to the template program. The initial PRINT statements in lines 50-70 write the commands bracketed inside quotes to the disk file. In cases where the *exec* file itself will contain PRINT statements, it's necessary to write quote characters to the file as well. This is done in line 70 with the variable Q\$, which Program 1 defines as CHR\$(34) in line 10.

After you finish adding the lines from Program 2, run the program. Enter the filename CC when asked for a filename, then press the space bar when prompted. The text inside quotes in lines 50-70 is written to a disk file named CC. To execute this file, exit the program and type EXEC CC. It displays all 16 low-resolution colors in vertical bars on the screen, with a matching number code directly beneath each color bar.

If the CC file doesn't work properly, delete it and repeat the process. If you want to use the same filename (the normal case), it's necessary to delete the old version of a text file before writing an updated version of the file to disk. Unlike

BASIC program files, which automatically replace an existing file with a new file of the same name, text files simply append new information to the end of the existing file.

## A Program-Writing Program

The previous example printed immediate mode statements (comments without line numbers) to the exec file. But you can also print numbered program lines to a file. For instance, reload Program 1 and add this line:

```
40 PRINT "100 TEXT:HOME"
```

Run the program and write the file to disk using the filename HOMER. It creates a text file consisting of the BASIC program line 100 TEXT:HOME (we'll explain below why you might want to create this type of file). Although you can write program lines to a disk file with PRINT, it's often more convenient to use LIST instead. One advantage of doing so is that you can type the lines exactly as they normally appear without having to enclose everything in PRINT statements.

To illustrate, let's create the HOMER exec file with LIST instead of PRINT. DELETE the HOMER file from your disk, then reload Program 1 and enter these new lines:

```
21 REM CAPTURE BASIC
22 REM PROGRAM LINES
23 LIST 24,999: GOTO 1000
100 TEXT:HOME
```

The LIST command in line 23 writes every program line from 24 to 999 to the disk file. The GOTO command branches around the data (one line in this case) that we're writing to disk. One disadvantage of this technique is that the lines to be written to disk must fall between 24 and 999, inclusive. By renumbering either the template program or the lines to be written, you should be able to overcome this problem in most cases.

## Merging Common Subroutines

Since the EXEC command is analogous to typing, an exec file is a good place to save commonly used subroutines for reuse in different programs. This makes it easy to merge the subroutine contained in the exec file with a program already in

memory. To bring the lines into memory, simply type EXEC *filename*. As long as the exec file contains no lines numbered the same as those in the current program, the new lines are added without disturbing the program in memory.

To illustrate, let's save Program 1 in exec file form. Reload Program 1, then add this line:

```
25 LIST 1,20:LIST 1000,
```

Now run the program, entering C.LINES when prompted for a filename. Exit the program, then type NEW, followed by LIST to confirm that no program is in memory. Type EXEC C.LINES and press RETURN. Several bracket prompts will scroll past as the computer enters each program line automatically. When the cursor reappears, type LIST. Program 1 is back in memory, just as if you had typed each line manually.

It's not difficult to see how much programming time this method could save, particularly if you build up a library of commonly used subroutines that each use different ranges of line numbers.

## Last BLOAD

Program 3 is an exec file that comes in handy in many different situations. Its purpose is to tell you the load address and length of the last file that was BLOADED into memory. Knowing this information lets you run machine language programs immediately with a CALL statement, or copy them without using DOS 3.3's FID utility. Unlike the other examples presented here, this one is for DOS 3.3 only—it does not work with ProDOS.

The procedure for creating this file should be familiar by now: Reload Program 1, add the lines listed in Program 3, then run the program. This exec file uses pointer locations applicable to a 48K Apple II. If you have a 16K or 32K system, change the pointer locations as shown here:

```
32K: address=PEEK(27250)+256*PEEK(27251)
length=PEEK(27232)+256*PEEK(27233)
16K: address=PEEK(10866)+256*PEEK(10867)
length=PEEK(10849)+256*PEEK(10849)
```

## Memory Map

Program 4 contains the lines to add to Program 1 to create another useful exec file. This one shows the

memory locations of the current BASIC program and its strings and variables. To use it, load and run the BASIC program you're curious about, then type EXEC *filename* in immediate mode. The pointer locations used by this file are discussed on page 140 of the *AppleSoft II BASIC Reference Manual*.

For instructions on entering these listings, please refer to "COMPUTE!'S Guide to Typing in Programs" in this issue of COMPUTE!.

## Program 1: Exec File Maker

```
00 10 D$ = CHR$(4):G$ = CHR$(13)
4)
55 11 TEXT : HOME : HTAB 15: PRINT "MAKE FILES:"
60 12 VTAB 6: INPUT "FILENAME: "
:N$: IF LEN(N$) = 0 THEN
12
02 14 HTAB 1: VTAB 8: CALL - 950
FE 16 PRINT "INSERT NON-WRITE PROTECTED DISK": PRINT "AND PRESS SPACE BAR WHEN READY": PRINT "PRINT" =>
: GET A$
9C 18 PRINT D$"OPEN"N$: PRINT D$ "CLOSE"
E5 20 PRINT D$"OPEN"N$: PRINT D$ "WRITE"N$
61 1000 PRINT D$ "CLOSE"
55 1002 VTAB 14: PRINT "DO IT AGAIN?": GET A$
90 1004 IF A$ = "Y" THEN 14
F2 1006 END
```

## Program 2: Color Chart

```
49 REM CC.LINES
50 PRINT "TEXT:GR"
60 PRINT "FOR=1:TO15:COLOR=1:VL IN20,39 AT2:1:VLIN20,39 AT 2 #1:1:NEXT"
70 PRINT "PRINT"Q$"0 2 4
6 8 10 12 14"Q$:PRINT
"Q$ 1 3 5 7 9 11
13 15"Q$
```

## Program 3: Last BLOAD

```
49 REM LAST BLOAD / 3.3 DOS/48 K
50 PRINT "TEXT:HOME"
100 PRINT "PRINT"Q$"LAST BLOAD"
Q$":PRINT:PRINT"Q$"M/L FILE : ADDRESS = "Q$":PEEK(-21982)+256*PEEK(-21981):HTAB12:PRINT"Q$"LENGTH = "Q$":PEEK(-21920)+256*PEEK(-21919)"
```

## Program 4: Memory Map

```
49 REM MEMORY MAP
50 PRINT "TEXT:HOME"
60 PRINT "PRINT"Q$"MEMORY MAP"Q$":PRINT:PRINT"Q$"HIMEM"Q$":PRINT"Q$"STRINGS (DOWN TO):"Q$":PRINT"Q$"(FREE SPACE)"Q$":PRINT"Q$"ARRAYS, POINTERS"Q$":PRINT "Q$"& VARIABLES (UP TO):"Q$":PRINT"Q$"LOMEM"Q$":PRINT"Q$"PROGRAM LINES TO : "Q$
70 PRINT "POKE32,22:VTAB3:PRINT:PRINT:PRINTPEEK(115)+256*PEEK(116):PRINTPEEK(111)+256*PEEK(112):PRINT:PRINT:PRINTPEEK(109)+256*PEEK(110):PRINTPEEK(105)+256*PEEK(106):PRINTPEEK(175)+256*PEEK(176)"
B0 PRINT "POKE32,0" ©
```

# Atari Password

Glenn Anderson

*Would you like to protect a diskful of important programs from prying eyes? If so, here's a solution that discourages all but the most determined snoops: a security program that denies access to your disk unless the correct password is entered. Even if someone boots from a different disk and bypasses the security program, your BASIC listings remain unreadable. For all Atari 400/800, XL, and XE computers with at least 24K RAM, a disk drive, and Atari DOS 2.0, 2.5, or 3.0.*

Most people at one time or another have felt the need to protect their programs from prying eyes. At first the solution seems simple: When the program starts, it can ask the user to type in a code which is then compared to a password embedded in the program. If the user fails to enter the right password, the program can end with a NEW command, erasing itself from memory.

This might deflect a rank beginner, but not many other computer users would be fooled. Anyone could obtain the password merely by stopping the program with the BREAK key, typing LIST, and reading through the listing. A password serves no purpose if it can be found so easily.

To keep people from stopping the program and scanning the list-

ing, you can disable the BREAK key by adding this line:

**1 POKE 16,64:POKE 53774,64**

Now if the user hits BREAK, nothing happens.

The next thing a persistent person will do, however, is press the Atari's SYSTEM RESET button. The computer does what is called a warm start, and the program stops. Since the program is still in memory, the user can type LIST and start looking for the password.

To prevent this from happening, you can add this line:

**2 POKE 580,1**

Now when SYSTEM RESET is pressed, the computer does a cold start instead of a warm start. It has the same effect as switching the power off and then on again, erasing any program in memory, re-booting the disk operating system (DOS), and loading and running an AUTORUN.SYS file if one is present on the DOS disk. With BREAK and SYSTEM RESET now safely disabled or trapped, the user can't stop your program and discover the secret password.

## It's Still Vulnerable

But that assumes your program is running. The user can simply load the program without running it, then type LIST. To prevent this, you could make the BASIC program run automatically on power-up by writing a machine language

booter or creating an AUTO-RUN.SYS file with the autobooting utility included with DOS 2.5. Whenever the computer is booted with this disk, the program automatically runs, and the user must enter the correct password to gain access to the rest of the program.

This works if the user boots with that disk. But what's to stop people from booting with another disk? They can easily gain control of BASIC, insert your disk, load your program, and find the password.

What's really needed is a way to save the program so that it can be run but not loaded. A method for this has already been found and published by COMPUTE! Books in *Mapping the Atari*, and similar solutions have appeared in other publications. To protect a program from being loaded, these two lines must be added:

```
32766 FOR VARI=PEEK(130)+PEEK(131)
      *256 TO PEEK(132)+PEEK
(133)*256:POKE VARI,155:NEXT
VARI
32767 POKE PEEK(138)+PEEK
(139)*256+2,0:SAVE
"D:\filename.ext":NEW
```

It is important to make these the last two lines in the program. The first line fills the variable name table with RETURN characters. The second line finds the location in memory of the current statement line—line 32767 in this example—and POKES the value of zero into the length of that line. Now, when



the computer tries to access a statement with a line number higher than 32767, it gets caught at line 32767 when searching for the line.

This keeps the program from being loaded because of the way Atari BASIC handles an immediate mode command—it treats the immediate mode line as if it were numbered 32768. Since 32768 is higher than 32767, the computer never finds the immediate mode line and never executes it. Therefore, unless the computer is executing the program, the system is effectively crashed because nothing can be done in immediate mode. With this done, the only way to get the program into memory without crashing the system is to run the program at the same time it is loaded from disk: RUN "D:\filename.ext".

To lock and save a program in this manner, you enter GOTO 32766. The routine saves the program with the filename you specified in line 32767. It also erases the program from memory with NEW, so it's a good idea to save an unprotected copy on another disk before protecting it in case the program needs revisions or debugging.

### The Keeper Of The Keys

Now we've got the basis of a password program that can be used to keep out unwanted users. And, thanks to the AUTORUN.SYS loader, the program runs automatically when the disk is booted.

Another idea is to make this autoboot program a menu program that can run other protected programs. This saves the trouble of adding a password procedure to all the protected programs on the disk. To let the other programs know that the user has successfully entered the correct password, the menu program can POKE some arbitrary but predetermined number into any location in an area of memory that is not erased when a new program runs. Then the first line of the new program can check this location for the proper value. If the location does not hold the correct value, the program can stop with a NEW command or rerun the menu program.

You might also want to make the other programs rerun the menu program when they're finished. If

this is done, it's wise to have the menu program check the secret memory location for the desired value again so that it knows whether the password has been successfully entered already. If it has, the menu program can skip over the password procedure.

"Atari Password," listed below as Program 1, does all this and a little more. It also includes a way to change the password and unprotect the program.

When typing Program 1, be especially careful with the DATA statements in lines 1-6. They contain information for restoring the variable name table when unprotecting the program.

The initial password is in line 120: ENTER. Type this line exactly as it appears. If you want to change the password later, do it with the option provided for this purpose when running Atari Password, not by changing line 120.

### Creating A Password Disk

When you've finished typing in Program 1, follow these steps before running the program:

1. LIST at least one copy of Atari Password on a backup disk with the command LIST "D:\filename.ext". Retain this copy as your unprotected backup. Use any filename you like except AUTORUN.BAS, because that's the name used by the protected version of Atari Password.

2. Don't run the program yet. After saving your backup, type NEW to erase it from memory. Then type in Program 2, "Autoboot Maker," and save at least one copy of that program on your backup disk. Don't run this program yet, either.

3. Type NEW to erase Program 2 from memory. Reload Atari Password (Program 1) from your backup disk with the command ENTER "D:\filename.ext". This ensures that the variable name table will be in the proper state so that the program can be unprotected properly.

4. Now you're ready to create a protected version of Atari Password. Insert a formatted disk that contains Atari DOS 2.0, 2.5, or 3.0. This will be your protected password disk.

5. Type GOTO 9500 and press RETURN. After a brief pause, Atari Password saves a protected version of itself on the disk with the filename AUTORUN.BAS. When it's done, it erases itself from memory.

6. Remove the password disk and insert the backup disk. Load Program 2.

7. Remove the backup disk and insert the password disk. Run Program 2. It creates an AUTORUN.SYS file on the password disk and informs you when it's done. If you've made a typing mistake in the DATA statements, it notifies you of your error. On power-up, this AUTORUN.SYS file runs a BASIC program named AUTORUN.BAS—the protected version of Atari Password. (Note that if there's already an AUTORUN.SYS file on the disk, it will be replaced by this AUTORUN.SYS. Rename or move the existing AUTORUN.SYS to another disk if you don't want to lose it.)

8. The password disk is now prepared. To confirm that Atari Password is working properly, turn the power off, then on again to boot the disk. Atari Password should automatically load and run. You should be able to gain access to the program by typing the default password, ENTER, and then pressing the START button (do not press RETURN). Type the password carefully; the actual keys you press are not echoed on the screen, so it's easy to make a typing mistake. The SELECT button backspaces, and OPTION erases the entire input line. If you accidentally hit the CAPS key, the program may not recognize your password; uppercase and lowercase are significant. If the program denies access with a LOCKOUT message, press START to try again or SYSTEM RESET to reboot.

### Using Atari Password

Once you've gained access, Atari Password presents a short menu. Press 1, 2, or 3 for your choice:

- 1 EXIT TO BASIC
- 2 CHANGE PASSWORD CODE
- 3 DISK DIRECTORY

Option 1 exits Atari Password, erases the program from memory,

and leaves you in BASIC.

Option 2 lets you change the password from the default—ENTER—to anything you wish. When using this option, make sure you have the password disk inserted in the drive. It rewrites the part of Atari Password which checks for the code word. You can enter any combination of letters or numbers for the password, but it should be no more than 28 characters long.

Option 3 calls up a disk directory on the screen. From this directory, you can load and run any BASIC program saved on the disk. To pick a program, move the arrow pointer with the cursor keys (you don't have to hold down CTRL as you normally do when moving the cursor in BASIC). Then press RE-

TURN. If Atari Password can't load and run the program for some reason—perhaps it's not a BASIC program, or it's saved in LIST format—you're informed of this and allowed to pick another program. To return to the main menu, press the SELECT button.

## Protecting BASIC Programs

To protect an ordinary BASIC program and make it dependent on Atari Password, follow these steps:

1. Type in these three lines and LIST them to disk:

```
0 IF PEEK(1612)<>126 THEN RUN"D:
AUTORUN.BAS"
32766 FOR VARI=PEEK(130)+PEEK
(131)*256 TO PEEK(132)+PEEK
(133)*256:POKE VARI,155:NEXT
VARI
```

32767 POKE PEEK(138)+PEEK(139)\*  
256+2,0:SAVE"D:\filename.ext"  
:NEW

(Notice line 0; it checks to see whether memory location 1612 contains the value 126. If not, it reruns Atari Password, a protection technique that we mentioned above. If you change Atari Password to put a different number in this location, or if you change the location, be sure to make the change here also.)

2. Load the BASIC program you want to protect. Be sure it doesn't already contain lines numbered 0, 32766, or 32767. Then merge the above lines with your BASIC program by ENTERING the lines from disk.

3. Change the *filename.ext* in line 32767 to whatever name you wish to use for the protected version of your program.

4. Make sure the password disk is inserted in the drive. Type GOTO 32766 and press RETURN. When the READY prompt reappears, the program is protected. Now it can be run only after the password has been successfully entered with Atari Password.

Some password-protected programs have what's known as a *back door*. This is a secret way to bypass the protection. Atari Password doesn't have a back door, but it does have a secret feature that lets you exit the password program to BASIC without erasing the program from memory. When the main menu is on the screen, press the S key and wait. After five or ten seconds, the buzzer sounds. Then press the B key. You'll find yourself in BASIC with the password program intact.

For instructions on entering these listings, please refer to "COMPUTE's Guide to Typing in Programs" in this issue of COMPUTE.

## Program 1: Atari Password

```
PC 1 DATA 84,82,83,197,70,83
,74,83,197,83,84,65,82,
212,83,69,76,69,67,212,
79
PC 2 DATA 80,84,73,79,206,84
,82,89,164,67,79,68,69,
164,67,164,68,73,82,164
PC 3 DATA 69,78,84,164,80,82
,164,208,75,69,89,80,82
,69,83,83,69,196,67,79
PC 4 DATA 78,83,79,204,193,2
01,217,78,67,164,68,79,
```

## How It Works

Here's a breakdown of Atari Password:

### Lines

- 1-6 These are DATA statements to refill the variable name table.
- 60-110 Initialization. Note the variables TRUE and FALSE which assign values to Boolean variables.
- 120 Contains the password. See explanation below for lines 6000-6080.
- 500 Checks to see whether the program has been previously run. If not, it checks for password. The memory address (1612) and code value (126) in this line can be changed to any free location and value that you would like, but be sure to reflect your change in line 5000 also.
- 510 The program reaches here only if the correct password has been entered. If so, it jumps to the main menu.
- 1000-1160 The main loop of the password-checking routine.
- 1200-1220 Backs up one space if SELECT is pressed while a password is being entered.
- 1300 Erases the entire input line if OPTION is pressed while a password is being entered.
- 1500-1510 Checks for the correct password if START is pressed.
- 1600-1650 Sounds alarm and displays the LOCKOUT message until START is pressed if the incorrect password is entered.
- 1999 Returns from the password-checking routine.
- 2000-2010 Fills the screen with inverse spaces.
- 2500-2600 Gets the actual password code from C\$ and puts it in CODE\$.  
3000-3210 Main menu section.
- 6000-6080 This routine changes the password code. It does this by opening Atari Password on disk for read and write and searching for the occurrence of the two Z's that can be seen in line 120. When it finds this flag, it writes the new password code to disk. Something to note is the #16 in line 6005; this suppresses the question mark which is the normal INPUT prompt.
- 7000-7460 This routine calls the disk directory. It prints the directory on the screen along with an arrow-shaped pointer that can be moved to the desired filename. RETURN runs the selected program. If the entire directory cannot fit on the screen, the message <MORE> appears. Press START to see the rest of the directory or SELECT to go back to the main menu. This routine can be removed and used in your own programs, but remember to DIMENSION the variables DIR\$, ENT\$, and PR\$, and use a GRAPHICS 0 statement, because the routine uses LOCATE to read the filename from the screen.
- 9000-9030 Restores the program to BASIC with the listing intact. This is done by refilling the variable name table with its original values, which are stored as DATA statements. Then it POKES the correct length into line 5010. For this reason, you shouldn't change any of the variables in this program.
- 9500-9510 This short routine creates the protected version of the password program on disk.

```

78,197,68,77,65,216,77,
79
IS 5 DATA 82,197,68,84,79,20
8,66,79,212,216,68,69,2
04,79,217,79,216,214,88
,67
JP 6 DATA 200,69,216,88,177,
83,212,76,201,86,65,82,
201,202
JN 60 OPEN #1,4,0,"K:"
BJ 70 GRAPHICS 0:POKE 92,2
AA 80 POKE 580,1:POKE 16,64:
POKE 53774,64
LS 90 SETCOLOR 4,10,0:SETCOL
OR 2,10,0
PJ 100 TRUE=(1=1):FALSE=(1=0
):START=6:SELECT=5:OP
TION=3
CD 110 DIM TRY$(30),CODE$(30
),C$(32),DIR$(1235),E
NT$(17),PR$(14),NC$(3
0)
NH 120 C$="ZZENTER*****
*****"
GA 500 IF PEEK(1612)<>126 TH
EN GOSUB 2500:GOSUB 1
000:POKE 1612,126
JC 510 GOTO 3000
JA 997 ENO
PN 999 REM GET PASSWORD CODE
LN 1000 POKE 752,1:GOSUB 200
0:POSITION 2,2:?"ESC
":?"ESC":POSITION 7,2
FN 1010 P=0:TRY$=""
NP 1040 P=P+1:KEYPRESSED=FA
LSE
DN 1045 IF P=30 THEN 1300
CL 1050 IF PEEK(764)<>255 AN
D PEEK(764)<>154 THE
N KEYPRESSED=TRUE
FC 1060 CONSOL=PEEK(53279)
QJ 1065 IF CONSOL=START THEN
1500
BE 1070 IF CONSOL=SELECT THE
N 1200
DD 1075 IF CONSOL=OPTION THE
N 1300
DG 1100 IF NOT KEYPRESSED T
HEN 1050
SE 1110 GET #1,A
FJ 1130 TRY$(P)=CHR$(A)
NP 1140 PRINT "■";
NG 1160 GOTO 1040
DE 1198 REM BACKSPACE
HK 1200 IF P<=1 THEN GOTO 10
50
EP 1210 P=P-1:TRY$(P)="":?"
(BELL)(LEFT)■(LEFT)";
NE 1220 GOTO 1050
EH 1298 REM CLEARLINE
EQ 1300 POSITION 7,2:FOR I=1
TO P:?"■":NEXT I:
TRY$="":POSITION 7,2
:P=1:GOTO 1050
DK 1498 REM CHECK ENTERED CO
DE
FK 1500 PRINT "(ESC
(CLR TAB))";:FOR I=1
TO 200:NEXT I
CH 1505 IF TRY$<>CODE$ THEN
1600
NH 1510 GOTO 1999
IS 1598 REM NO 8000
LN 1600 GOSUB 2000:POSITION
16,12:?"■(0000)";
HF 1610 SOUND 1,50,10,10:POK
E 755,2:FOR I=1 TO 5
0
JH 1620 IF PEEK(53279)<>STAR
T THEN NEXT I
KB 1630 SOUND 1,100,10,10:PO
KE 755,0:FOR I=1 TO
50
NE 1640 IF PEEK(53279)<>STAR
T THEN NEXT I:GOTO 1
610
FP 1650 POP :SOUND 1,0,0,0:P
OKE 755,2:GOTO 1000
LN 1999 RETURN
HH 2000 ? "(CLEAR)":FOR Y=1
TO 23:?" "
{38 53279}";:NEXT Y
RETURN
KD 2010
IH 2500 P=3
NH 2510 IF C$(P,P)="* " THEN
2600
NJ 2520 CODE$(P-2)=C$(P,P)
AD 2530 P=P+1
NN 2540 GOTO 2510
KI 2600 RETURN
PF 2998 REM MENU
GA 3000 PRINT "(CLEAR){38 N}
";
NK 3010 PRINT "{18 SPACES}ME
NU"
LP 3020 PRINT "{38 M}";
AI 3040 PRINT " 1 EXIT TO 8A
SIC"
PP 3050 PRINT " 2 CHANGE PAS
SWORD CODE"
KN 3060 PRINT " 3 DISK DIREC
TORY"
DK 3070 PRINT "{38 N}";
BN 3080 GET #1,A
BA 3090 IF A=ASC("S") THEN G
OSUB 9000
LN 3100 IF A=ASC("B") AND LI
=-999 THEN GRAPHICS
0:ENO
LO 3200 IF A<49 OR A>51 THEN
3000
CA 3210 DN A-48 GOTO 5000,60
0,7000
FL 5000 GRAPHICS 0:POKE 580,
0:POKE 1612,0:NEW
MG 5999 REM CHANGE CODE WORD
OP 6000 POKE 752,0
NF 6005 ? "(CLEAR)ENTER NEW
CODE PASSWORD(S)":;I
NPUT #16,NC$
FJ 6010 OPEN #2,12,0,"O:AUTO
RUN,BAS"
AB 6020 IF LEN(NC$)>29 THEN
NC$(29)=" "
SL 6030 FOR I=LEN(NC$)+1 TO
30:NC$(LEN(NC$)+1)="
*":NEXT I
JI 6040 GET #2,A:IF A=90 THE
N GET #2,A:IF A=90 T
HEN 6060
NG 6050 GOTO 6040
NC 6060 FOR I=1 TO 30:PUT #2
,ASC(NC$(I,1)):NEXT
I
JI 6070 CLOSE #2
PA 6075 POKE 752,1
NK 6080 GOTO 3000
KA 6999 REM DIRECTORY ROUTIN
E
HP 7000 OPEN #5,6,0,"O:*.*
DIR$(1)="":DIR$(123
5)="":DIR$(2)=DIR$
ONE=FALSE
PE 7030 POKE 752,1
II 7040 P=0
NF 7050 P=P+1
HO 7060 INPUT #5,ENT$
HO 7070 IF ENT$(5,8)="FREE"
THEN ONE=TRUE
NH 7080 IF ONE THEN 7110
PB 7090 DIR$(P#19-18,P#19)=E
NT$
NN 7100 GOTO 7050
II 7110 CLOSE #5:OMAX=P
BD 7120 P=1:MORE=FALSE:IF OM
AX=0 THEN MORE=TRUE
FN 7130 OTOP=40:IF NOT MORE
THEN OTOP=OMAX
BH 7140 POKE 82,2:POKE 83,39
:PRINT "(CLEAR)
{13 53279} DIRECTORY
{15 SPACES}"
JL 7150 PRINT DIR$(P,OTOP#19
):;:IF OTOP/2<>INT(OT
OP/2) THEN PRINT
DA 7160 BOT=PEEK(84)-1
KA 7170 ? "{36 R}";:IF MORE
THEN POSITION 17,22
:PRINT "{MORE}";
BK 7180 X=1:Y=1:POSITION X,Y
:?" (ESC){RIGHT}"
HI 7190 KEYPRESSED=FALSE
DG 7210 IF PEEK(764)<>255 TH
EN KEYPRESSED=TRUE
FG 7220 CONSOL=PEEK(53279)
MG 7230 IF CONSOL=START AND
MORE AND P<>1 THEN 7
120
KC 7240 IF CONSOL=START AND
MORE THEN P=(OTOP+1
)*19+1:OTOP=OMAX:GOTO
7140
BG 7245 IF CONSOL=SELECT THE
N 3000
FL 7250 IF KEYPRESSED THEN 7
270
NC 7260 GOTO 7210
IC 7270 OY=Y+1:OY=X
EN 7280 GET #1,V:IF V=45 THE
N Y=Y-1:IF Y<1 THEN
Y=1
NE 7290 IF V=61 THEN Y=Y+1:I
F Y>80 THEN Y=80
HJ 7300 IF V=43 OR V=42 THEN
XCH=XCH+1:IF XCH/2=
INT(XCH/2) THEN X=1:
GOTO 7320
BE 7310 IF V=43 OR V=42 THEN
X=20
JH 7320 IF V=155 THEN 7350
PH 7330 POSITION OX,OY:?" "
:POSITION X,Y:?"
(ESC){RIGHT}"
NI 7340 GOTO 7190
PP 7350 EX=0:PR$="O":FOR X1
=X+3 TO X+13
NH 7360 LOCATE X1,Y,V:IF V=3
2 THEN 7400
BP 7370 PR$(LEN(PR$)+1)=CHR$(
V)
AF 7380 IF X1=X+10 THEN 7400
NK 7390 GOTO 7430
MK 7400 IF EX=1 THEN EX=0:GO
TO 7420
KL 7410 X1=X+11:LOCATE X1,Y,
V:IF V>32 THEN PR$(
LEN(PR$)+1)="":X1=X
1-1:EX=1:GOTO 7430
NF 7420 GOTO 7440
JB 7430 NEXT X1
ML 7440 TRAP 7450:RUN PR$
EK 7450 POSITION 13,23:?"CA
NNOT BE RUN":GET #1
,A
NE 7460 GOTO 7120
LD 8990 REM
FM 8991 REM THIS ROUTINE IS
NOT ON THE MENU
AD 8992 REM IT RESTORES THE
PROGRAM TO BASIC WIT
H
HP 8993 REM THE LISTING INTA
CT
OD 8994 REM TO USE THIS OPTI
ON PRESS S AT THE ME
NU

```





# ProDOS File Converter For Apple SpeedScript

Leh-Wen Yau

*This program speeds up conversions between ASCII text files and files compatible with the SpeedScript 3.0 word processor, which was published in the June 1985 issue of COMPUTE! and is also available in book form (SpeedScript: The Word Processor for Apple Personal Computers, COMPUTE! Books). The new converter program works on all Apple IIe and IIfx computers with ProDOS.*

Apple SpeedScript 3.0 (COMPUTE!, June 1985) is such a powerful word processor that many people, including myself, rely on it heavily for their word processing needs. I use the ProDOS version because it handles larger documents than the DOS 3.3 version. Written entirely in machine language, SpeedScript is efficient and fast.

However, the same cannot be said for the "SpeedScript File Converter" program, which lets you convert ASCII text files into SpeedScript files and vice versa. It's written in Applesoft BASIC and takes quite a few minutes to convert documents of any substantial size. Fortunately, it's not difficult to speed up the SpeedScript File Converter with the help of a short machine language routine. The modified File Converter completes its job within seconds, no matter how large a document is.

To see for yourself, type in and save Program 1 at the end of this article. When you run this program, it writes the machine language routine to disk under the filename SS.CONVERT. (Because Program 1 creates a file named SS.CONVERT, you must not use this name for Program 1 itself when you save it to disk.) You don't need to run Program 1 every time you want to use File Converter, just once to write

the SS.CONVERT routine for File Converter to use. Then type in Program 2, the complete new version of the File Converter.

If you already have the old File Converter on disk, you can save some typing by modifying it rather than entering Program 2. Just follow these steps:

1. Type in and save Program 1, then run it to create the disk file named SS.CONVERT.
2. Delete lines 150 through 180 from the old File Converter.
3. Delete lines 240 through 260 from the old File Converter.
4. Add the following three lines to the Converter:  
1 PRINT CHR\$(4);"BLOAD  
SS.CONVERT"  
150 CALL 768,8192,L-1  
240 CALL 768,8192,L-1
5. Save the modified Converter on the same disk as the SS.CONVERT file.

When you run the modified Converter, it BLOADs the machine language routine from disk. It works just the same as the old File Converter in all other respects.

For instructions on entering these listings, please refer to "COMPUTE's Guide to Typing in Programs" in this issue of COMPUTE!

## Program 1: Speed-Up Routine Generator For File Converter

```

8A 10 FOR I = 768 TO 1 + 145: RE
AD A: PDKE I, A: NEXT
9A 20 PRINT CHR$(4);"BSAVE SS.C
ONVERT,A$300,L$92"
EE 30 END
J1 100 DATA 32,183,0,201,44,208,
3,32,190,222,32
F8 110 DATA 103,221,32,82,231,16
5,80,133,250,165,81
JF 120 DATA 133,251,32,190,222,3
2,183,221,32,82,231
IF 130 DATA 165,80,133,252,165,8
1,133,253,32,190,222
8A 140 DATA 32,248,230,224,1,208
,46,160,0,165,251
    
```

```

01 150 DATA 197,253,208,6,165,25
0,197,252,240,31,177
09 160 DATA 250,201,60,208,6,169
,13,145,250,208,4
03 170 DATA 41,127,145,250,24,16
5,250,105,1,133,250
20 180 DATA 165,251,105,0,133,25
1,208,213,96,224,0
36 190 DATA 208,251,160,0,165,25
1,197,253,208,6,165
40 200 DATA 250,197,252,240,237,
177,258,201,13,208,6
08 210 DATA 169,60,145,250,208,4
,9,128,145,250,24
70 220 DATA 165,250,105,1,133,25
0,165,251,105,0,133
4A 230 DATA 251,208,213
    
```

## Program 2: SpeedScript File Converter For ProDOS

```

E7 1 PRINT CHR$(4);"BLOAD SS.CDN
VERT
4A 10 HOME
52 20 D$ = CHR$(4)
25 40 PRINT "DO YOU WANT TO:"
A6 50 PRINT "(1) MAKE A SPEEDSC
RIPT FILE INTO A TEXT
FILE"
4E 60 PRINT "(2) MAKE A TEXT FI
LE INTO A SPEEDSCRIPT
FILE"
67 70 GET A$:A = VAL(A$)
07 80 IF A < 1 AND A < 2 THEN
N 70
45 90 DN A:GOTO 100,200
53 100 PRINT "ENTER SPEEDSCRIPT
FILE NAME: INPUT ":"A$
09 110 PRINT "ENTER TEXT FILE NA
ME TO CREATE: INPUT ":"B$
7E 120 PRINT D$;"BLOAD ":"A$";A$
2000"
A4 125 L = PEEK(48859) + PEEK(
48860) * 256 + 8192
28 150 CALL 768,8192,L-1,1
C9 190 PRINT D$;"CREATE ":"B$";T
EXT"
F5 195 PRINT D$;"BSAVE ":"B$";A$
2000,E";L-1;";TTXT"
83 196 END
60 200 PRINT "ENTER TEXT FILE NA
ME: INPUT ":"B$
6E 210 INPUT "ENTER SPEEDSCRIPT
FILE NAME TO CREATE ":"B$
25 220 PRINT CHR$(4);"BLOAD ":"B
$";A$2000,TTXT"
93 230 L = PEEK(48859) + PEEK(
48860) * 256 + 8192
17 240 CALL 768,8192,L-1,0
1A 245 IF PEEK(I) = 141 THEN PD
KE I,60
4A 295 PRINT D$;"BSAVE ":"A$";A$
192,E";L-1
84 296 END
    
```

# HOTWARE: Software Best Sellers

Systems

This Month	Last Month	Title	Publisher	Remarks	Apple	Atari	Commodore	IBM	Macintosh
<b>Entertainment</b>									
1.	1.	<i>Ultima IV</i>	Origin Systems, Inc.	Fantasy game	•	•	•		
2.		<i>Gato</i>	Spectrum Holobyte	Submarine simulation	•		•	•	•
3.		<i>Hardball</i>	Accolade	Baseball game	•		•		
4.		<i>Bard's Tale</i>	Electronic Arts	Fantasy/role-playing game	•		•		
5.		<i>Flight Simulator</i>	Microsoft	Aircraft simulation				•	
<b>Education</b>									
1.	2.	<i>Math Blaster!</i>	Davidson	Introductory math program, ages 6-12	•	•	•	•	
2.	1.	<i>Typing Tutor III</i>	Simon & Schuster	Typing instruction program	•		•	•	•
3.	4.	<i>New Improved MasterType</i>	Scorborough	Typing instruction program	•	•	•	•	•
4.	3.	<i>Music Construction Set</i>	Electronic Arts	Music composition program	•	•	•		
5.		<i>Homework Helper: Math Word Problems</i>	Spinnaker	Math tutorial, high school level	•	•	•	•	
<b>Home Management</b>									
1.	1.	<i>Print Shop</i>	Broderbund	Do-it-yourself print shop	•	•	•		
2.	2.	<i>The Newsroom</i>	Springboard	Do-it-yourself newspaper	•		•	•	
3.	5.	<i>Swiftax</i>	Timeworks	Tax preparation program	•		•	•	
4.	4.	<i>Print Shop Graphics Library</i>	Broderbund	100 additional graphics	•	•	•		
5.		<i>Paperback Writer</i>	Digital Solutions	Word processing program			•		

Copyright 1986 by Billboard Publications, Inc. Compiled by the Billboard Research Department and reprinted by permission. Data as of 3/29/86 (entertainment) and 4/5/86 (education and home management).

## GREAT PRODUCTS FOR YOUR COMMODORE

*promenade C1™*

The Eprom Programmer. Thoughtfully designed, carefully constructed, the *promenade C1™* is respected around the world for quality and value. The original software controlled programmer does away with personality modules and switches. Intelligent programming capability can cut programming time by 95%! With Disk Software..... still just \$99.50

### CAPTURE™

Take control of your '64 or '128' with this easy to use cartridge. Lets you make a back-up disk of your memory-resident software. Your program is then fully accessible to you and your program can be re-booted from your disk 3-5 times faster. Or make an auto-starting cartridge using the *promenade C1* and a CPR cartridge kit. Its magic!

**CAPTURE™** is a bargain at 39.95

### CARTRIDGE MATERIALS:

CPR-3 - Three socket board, case and 3 eproms, for use with <b>CAPTURE™</b>	29.95
PCC2 - Two 2732 (4K) or 2764 (8K) eproms. For '64 or '128 in 64 mode	4.95
PCC4 - Four sockets for 2764, 27128 or 27256 (32K) eproms. Bank switching	17.95
PCC8 - Like the PCC4 but twice the capacity. For multiple programs	29.95
PRB4 - Four sockets, eprom & battery backed RAM combination	24.95
PTM2 - Basic 128 mode cartridge board. Two 2764 or 27128 eproms	5.95†
PTM4 - Four sockets, 27128 & 27256 eproms. 128 mode bank switcher	19.95†
PCCH2 - Plastic case for above cartridges (except PCC8)	2.25
Eproms - Always in stock at competitive prices.	

†available June '86.

\*when in 64 mode.

### EPROM ERASERS:

Datase - Hobbyist eprom eraser, 2 at a time, 3 to 10 minutes	34.95
PE14 - Industrial quality eraser, 7 to 9 at a time	79.95
Starter Set - <b>CAPTURE™</b> , <i>promenade C1</i> and one CPR3 kit	149.95
Deluxe Set - <b>CAPTURE™</b> , <i>promenade C1</i> , Datase and two CPR3 kits	199.95

SHIPPING & HANDLING: USA - UPS SURFACE \$3.00

FOREIGN (AIR MAIL ONLY) \$13.00



**JASON-RANHEIM**

1805 INDUSTRIAL DRIVE  
AUBURN, CA USA 95603

TO ORDER TOLL FREE 800-421-7731

FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT 916-823-3284

FROM OUTSIDE USA 916-823-3285

MC, VISA, AMEX WELCOME





# The Beginners Page

Tom R. Halfhill, Editor

## More String Arithmetic

We've seen how to slice pieces out of character strings with LEFT\$, RIGHT\$, and MID\$ ("The Beginner's Page," March and April 1986), and even how to use mathematical operators to compare the hidden number values in strings (May 1986). But "string arithmetic" doesn't stop there. BASIC also lets you add two or more strings to make an even longer string.

In Microsoft BASIC, this is a snap. (Computers with Microsoft or Microsoft-style BASICs include all Commodores, the Amiga, Apple II series, the Macintosh, IBM PC/PCjr, TRS-80, and Atari ST—but not the Atari 400/800, XL, or XE, although Microsoft BASIC is available as an option.) Here's an example:

```
10 A$="UNITED WE STAND;"
20 B$="DIVIDED WE FALL."
30 C$=A$+B$
40 PRINT A$
50 PRINT B$
60 PRINT C$
```

The result is:

```
UNITED WE STAND;
DIVIDED WE FALL
UNITED WE STAND; DIVIDED WE
FALL
```

By adding A\$+B\$ into a new string variable, C\$, we've preserved the original values of A\$ and B\$. But if this isn't a consideration, you can simply reuse one of the variables:

```
10 A$="UNITED WE STAND;"
20 B$="DIVIDED WE FALL."
30 A$=A$+B$
40 PRINT A$
50 PRINT B$
```

The result is:

```
UNITED WE STAND; DIVIDED WE
FALL
DIVIDED WE FALL
```

As you can see, string addition is virtually identical to regular addition: The sum is the whole of the parts. In computerese, the fancy name for this is *string concatenation*. To impress people, try dropping this term into a conversation at

your next user group meeting.

Although TI BASIC and Extended BASIC for the TI-99/4A are different in many respects from the other versions mentioned above, string concatenation is handled in a similar fashion. The only difference is that the concatenation operator is the & symbol instead of the + symbol. Any of the examples above can be used on the TI by substituting & wherever + appears.

### The Fine Print

There's only one string attached when it comes to attaching strings: You have to be careful not to exceed the length limit for strings in your particular version of BASIC. You can hit this limit pretty fast because most Microsoft BASICs don't allow strings longer than 255 characters. An exception is Amiga BASIC, which allows strings up to 32,767 characters long.

Atari BASIC for the 400/800, XL, and XE computers also allows strings at least 32,000 characters long. As a matter of fact, on an Atari, you'll most likely run out of memory before you hit the length limit on strings. In effect, Atari BASIC lets you set your own length limits. Before using any string variable in an Atari BASIC program, you have to declare its maximum length with a DIM statement. For instance, DIM A\$(100) means that A\$ can hold up to 100 characters. Since a DIM statement forces Atari BASIC to immediately set aside the specified amount of memory for the string variable, the memory is protected. Nothing else, not even the BASIC program itself, can overwrite it. Many Atari programs take advantage of this megastring feature to reserve huge blocks of memory for holding data files and the like.

Nothing comes without a price, however, and one price you pay in Atari BASIC is that string

concatenation is a little clumsier to write than it is in Microsoft-style BASICs. You can't simply add two strings together with the plus sign. Instead, it requires something like this:

```
10 DIM A$(50),B$(50),C$(100)
20 A$="UNITED WE STAND;"
30 B$="DIVIDED WE FALL."
40 C$=LEN(C$)+1=A$
50 C$=LEN(C$)+1=B$
60 PRINT A$
70 PRINT B$
80 PRINT C$
```

The result is:

```
UNITED WE STAND;
DIVIDED WE FALL
UNITED WE STAND; DIVIDED WE
FALL
```

It takes two statements (lines 40 and 50) to accomplish the equivalent of C\$=A\$+B\$ in Microsoft BASIC. Essentially, what these lines do is use the LEN function to say, "Starting at the last character in C\$ plus one, append the contents of A\$; then, starting at the last character in the new C\$ plus one, append the contents of B\$." Although not as readable or as easy to use as C\$=A\$+B\$, the result is exactly the same.

If you're not interested in preserving the original contents of A\$ and B\$, it is possible to concatenate in one line. Substitute this statement and delete lines 50 and 80:

```
40 A$(LEN(A$)+1)=B$
```

The result is:

```
UNITED WE STAND; DIVIDED WE
FALL
DIVIDED WE FALL
```

In either Microsoft or Atari BASIC, there's no such thing as string subtraction, multiplication, or division with the -, \*, and / signs. Instead, you have to simulate these operations by slicing up the string with LEFT\$, RIGHT\$, MID\$, and the other methods shown in the past few columns. ©



## Printers For The Amiga

A printer is one of those optional but essential add-ons for your computer. It lets you reap something tangible from your word processor, terminal program, spreadsheet, or drawing program. True, you can use these tools to prepare files which you can transmit via modem directly to other computers. But hardcopy—type on paper—is still the only universally acceptable form of nonverbal communication.

Commodore doesn't sell an official Amiga printer yet. Instead, you're free to attach practically any serial or parallel printer. The Amiga sports an RS-232 serial port as well as a standard parallel printer port. All it takes is the right cable to link the Amiga with almost any printer.

The commonly available IBM printer cables appear similar to Amiga cables, except the end of the cable that plugs into the IBM is a DB-25 male connector and the Amiga port is also a DB-25 male connector. Since printer cables specifically for the Amiga can be difficult to obtain, you might be tempted to use a "gender-changer" (a box or cable with a male connector on one end and a female connector on the other) to connect the IBM cable to your Amiga. *Don't do this.* Such an arrangement could damage your Amiga or your printer, or both.

The Amiga parallel port does not use exactly the same pin assignments as the IBM port. (Refer to page 7-13 of the *Introduction to Amiga* manual for a pinout chart.) Even more important, pin 23 on the Amiga parallel port is a +5-volt power supply, while pin 23 on an IBM-type printer cable may be connected to voltage ground. If the cable carries this voltage, and if the printer connector has a grounded pin at that position, the power supply in your Amiga may be damaged.

If you have a serial (RS-232)

printer connected via the Amiga's serial port instead of the parallel port, a similar caution applies: Pins 14, 21, and 23 on the serial port carry power supply voltages. (Refer to page 7-12 of the *Introduction to Amiga* manual for a pinout chart.) Since these pins are often unused in devices like modems and printers, it may be safe to use IBM-type serial printer cables. Check the manual for your printer carefully to be sure that your particular model does not make any connection to these pins. Again, a gender-changer plug will be required to attach an IBM-style cable to the Amiga serial port. It's best to check with your dealer before using a suspect cable.

### Printer Drivers

Once you've hooked up the hardware, you need to "attach" the printer to your software. Although every printer manufacturer uses different specifications for software control over printing features, the Amiga is capable of adapting to a variety of popular printers.

What complicates things is that every printer has its own unique set of codes, even for common effects such as underlining or boldfacing. For example, the Epson MX-80 uses the ASCII sequence 27-53 ("ESC-4") to turn on italics mode, and 27-54 ("ESC-5") to turn off italics. On the other hand, the Okimate 20, which is similar in many other ways, uses the sequence 27-37-71 (ESC-%G) to turn on italics, and 27-37-72 (ESC-%H) to turn italics off.

When an Amiga program wants to print italics, it can't just use the code for one printer model, because the program would be incompatible with other printers. Instead of sending the actual code for italics, then, Amiga programs send a symbolic code for italics. If you tell the Amiga which printer driver to use, the driver translates these symbolic codes into the actual codes for your printer.

Use Preferences to install your printer driver, following the instructions given in *Introduction to Amiga*, pages 7-6 to 7-11. Printer drivers currently exist for the Alphacom Alphapro 101 (no longer in production), Commodore CBM-MPS 1000, Epson FX-80, RX-80, HP Laserjet/Laserjet Plus, Brother HR-15XL, Diablo Advantage C-150, D25, 630, Qume LetterPro-20, and Okimate-20. If your printer is not on this list, try some of the drivers to see if they work with your printer. For example, the Juki 5510 dot-matrix printer is Epson JX-80-compatible, so you can use the Epson JX-80 printer driver.

If none of the drivers work, select the Custom printer driver. If you have the version 1.1 operating system upgrade, by default the Custom selection looks for a printer driver named Generic. The Generic driver works with any properly cabled printer by ignoring all special printer codes. If your printer won't respond to the codes used by any of the printers on the list, you can at least get a plain-vanilla text print-out with the Generic driver.

Unfortunately, the Generic driver won't let you use any special printing effects such as underlining, boldface, italics, or bit-image graphics. You need a printer driver created especially for your brand of printer. Many people are working on drivers for unsupported printers, including one company that has developed a printer-driver builder that a nonprogrammer can use to design a new custom driver. Nevertheless, if you are looking for a printer for your Amiga, it's best to buy one that is compatible with one of the above printers.



# IBM Personal Computing

Donald B. Trivette

## Softstripping

What avid reader of *COMPUTE!* hasn't wished for a magic way to get the program listings off the pages of the magazine and into the computer?

The device in the photograph, called a Softstrip Reader by Cauzin Systems, does just that—almost. It can't read English, or even BASIC, but it can read any program, text, or data that has been encoded in the Softstrip format—a kind of universal product code Cauzin has developed for computers. The black-and-white strip you see here, which looks like something you rub with a coin to find out you've lost a contest, is in fact Lincoln's Gettysburg Address. All 276 words of it are contained in the six-inch strip.

The Softstrip system consists of both hardware and software. The hardware is a reader the size of a giant rolling pin that plugs into the computer's serial port just like a modem. It gets power from a small transformer that plugs into a wall outlet. A truck inside the D-shaped plastic case moves the read-head down the strip when the reader is activated.

The software is a program called *Cauzcomm*. On the IBM, you can run *Cauzcomm* by typing its name at the DOS prompt, or by installing it as a resident program which is called up at any time by pressing the Alt-R keys. Once running, *Cauzcomm* displays a simple four-item menu: Read, Help, Options, Quit. To read a Softstrip, you align the reader over the strip, using the black dot and the heavy line as guides, then select Read from the menu. In less than 20 seconds, *Cauzcomm* reads the text of the Gettysburg Address into a disk file named GETTY.TXT. It couldn't be easier or more straightforward.

### Make Your Own, Too

Examine the strip and you'll see the header markings at the top. The



*Cauzin System's Softstrip Reader is a new type of bar code reader that speeds up the entry of published program listings.*

header indicates the filename and whether the strip is intended for an Apple or an IBM computer. It also tells the number of characters (bytes) in a horizontal line (typically four), the height of each line (typically 12/1000 inch), and the paper-to-ink contrast level. You'll see markings called the *checkerboard* running vertically down the left edge of a strip, and along the right edge, the *rack*. These denote each horizontal line and send alignment information to the reader. There's a parity mark at the end of each line for error detection.

Cauzin sells an optional program that lets you make your own Softstrips with a dot-matrix printer. Or, for about \$20, you can have Cauzin make a denser negative—up to 5,500 characters in a nine-inch strip—suitable for publication. Strips may be printed on almost any kind of paper, although lower densities are recommended for porous grades of paper. The strips can even be photocopied.

The reader comes with a booklet of 48 BASIC programs, and Cauzin plans to attract buyers by publishing programs in its advertisements in many computer magazines. The reader costs \$200 and is available for the IBM PC/PCjr, the Apple II series, and the Macintosh. For more information, write to Cauzin Systems, 835 South Main Street, Waterbury, CT 06706.

Will Softstrips ever become a standard part of published program listings? Right now, it's a chicken-



**Softstrip**  
GETTY.TXT

and-egg situation: Magazines and books may not print Softstrips until a sizeable number of their readers own the devices, while people interested in Softstrips may hold off buying a reader until Softstripped listings become more common. If you want to express an opinion on this topic, write to *COMPUTE!*, P.O. Box 5406, Greensboro, NC 27403. ©





# Telecomputing Today

Arlan R. Levitan

## The Price Of Telecomputing

Folks, I've got a confession to make. This page came very close to being blank this month. I was far beyond my habitual fashionably late, two-weeks-behind-deadline mode of operation. Even Bill Wilkinson had sent in his column for this month, an event usually reserved for coinciding lunar and solar eclipses occurring on February 29. What was wrong?

I was, dear friends, becalmed in the telecomputing doldrums. Me, of all people, contemplating the light-emitting diodes of my collection of modems for hours on end, at a loss for words! What was the cause of this strange malaise? After all, I had been using three new commercial information services over the last month. And a rundown on one alone is usually fodder enough for a good column.

Both General Electric's Genie and ViewTron's ViewData are being heavily promoted as the latest and greatest information services for computer hobbyists. I'll be glad to give credit where it is due—both GE and ViewTron have created relatively smooth systems with decent user interfaces. But I find that both are lacking in originality. Both services stick to what is by now the standard formula of special interest groups (SIGs), online conferencing and magazines, public domain libraries for downloading, shopping services, and games.

Then there's BIX (BYTE Information eXchange). BIX makes no pretenses about being everything to everybody. It is first and foremost a message-based conferencing system. While BIX's scope may be limited and its ease of use leaves something to be desired, the quality of its user base is the big attraction. BIX users tend to be technophiles. If you're having trouble debugging a LISP program or want to add an RS-232C-controlled Veg-A-Matic to

your system, you can probably find help on BIX.

### Time Is Money

So why am I grouching? I'm becoming concerned with the pricing of time on the commercial services intended for home users.

I was one of the early users of the online services and I remember what we paid for nonprime time way back when: Two and a half bucks an hour was the going rate for 300 bps speed, and if you waited until the wee tiny hours of the morning, you could even run 1200 bps for under five bills. Most early users also recall the promises of even lower rates once the user base was expanded. Instead, the hourly access charges for nonprime time use have steadily risen.

Yes, it's true that the rates for daytime access have fallen. And it's true that many more functions have been added to the various services. And, yes, the cost of staffing has risen over time. However, the cost of computing power and data storage has dramatically fallen during the same period.

In the late 1970s, Scott Adams of Adventure International was once asked how he priced his popular series of adventure games. Adams replied that he used the first-run movie method of pricing. His basic premise was that consumers should get some hours of use from any software purchase and should pay no more for that use than the hourly cost of attending a first-run movie. That works out to about two to three bucks an hour at today's prices.

If you accept that formula, it's not hard to come to the conclusion that most of today's information services (even the "bargain" services) are expensive—especially when compared to today's hardware prices. The owner of a \$130 Atari 130XE or Commodore 64 can

easily fork out \$40 to \$80 a month for using an information service a couple of hours a week.

### Drinking From The Well

One hopeful glimmer of sunshine is The Well, a project of Stewart Brand and his cadre of Whole Earth Software Catalog counterculture techno-renegades. The Well is a low-cost (\$2/hour) conferencing system for the San Francisco Bay area. The system runs on a VAX minicomputer with a capacity of 40 phone ports at the offices of the Whole Earth Catalog and Whole Earth Review in Sausalito. The service was codeveloped with NETL (Network Technologies, International) of Ann Arbor, Michigan.

I've accessed The Well via PC Pursuit and have found it to be a conferencing system of extremely high quality. The Well's biggest problem is the relatively low number of users the system can support at one time.

Let's hope we'll see a proliferation of systems like The Well in the future. If Brand and his cohorts are willing to share the system software with other groups of like-minded enthusiasts, that may indeed come to pass. Since The Well's software is Unix-based, it can likely be ported to a Unix-capable mainframe computer 10 to 20 times the size of The Well's VAX. Such systems could support 300 to 400 users at a crack and are readily available on the used market at bargain prices.

I predict that someone out there will make it happen within the next two years. Keep your eyes and ears open and the bucket ready...you may be dipping into a Well soon. ©



# INSIGHT: ST

Bill Wilkinson

## ST System Software, Inside Out

Okay, you've got your shiny new ST computer plugged in and running. You can use the mouse to select programs, copy files, and format disks. It's fun, and it certainly is easier to learn than figuring out what

**COPY B:\SYSTEM\MSG5.TXT/A=A:SPCL\*.MS?**

is supposed to mean. (That's a real and possible IBM PC command.) But how did this system get built? Glad you asked.

Collectively, the software built into the Atari is called TOS (Tramiel Operating System). When the 520ST was first shipped, TOS was delivered on a disk. If you're still using the disk-based TOS, stop now. Go out and buy the ROM (Read Only Memory) version of TOS. It should cost no more than \$25 or so. Installation is not too difficult, though if you have as many left thumbs as I do, you might be advised to find a dealer or service center to install the chips for you (maybe \$20 to \$30 extra).

TOS in ROM is actually composed of six separate pieces. Usually, we lump these pieces into two groups of three: the graphics processing section and the underlying operating system. As we shall see, that operating system—a derivative of CP/M-68K—is very similar to MS-DOS and PC-DOS, which are both derivatives of CP/M.

### BIOS, XBIOS, And GEMDOS

In one sense, we can say that the lowest level of the ST's operating system is the BIOS (Basic Input/Output System), a holdover from the earliest days of CP/M. At this level, we find routines for such basic tasks as sending a single character to a device, reading a disk sector (by sector number—a very dangerous practice), and so on. In CP/M, there was only one legitimate reason to call the BIOS directly: speed. With TOS, though, only

the BIOS provides some of the facilities which even a moderately sophisticated program will need (admittedly, often because of bugs in the upper levels of the operating system).

On the ST, a BIOS call is implemented as a TRAP instruction in 68000 machine language. All the necessary parameters, including the BIOS call number, are passed onto the stack. If you aren't quite sure what we're talking about, don't worry about it. Virtually every programming language for the ST has some way to use these routines which mask the mechanics of TOS calls. It's a good thing, too, since some of those mechanics can get pretty hairy.

The next higher component of TOS is the XBIOS (eXtended BIOS). XBIOS supplies the Atari-unique routines needed to do such things as access the sound registers, screen hardware, and so on.

The third component of the operating system is called GEMDOS (Graphics Environment Manager/Disk Operating System). Actually, this is a misnomer. The GEMDOS routines have nothing whatsoever to do with graphics. GEMDOS is essentially an MS-DOS or PC-DOS emulator. Want to open a file? Read a block of bytes? Get a character from the keyboard? Given the differences between the 68000 of the ST and the 8088 of the IBM PC, the similarities between GEMDOS calls and MS-DOS calls are almost scary.

### GEM, VDI, And AES

Okay, enough about the underlying operating system. Let's take a look at the graphics systems which comprise GEM. The most familiar part is the GEM desktop which appears when you turn on your ST. But the desktop is not really a special program at all; it simply calls the lower-level routines. Again, there are three levels of graphics routines.

The lowest-level graphics, not officially part of GEM but merely one means of implementing it, are those called the *Line-A Routines*. This sounds cryptic, but it simply refers to the fact that certain machine instructions of the 68000 (including those of the form \$Axxx hex—hence "line-A") are reserved and cause a special hardware trap into the OS. As you might expect, routines implemented in this fashion are of the most fundamental type: draw a line, plot a point, and so forth. Most are very fast.

The next level up in graphics is the VDI (Virtual Device Interface). In theory, VDI is capable of supporting several types of graphics devices in a uniform fashion. For example, you might use the same set of calls to draw a curve on a plotter or on the screen. Unfortunately, no such drivers are yet available (or, as far as I can tell, even in the works) for the ST. Still, the possibility exists.

VDI does all the actual graphics work on the ST. It draws simple rectangles, bordered ovals, and text in various styles, sizes, and colors. Someone who learns nothing on the ST except how to call VDI could still do some remarkable graphics work.

Finally, at the highest level, is AES (Applications Environment System). AES is what GEM uses to present you with that nice, pretty desktop, complete with menus, dialog boxes, alert boxes, windows, and icons. Perhaps more important to programmers, though, is the fact that AES allows us to use all the features of GEM in a relatively consistent, properly desktop-compatible manner. It is through this mechanism that even a lowly spreadsheet program can have drop-down menus, mouse-controlled windows, and all the rest of those impressive features. ©



# Computers and Society

David D. Thornburg, Associate Editor

## Printers And Computers

Printer technology has advanced on so many fronts at once that it's hard to keep up to date. On one extreme is the continued push to ever-lower prices. The lowest-cost printers incorporate dot matrix mechanisms that either hammer ink onto paper through a ribbon, or that use thermal energy to transfer ink or induce color changes in special papers. These technologies have become so inexpensive that I recently saw a computer-controlled electronic typewriter that retailed for under \$70.

### Printers Smarter Than Their Computers

At the other extreme are the laser printers that combine xerographic copier technology with a computer-controlled laser beam to build up images on a photosensitive drum. The developed image is then transferred to a piece of paper at a resolution of 300 dots per inch. These printers are available at prices ranging from about \$3,000 to \$6,000 or so, and they often contain dedicated computers that can outperform the computer that is sending information to be printed. For example, the Apple LaserWriter (that I have connected to my Apple II as well as to my Macintosh) contains a 68000-based computer that can be programmed by the user through a Forth-like language called PostScript. The images created by this printer are exceptional in their quality.

It is interesting to note that, at both ends of the price spectrum, printers build images from an array of dots. The main difference between the extremes is in resolution, speed, and image quality. The market for various printers is sufficiently large that all kinds and prices of printers are enjoying a brisk business.

Considering the major impact that dot-matrix printer technologies

have had on the personal computer industry, one wonders what will happen to the traditional printer that uses a daisy wheel or other mechanism to produce letter-quality type. These printers are still considered essential by most businesses, where low-resolution dot-matrix images are considered unacceptable. But letter-quality printers are comparatively expensive (at least the rugged ones are), and their price falls in the middle of the printer spectrum.

My concern for this technology is that it is being eroded from both ends. The low-cost printers are producing higher and higher quality images, and the laser printers are getting cheaper. Within the next few years the high-quality impact printer may become little more than a curiosity—used by people who, like me, prefer a fountain pen to a felt tip.

The difference between the dot-matrix and daisy-wheel printers is more than quality and price. The daisy-wheel printer is limited to printing text. Dot-matrix printers, on the other hand, can be used to prepare text or graphics, since both words and pictures can be formed from patterns of dots. This creative freedom of dot-matrix printers has other consequences. For example, if the resolution is high enough, text can be created in numerous styles (roman, italic, bold), type sizes, and fonts (character shapes).

### Text Is Graphics

Text documents, as typesetters have known for centuries, are graphics documents as well. This realization is especially evident in laser printers, where the high resolution lets anyone do their own typesetting. Computer users who used to concern themselves with only spelling and grammar are now talking about *leading* (rhymes with

*bedding* and refers to the blank space between lines of text), *points* (units of measurement equal to 1/72 of an inch), *intercharacter justification* (aligning columns of type),  *Kerning* (adjusting the spacing between two characters to be closer), *ligatures* (twin characters of type), and other terms that were rarely heard outside the walls of typesetting companies.

The most exciting aspect of low-priced laser printers is that small companies (and fortunate individuals) can be their own publishers. The economic justification for desktop publishing is easy to see. Suppose you are a software publisher who wants to create nice-looking manuals. The typesetting, proofreading, and editing of a 100-page manual can cost several thousand dollars and take several weeks. For a similar investment you can purchase a laser printer and, using documents written with your word processor, typeset the manual yourself in a day or two. The investment can pay for itself with the very first job.

You may think of the printer as a simple extension of the computer. It is far more than that—it is a tool that lets your creativity reach beyond the computer to touch others. Not a bad accomplishment for a mechanical contraption.

*Dr. Thornburg's most recent product is Calliope, a nonlinear idea processor for the Apple IIe, IIc, and Macintosh computers. He welcomes letters from readers and can be reached in care of COMPUTE!. He has just published Unlocking Personal Creativity, a book on creative problem-solving that he wrote and typeset himself using the Apple LaserWriter.* ©





# The World Inside the Computer

Fred D'Ignazia, Associate Editor

## A Multimedia Workstation For Teachers

One of the most exciting trends in low-cost computing is linking computers with other devices that record, edit, and play electronic media. For example:

- A MIDI (Musical Instrument Digital Interface) box lets you plug your computer into a variety of keyboard synthesizers, drum machines, guitars, and other instruments.
- A video camera lets you shoot images from the screen of your computer to use in your video presentations.
- A video digitizer allows you to shoot video images with your camcorder or video camera and transfer them to your computer.
- A SMPTE (Society of Motion Picture and Television Engineers) interface lets you synchronize your own music and sound effects with your videotapes.
- Scanners, graphics tablets, and graphics printers let you copy graphs, maps, diagrams, and artwork into your computer so they can be manipulated, labeled, and printed on paper or transparencies for overhead projector presentations.
- Graphics-design and animation programs can be used to create artwork and titles that can be copied with your video camera and edited into video presentations.

### Ideal For Schools

All these devices can be assembled into a single multimedia workstation for under \$3,000. This is a sum that most schools can afford, especially since only one or two workstations would satisfy a school's needs for the immediate future.

Who would use this workstation? Teachers often feel they've been overlooked by the computer revolution because most of the soft-

ware and applications are intended for their students. A multimedia workstation would be different. Its primary purpose would be to help teachers prepare audiovisual materials for their classrooms. Student use might come later, but it would stem naturally out of the teachers' enthusiasm for using the workstation and their desire to share its capabilities with students.

Until the last year or two, only a TV station or a rich corporation or an ad agency or a major rock star could afford to create multimedia programming. The rest of us had to be content with doing all our communicating live, or via the printed page or audio tape.

Now, suddenly, things are changing. Machines, software, and techniques which once cost tens of thousands of dollars are becoming available for home and school computers. We now have the opportunity to communicate in several new mediums—and combinations of mediums—including videotape, graphics, music, sound effects, and professional-looking publications.

But a big question remains: Will we make the switch? Most of us are too accustomed to being media consumers rather than producers. Also, we may have great confidence in our ability to stand up in front of a group of youngsters and communicate with them verbally or with the printed word, but we are intimidated by the thought of creating our own movie, slideshow, or graphics presentation.

### You Are Steven Spielberg

It's time we started learning. Electronic media is the wave of the future. We are surrounded with powerful electronic programming produced by people who want to sell us things: perfume, a new car, records, a new political candidate. It's time that teachers generated their own programming that com-

municates their special passions, enthusiasms, and pet subjects.

But most of us are novices in this area. How do we get started? A good way to begin learning how to be a media producer is to become a more critical media consumer. Switch on your TV, your record player, or your cassette player, and look and listen very carefully. Try to focus just on the sound—and on your reaction to the sound. Then turn off the sound and concentrate on the picture. What kinds of camera shots and special effects is a program using? Two good sources for quick courses in media production are commercials (slick and short) and MTV (unpolished and experimental).

Now it's your turn. I would like you to tell me what you'd most like to do. Pretend for a moment that you are Steven Spielberg, and you still have a fifth-grade class to teach in Little Rock, Arkansas, or Halifax, Nova Scotia. What ideas or subjects thrill you but have been difficult to get across in traditional ways? What areas in your curriculum are crucial for children to learn but for which you lack adequate materials? What are the special pet areas that you love to learn or teach that you'd like to share with your kids?

Please write me (care of COMPUTE!) and tell me what you'd like to teach using a multimedia workstation and how you would present it (with videotape, music, mixture of live-action shots, computer graphics, field trips—whatever!). And don't hold back. Be imaginative, creative, even far out. I want as many ideas as possible, since I'll be publishing them in an upcoming COMPUTE! column. ©



# Programming the TI

C. Regena

## Printing A Schedule Of Events

The first peripheral I got for my TI was a printer. At first I used it mainly for program listings. Later, I discovered that adding a printer significantly increased the possible applications for the computer. All kinds of reports could be generated, lists sorted, and charts and graphs plotted. For some reason, if something was printed using a computer it looked more "official." Of course, a report is really only as good as whatever the programmer or computer user enters, but using your TI and a printer, you can make very impressive reports.

On the other hand, if you don't want something to look computer-generated, you can use a letter-quality printer. When the TI-99/4 first came out, only one printer was available for it (remember the TI thermal printer?). Next came a peripheral system that required the RS-232 interface which could be used with several different brands of printers. Now there are many more printers available and several kinds of interfaces or special cables, so there is no one standard way of using a printer. There are also several word processing programs available.

### Printing in BASIC

In TI BASIC programming, the most common way to print something is to use the PRINT # statement (pronounced *print file*), which means print to a file or device. First, use OPEN # (*open file*) to define the printer for the computer. The manual for the interface or printer you use should have sample OPEN statements for your particular printer. When you're finished printing, use CLOSE # (*close file*). For example, here's what I need for my TI printer:

```
100 OPEN #1:"RS232.BA=600"
```

```
To print a message, for example:
```

```
110 PRINT #1:"HELLO"
```

Then, when finished, use:

```
900 CLOSE #1
```

The critical statement is the OPEN # statement, which must be tailored to your own printer configuration. The PRINT # and CLOSE # statements can be the same for any type of printer.

This month's program illustrates the use of a printer for creating a simple schedule of events or calendar of happenings. This program just gives the basic idea of how you can sort events by date and time. For example, you could use this program to list your activities for the summer. With my large family, I need to keep a written list of what's going on. To customize this program, add your own title and change the printing to fit your needs. The program as is simply lists the dates, times, and events in single spacing, but all kinds of special formats are possible, including a full, graphic calendar.

### How It Works

The events are listed in DATA statements. For examples, I have used several events in lines 1240-1480. The last DATA statement should use 9999 for the date. The data for each event consists of the date, the time, and a description of the event. The date is a four-digit string. The first two numbers range from 01 to 12, representing the month. The last two numbers are the day of the month (01-31). The time is also a four-digit string. This is a number expressed as 24-hour time without a colon between the hours and minutes. Thus, 0800 is eight o'clock in the morning, and 1200 is twelve o'clock noon. Eight o'clock in the evening expressed in 24-hour time is 2000. For no specified time, use 0000.

This format helps in the sorting procedure. You may prefer to enter the data in a different way, then let

the program convert to numbers for sorting. The numbers are converted to months, days, hours, and minutes during the printing procedure.

Lines 110-120 dimension variables DT\$ (date and time) and EVENT\$ for 50 events starting with base 1. M\$ is dimensioned and will hold the names of the 12 months. Lines 200-240 define these month names in the M\$ array.

The variable E is the number of an event. Line 270 READs from the data the date, time, and event. Line 280 checks to see whether all the data has been read. Line 300 increments E; then line 310 makes sure E is less than 51 for the subscript.

Lines 330-640 sort the events by date and time. I call this type of sort "maximum-minimum" because the first pass through the data finds the maximum and minimum items in the array and places them at the end points. Successive passes through the items move the ends inward and place the maximums and minimums at those positions.

Lines 740-1190 print the events in date order. Remember to put your own printer configuration in the OPEN statement in line 760. The variable DT\$ is divided back into DATE\$ and TIME\$. The date is then separated so that a month name is printed with the day. The time is converted to the usual written format of hour:minute, and A.M., NOON, or P.M. is added.

If you don't have a printer, you can simply print the schedule on the screen. To control scrolling, PR is used as a variable to count how many lines have been printed on the screen. When the printing stops, press the space bar to continue the list. At the end of the list, press the space bar to get back to the menu screen.

If you wish to save typing effort, you can receive a copy of this program ("TI Calendar") by sending

a blank cassette or disk, a stamped, self-addressed mailer, and \$3 to:

C. Regena  
P.O. Box 1502  
Cedar City, UT 84720

## Tl Calendar

```

100 REM CALENDAR
110 DPTDIM BASE 1
120 DIM DT$(50),EVENT$(50)
130 DIM M$(12)
140 CALL CLEAR
150 PRINT TAB(6);:** CALEND
AR **
160 PRINT ::"ENTER DATES A
ND EVENTS IN"
170 PRINT : "DATA STATEMENTS
."
180 PRINT ::"YOU MAY PRINT
THE CALENDAR"
190 PRINT :: "DN THE SCREEN
DR PRINTER.:::
200 FOR M=1 TO 12
210 READ M$(M)
220 NEXT M
230 DATA JAN,FEB,MAR,APR,MA
Y,JUN
240 DATA JUL,AUG,SEP,OCT,NO
V,DEC
250 PRINT "...READING DATA.
.."
260 E=1
270 READ DATE$,TIME$,EVENT$
(E)
280 IF DATE$="9999" THEN 32
0
290 DT$(E)=DATE$&TIME$
300 E=E+1
310 IF E<51 THEN 270
320 E=E-1
330 PRINT : "...SORTING..."
340 N=E
350 S=1
360 MN$=DT$(S)
370 IMIN=S
380 MX$=MN$
390 IMAX=S
400 FDR I=S TO N
410 IF DT$(I)<=MX$ THEN 440
420 MX$=DT$(I)
430 IMAX=I
440 IF DT$(I)>=MN$ THEN 470
450 MN$=DT$(I)
460 IMIN=I
470 NEXT I
480 IF IMIN<N THEN 500
490 IMIN=IMAX
500 AA$=DT$(N)
510 BB$=EVENT$(N)
520 DT$(N)=DT$(IMAX)
530 EVENT$(N)=EVENT$(IMAX)
540 DT$(IMAX)=AA$
550 EVENT$(IMAX)=BB$
560 N=N-1
570 AA$=DT$(S)
580 BB$=EVENT$(S)
590 DT$(S)=DT$(IMIN)
600 EVENT$(S)=EVENT$(IMIN)
610 DT$(IMIN)=AA$
620 EVENT$(IMIN)=BB$
630 S=S+1
640 IF N>S THEN 360
650 PRINT :: "CHOOSE:"
660 PRINT : "1 PRINT DN SCRE
EN"
670 PRINT : "2 PRINT ON PRIN
TER"
680 PRINT : "3 END PRDGRAM"
690 CALL KEY(0,K,S)
700 K=K-4B

```

```

710 IF (K<1)+(K>3) THEN 690
720 CALL CLEAR
730 DN K GDTD 770,760,1490
740 REM PRINTING
750 REM PUT PRINTER CDFNFIG
URATIDN HERE
760 DPN #1:"RS232.BA=600"
770 FOR T=1 TO E
780 DATE$=SEG$(DT$(T),1,4)
790 M=VAL(SEG$(DATE$,1,2))
800 MDN$=M$(M)
810 DAY$=MDN$&" " &SEG$(DATE
$,3,2)
820 TIME$=SEG$(DT$(T),5,4)
830 IF TIME$<>"0000" THEN B
70
840 TIME$=" "
850 T$=" "
860 GDTD 1000
870 H=VAL(SEG$(TIME$,1,2))
880 IF H>12 THEN 910
890 T$="A.M."
900 GDTD 970
910 IF H<12 THEN 950
920 IF SEG$(TIME$,3,2)<>"00
" THEN 960
930 T$="NDDN"
940 GDTD 970
950 H=H-12
960 T$="P.M."
970 TIME$=STR$(H)&": " &SEG$(
TIME$,3,2)
980 IF LEN(TIME$)>4 THEN 10
00
990 TIME$=" " &TIME$
1000 TT$=TIME$&" " &T$
1010 IF K=2 THEN 1110
1020 PRINT : DAY$; " " ; TT$
1030 PRINT : " ; EVENT$(T)
1040 PR=PR+3
1050 IF PR<24 THEN 1120
1060 IF T=E THEN 1120
1070 CALL KEY(0,K,S)
1080 IF S<1 THEN 1070
1090 PR=0
1100 GDTD 1120
1110 PRINT #1:DAY$; " " ; TT$
; " ; EVENT$(T)
1120 NEXT T
1130 PR=0
1140 IF K<2 THEN 1170
1150 CLOSE #1
1160 GDTD 650
1170 CALL KEY(0,K,S)
1180 IF S<1 THEN 1170

```

```

1190 GDTD 650
1200 REM DATA FDR EVENTS
1210 REM DATE, TIME, EVENT
1220 REM DATE IS MMDD
1230 REM TIME IS HHMM
1240 DATA 0415,0000,CINDY'S
BIRTHDAY
1250 DATA 0415,1700,MAIL IN
CDME TAX
1260 DATA 0509,0000,RICHARD
'S BIRTHDAY
1270 DATA 0510,0000,BDB'S B
IRTHDAY
1280 DATA 0611,0000,CHAN'S
BIRTHDAY
1290 DATA 0304,1200,SUSC VS
BYU BASEBALL
1300 DATA 0305,1200,SUSC VS
BYU BASEBALL
1310 DATA 0314,1300,SUSC VS
UTAH BASEBALL
1320 DATA 0315,1300,SUSC VS
UTAH BASEBALL
1330 DATA 032B,1300,SUSC VS
MESA BASEBALL
1340 DATA 0329,1230,SUSC VS
MESA BASEBALL
1350 DATA 0429,1300,SUSC BA
SEBALL
1360 DATA 0430,1300,SUSC BA
SEBALL
1370 DATA 0314,0715,SKI CLU
B--RICK
1380 DATA 0225,0000,CINDY S
KING
1390 DATA 032B,1500,CHERY P
ARTY
1400 DATA 0222,1930,SUSC BA
SKETBALL
1410 DATA 0303,2000,SYMPHON
Y
1420 DATA 0330,0000,EASTER
1430 DATA 0526,0000,MENDRIA
L DAY
1440 DATA 0607,0000,CDMMENC
EMENT
1450 DATA 0704,0000,INDEPEN
DENCE DAY
1460 DATA 0724,0000,PIDNEER
DAY
1470 DATA 0710,1000,SHAKESP
EARE FESTIVAL
1480 DATA 9999,0000,ZZZ
1490 END

```

## Attention Programmers

COMPUTE! magazine is currently looking for quality articles on Commodore, Atari, Apple, and IBM computers (including the Commodore Amiga and Atari ST). If you have an interesting home application, educational program, programming utility, or game, submit it to COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines."

# ≡CAPUTE!≡

## IBM Variable Snapshot

In line 1760 of this utility from the April issue (p. 81), the = before the value 65536! should instead be -.

## Apple Switchbox

The + symbol in line 346 of this game from the March issue (p. 47) should instead be =.





## Atari Printer Trivia

This month's **COMPUTE!** is a printer issue, so I decided to break with (my) tradition and write a column on printers. Before we start, though, an erratum: My April column listed a program designed to "unify" a machine language file on disk. But when I sent the column to **COMPUTE!**, I accidentally included a couple of older versions of the program on the same disk. Guess which version got published? Anyway, **COMPUTE!** listed a corrected version in the article entitled "Custom Characters for Atari SpeedScript" in the May issue. (By coincidence, it happens that my program is needed to unify the **COMPUTE!** DISK version of *SpeedScript* before installing a custom character set.) On to the printers.

### Number, Please

John Skruich at Atari gets credit for revealing this first tidbit. You are all aware that disk drives can be assigned device numbers (from D1: to D8:, though Atari drives can only go to D4:), but did you know that printers can have numbers, also? If you have an 800XL, 65XE, or 130XE, you may connect two or more printers at the same time and direct output to one or the other. From BASIC, for example, it's as simple as typing

LIST "P2:"

or

LIST "P5:"

Two major drawbacks: all printers still respond as P1; so using P1: or just P: when two printers are attached leads to humorous and/or disastrous results. Since many programs always address printers as P:, this trick may be useful only in your own programs. Also, only the following printers have these secondary numbers:

Printer	Secondary Number
850	P2:
1025	P3:

1020  
1027  
1029

P4:  
P5:  
P6:

(The 850 refers to *any* printer attached via an 850 Interface Module. The 1029 printer is rare in the U.S.)

The fact that the 850 can handle different printer numbers indicates that provision for this feature was included as far back as 1979 (when the 850 was first made). Do you wonder why nothing was said sooner? Why don't the 400, 800, and 1200XL work with multiple printers? Do any other interface modules (from third-party vendors) have secondary device numbers? A prize for the best answer.

### The Nine-Minute Nap

If you have a 1027 printer which is not lucky enough to be hooked up to an XE computer, you've probably experienced the infamous sleeping printer bug. Sometimes the 1027 just suddenly stops printing. Many people believe they need to reboot their system to wake the printer up. Actually, after about nine minutes, the printer just as suddenly springs to life again. The reasons for this are too strange and lengthy to go into here. Suffice it to say that the problem has existed since the first Atari computer was built and is related to the (also infamous) sleeping disk drive phenomenon—though the drive only sleeps about five seconds. You'll be pleased to know that Atari's newest operating system ROMs in the XE computers finally fix the problem.

If you do have a 1027, but don't have an XE, and still want to fix this problem, type in, save, and run the accompanying program. It automatically seeks out the LOMEM value for your system and then creates an **AUTORUN.SYS** file to patch the timeout problem. The **AUTORUN.SYS** file will load at that LOMEM point and then

move LOMEM above itself. Since it reads the current LOMEM, be sure to create the **AUTORUN.SYS** file on the same disk, *booted in the same fashion*, that you later want to use. This means, for example, that any special drivers (RAM disk, RS-232, and so on) must be installed before you run this BASIC program.

For a more specific example, let's say you intend to use the 850's R: driver with *AtariWriter* and the 1027. You must start by booting the 850's **AUTORUN.SYS** file to install the R: driver in memory, *then* run the program below.

Also, if you have true double-density drives (not "enhanced density" 1050s), boot with double-density disks inserted. This patch should work with almost any DOS, such as DOS XL, SpartaDOS, DOS 2.5, or whatever—but I wasn't able to test them all.

Two final points: If an **AUTORUN.SYS** file already exists on the disk when this program is run, the 1027 patch is appended to that file. Again, using the 850 as an example, this means you'll have a single file which serves two purposes: It boots the R: driver and makes the 1027 patch. Finally, line 170 of the listing is a REMark; if you delete the REM to enable this line, it reserves two pages (512 bytes) of extra memory. If you have any trouble running this patch, try deleting the REM. For instance, if your system has more than one disk drive, you might want to make this change.

Obviously, I did not develop this program by arbitrarily typing in funny numbers for my DATA statements. I started with a program written by Joe Miller (formerly of Atari), then fixed it so that it survives **SYSTEM RESET**, is relocatable, moves LOMEM if appropriate, and does not install itself twice. If you're interested in studying the source code for this

program, you can download it from CompuServe. Look in the Atari eight-bit SIG's DL (DownLoad) section under utilities. The filename is P1027.FIX, and it's a document (ASCII) file.

## 1027 Printer Timeout Fixer

```

00 140 REM first, find where
      LOHEM is now
01 150 LOPAGE=PEEK(744)
02 160 IF PEEK(743)<>0 THEN
      LOPAGE=LOPAGE+1
03 170 REM (see text) LOPAGE
      =LOPAGE+2
04 180 MODE=8:TRAP 200
05 190 OPEN #3,4,0,"O:AUTORU
      N.SYS":MODE=9
06 200 CLOSE #3

```

```

07 210 OPEN #3,MODE,0,"D2:AU
      TOTEST"
08 220 IF MODE=8 THEN PUT #3
      ,255:PUT #3,255
09 230 READ BYTE:IF BYTE<-1
      THEN 300
10 240 IF BYTE=-1 THEN BYTE=
      LOPAGE
11 250 PUT #3,BYTE:GOTO 230
12 290 REM (all data in file
      )
13 300 CLOSE #3
14 310 END
15 890 DATA 0,-1,80,-1
16 900 DATA 165,49,208,19,10
      4,133,49,140
17 910 DATA 81,-1,160,1,24,1
      77,50,101
18 920 DATA 49,105,0,72,172,
      81,-1,76
19 930 DATA 80,-1,8,120,162,
      0,160,-1
20 940 DATA 236,12,2,208,5,2
      04,13,2

```

```

21 950 DATA 240,18,173,12,2,
      141,24,-1
22 960 DATA 173,13,2,141,25,
      -1,142,12
23 970 DATA 2,140,13,2,40,32
      ,80,-1
24 980 DATA 160,-1,204,232,2
      ,144,9,200
25 990 DATA 140,232,2,169,0,
      141,231,2
26 1000 DATA 96
27 1005 DATA 0,64,35,64
28 1010 DATA 169,-1,205,232,
      2,144,28,208
29 1020 DATA 5,173,231,2,208
      ,21,32,26
30 1030 DATA -1,165,12,141,6
      ,2,-1,165,13
31 1040 DATA 141,63,-1,169,2
      ,6,133,12,169
32 1050 DATA -1,133,13,96
33 1060 DATA 226,2,227,2,0,6
      4
34 1070 DATA -9999

```

# News & Products

## New Electronic Arts Software

Electronic Arts has announced distribution of three new personal computer software packages.

*Mind Mirror* is a mental awareness program designed by Dr. Timothy Leary that lets you test your stereotypes by responding to various situations through the eyes of your chosen subject. You can rate any subject you like and react to various situations based on your preconceptions about the subject. This philosopher-on-a-disk is designed to let you learn about other people as well as yourself. *Mind Mirror* is available for the IBM PC, PCjr, and compatibles, the Apple II, and the Commodore 64. Suggested retail price for the IBM version is \$34.95. Prices for the other versions will be available by the time you read this.

A new conquer-the-world strategy game, *Lords of Conquest*, is based on the board game *Risk*. The object of this game is to protect your holdings while trying to conquer territories belonging to your opponents. There are four levels of game complexity and an unlimited variety of game maps. *Lords of Conquest* is available for the Commodore 64 and 128 and Atari XL series for \$32.95 each.

*Super BoulderDash* consists of the original popular arcade-style game,

*BoulderDash*, and its sequel *BoulderDash II*. Both are strategic action games in which you must maneuver the hero, Rockford, through a series of caves to collect diamonds while avoiding fireflies, butterflies, and falling boulders. *BoulderDash II* adds sixteen new caves, each with five play levels. Versions are available for the Atari 400/800 and Commodore 64/128 at a suggested retail price of \$22.95, and \$29.95 for the Apple II and IBM PC and PCjr versions.

Electronic Arts, 1820 Gateway Dr., San Mateo, CA 94404.

Circle Reader Service Number 200.

## Commodore 64 Power Supply

The Commodore 64 Power Plus from Computer Specialties is a single AC-switched power supply with built-in surge protection. It has one on/off control and three grounded outlets to control your disk drive, monitor, and printer. It offers protection for DC power short circuits, over-current, over-temperature, surge, AC fuse, and over-voltage situations. Suggested retail price is \$59.95.

Computer Specialties, Inc., P.O. Box 1718, Melbourne, FL 32902-1718.

Circle Reader Service Number 201.



Oo-Topos from Penguin Software, a new graphics-and-text adventure game.

## Space Adventures

Your mission is to intercept a power transfusion waste spill before it destroys the earth. However, first you must escape your captors and the planetoid, Oo-Topos. That's the plot of the new adventure game *Oo-Topos* from Polarware. It's available for the Apple II and Commodore 64/128 computers at a suggested retail price of \$34.95, and on the Atari ST, Macintosh, Amiga, and IBM PC and compatibles for \$39.95.

Polarware, Penguin Software, 2600 Keslinger Rd., P.O. Box 311, Geneva, IL 60134.

Circle Reader Service Number 202.

## Commodore Mochine Language Programming

The Machine Shop is a machine language development system for the Commodore 64/128, an upgraded version of French Silk's *Develop-64* (version 4.6). It includes an integrated macro assembler, a full-screen editor, a symbolic decoder, and a debugger. All are in memory simultaneously. The system is reportedly three times faster than the popular PAL assembler, according to the manufacturer.

The Machine Shop from FS! Software costs \$39.95, which includes an instruction manual and a free subscription to *Machine Code*, a machine language programmer's journal.

FS! Software, P.O. Box 635, Faribault, MN 55021.

Circle Reader Service Number 203.

## Win A Trip To Australia

Mindscape is offering a trip to Australia for the 1987 America's Cup race as the grand prize in *The American Challenge: A Sailing Simulation* software competition. Eight finalists will each win a modem, and then compete against each other to win a trip to Perth, Australia.

*The American Challenge: A Sailing Simulation* is a new skill game from Mindscape that puts you onboard a racing sailboat to sail seven increasingly challenging courses until you reach the eighth course, the America's Cup race. You control sail, rudder, and centerboard while the instrument panel monitors wind speed, wind direction, and boat heading. For rookie sailors, a recorded sailing tutorial is included.

*The American Challenge: A Sailing Simulation* is available for Apple II and IBM PC computers at a suggested retail price of \$39.95.

Mindscape, Inc., 3444 Dundee Rd., Northbrook, IL 60062.

Circle Reader Service Number 204.

## Amiga Users Group

The North American Amiga Users Group (NAAUG) is a national user organization for Amiga owners. Membership includes a subscription to the newsletter *AmigaHelp*, a helpline for free one-to-one computer advice, one free disk of public domain software, and full access to the group's public domain library, participation in the NAAUG co-op, and free classified ads to other members. The organization is also working toward an online Special Interest Group (SIG).

The annual membership fee is \$25.

North American Amiga Users Group, Box 376, Lemont, PA 16851.

Circle Reader Service Number 205.

## IBM Computer Golf

*Mean 18* is a one-to-four player golf simulator game for the IBM PC/XT/AT or PCjr with 256K memory, DOS 2.1 or higher, and a color graphics adapter. It includes four graphically detailed courses, 72 different holes, a golf course architect set, and a variety of strategy and play options. The player can choose among practice tee, practice green, practice hole, and begin game options to perfect his game-playing abilities. A joystick controller is not required, although a mouse or joystick may be used.

Suggested retail price is \$49.95.

Accolade, 20863 Stevens Creek Blvd., Cupertino, CA 95014.

Circle Reader Service Number 206.

## New Mastertype Programs

Scarborough Systems has introduced Amiga and enhanced IBM versions of *Mastertype*, educational software that teaches users typing and keyboard skills. The Amiga version includes lessons on numbers, symbols, the numeric keypad, a skill test, rhythm instruction, sentence typing practice, finger positioning charts, and the *Mastertype* game. The IBM version has been upgraded to include all the features of the new Amiga version.

The Amiga and IBM versions are available for \$39.95 each.

Scarborough Systems, 55 S. Broadway, Tarrytown, NY 10591.

Circle Reader Service Number 207.

## Atari ST Drowing Program

*Easy-Draw* from Migraph is an object-oriented drawing program for the Atari ST with a monochrome or color monitor system and the operating system in ROM. It can be used to create business graphics, presentation materials, line drawings, multiple-layer illustrations and to move objects. The program uses the GEM interface, includes standard GEM onscreen proportional text fonts, and uses high-resolution output for printing.

Suggested retail price is \$149.95.

Migraph, Inc., 720 S. 333rd St., Suite 201, Federal Way, WA 98003.

Circle Reader Service Number 208.

## 64/128 Musical Sight Reading

MasterSoft has released *Singing Master*, a program in the company's *Mastery* in Music series for the Commodore 64 and 128 computers. *Singing Master* helps you learn to sight read through individualized exercises in pitch and interval awareness, notes, rhythm, and basic

music facts. The program includes scales, thirds, and intervals in every major key, as well as chord analysis. There is a printer option as well.

Suggested retail price is \$49.95.

MasterSoft, P.O. Box 1027, Bend, OR 97709.

Circle Reader Service Number 209.

## Mystery And Intrigue!

Kinematic has announced a new computer mystery game, *Intrigue!*, for the Apple II and Commodore 64 computers. The action takes place in Washington, D.C., where you talk with an assortment of characters to determine who is telling the truth and who can be trusted as well as who is guilty. There are more than 2000 possible solutions and three experience levels for ages 12 to adult.

Retail price is \$39.95.

Kinematic, Four Winds Rd., P.O. Box 3076, Peterborough, NH 03458-3076.

Circle Reader Service Number 210.

## Scrabble En Francais

Gessler Educational Software has developed a new software program which helps you learn French while having fun. *French Micro Scrabble* is based on the board game *Scrabble* and contains a built-in vocabulary of 20,000 French words. Up to four people can play, or you can play against the computer. There are four different skill levels.

*French Micro Scrabble* is available for the Commodore 64/128 and Apple II+, IIe, and IIc computers for \$39.95.

Gessler Educational Software, 900 Broadway, New York, NY 10003.

Circle Reader Service Number 211.

## Utility Program For The Commodore 64

*Disk Assistant* from Spectrum 1 Network is a Commodore 64 utility program that simplifies disk commands with fifteen menu-driven disk options. Among those included are disk format, validate, erase, and rename. Other features include a help file, flexibility in accessing dual drives, copying on single as well as dual drives, and sequential data file copying.

*Disk Assistant* sells for \$11.95.

Spectrum 1 Network, 9161 Beachy Ave., Arleta, CA 91331.

Circle Reader Service Number 212.

## More Games From Mindscape

Mindscape has released three more software packages for the Commodore 64 and 128. In *Infiltrator*, your mission



is to fly through hostile enemy airspace and reach strategic targets designed to destroy the Mad Leader's military force. This adventure game combines helicopter flight simulation and military ground action.

In order to win *Spell of Destruction*, you must enter the Castle of Illusions, find the Prime Elemental, and destroy it with a single spell. This game features over 70 locations with scrolling 3-D graphics and music.

Three separate games—*Brian Bloodaxe*, *Revelation*, and *QuoVadis*—are combined on one disk. With *Brian Bloodaxe* you can invade Britain and seek the crown jewels. In *Revelation* you battle the Monster of the Apocalypse, or you can fight the Dark Lord in *QuoVadis*. All three are combination strategy-arcade games.

The suggested retail price for *Infiltrator* and *Spell of Destruction* is \$29.95 each. The price for the three-game disk is \$14.95.

Mindscape, Inc., 3444 Dundee Rd., Northbrook, IL 60062.

Circle Reader Service Number 213.

## ST Mind Game

Brøderbund has released an Atari ST version of Synapse's *Mindwheel*, a science fiction text adventure game that features a vocabulary of 1,200 to 1,500 words. The game is a time journey through the minds of four people—a peace activist rock star, a monstrous dictator, a heroic poet, and a gifted scientist. The action takes place in real time, and the goal is to retrieve the Wheel of Wisdom.

*Mindwheel* is available for the Atari 520ST for \$44.95. Versions are also available for the IBM PC/PCjr, Apple II, and Macintosh computers for \$44.95 each, and for the Commodore 64/128 and Atari 400/800/XL/XE computers for \$39.95.

Brøderbund Software, 17 Paul Dr., San Rafael, CA 94903-2101.

Circle Reader Service Number 214.

## Educational Software From MECC

Minnesota Educational Computing Corporation (MECC) has announced two new learning programs. In *Number Munchers*, students move a number muncher around to devour number expressions that match a value displayed on the screen, while avoiding the predatory "troggles". There are five different versions of this game on the disk. For grades four to eight.

*MECC Dataquest: The Fifty States* teaches students to form questions about the fifty states, look for answers

in a database with a menu-driven search program, and formulate hypotheses by using the search results. For grades five to eleven.

Both packages are designed for Apple II computers with at least 64K memory, and are priced at \$49 each.

Minnesota Educational Computing Corporation, 3490 Lexington Ave. N., Saint Paul, MN 55126-8097.

Circle Reader Service Number 215.

## Computer Baseball

With *Monday Morning Manager*, *The Baseball Game* you can play any major league baseball team against any other team. The 1986 revised version includes 64 major league teams from 1905 through the 1985 playoff teams with over 1,500 players and pitchers. The results of each play are based upon the actual statistics of the players, and each play is graphically displayed on your screen.

*Monday Morning Manager* is available on the Atari 800 and Commodore 64 for \$39.95, on the Apple II for \$44.95, and on the Atari 520ST and IBM PC for \$50.

TK Computer Products, P.O. Box 9617, Downers Grove, IL 60515; distributed by Computer Software Service, 495A Busse Rd., Elk Grove Village, IL 60007.

Circle Reader Service Number 216.

## Atari ST Backgammon

Hippopotamus Software has introduced *HippoBackgammon*, a programmable backgammon game which teaches artificial intelligence theory. *HippoBackgammon* allows users to modify the artificial intelligence of the game's built-in opponents to test strategies and playing styles. The strategy is based on statistics which predict the probability of winning with certain moves. There are three levels for novice, intermediate, or expert play. The game works on the Atari ST with either color or black and white monitor.

Retail price is \$39.95.

Hippopotamus Software, Inc., 985 University Ave., Suite #12, Los Gatos, CA 95030.

Circle Reader Service Number 217.


## Graphics Strategy Game

Infocom has released *Fooblitzy*, a multiplayer, computer graphics strategy game. The object of the game is to find the four secret items in the city of Fooblitzy. The challenge is that you are a cool canine and the four secret objects change every time you play the game. Each package contains a disk, four workbooks, four markers, and two sets of rules.

*Fooblitzy* is available for the Atari XL/XE computers with 48K RAM and 810 or 1050 disk drive, the Apple II series with 128K, or the IBM PC with 128K and graphics card. Each version retails for \$39.95, and can be used with joystick or keyboard.

Infocom, Inc., 125 CambridgePark Dr., Cambridge, MA 02140.

Circle Reader Service Number 218.



Compubridge, a bridge tutorial for the Atari 520ST and 1040ST from Artworx.

## Bridge Tutorial For ST Computers

Artworx has begun shipping *Compubridge* for the Atari 520 and 1040 ST.

Based on the bridge text, *Contract Bridge, Five-Card Major Approach*, by Silverman, Jais and Lebel, the program consists of ten chapters covering all aspects of the game from the basics to the game's more sophisticated points. Eight of the chapters close with brief quizzes that test your knowledge. Each quiz is randomly generated, which may be especially helpful for the advanced player interested in fine-tuning his or her game. All user input is through the ST's mouse; no keyboard entry is required.

Suggested retail price of *Compubridge* is \$29.95.

Artworx Software Company, Inc., 150 N. Main St., Fairport, NY 14450.

Circle Reader Service Number 219.

## Commodore, Apple II Educational Software

*Balance!* is an interactive program that teaches students about solving equations. By working with graphically displayed linear equations on a "balance beam," students can literally see the equation-solving process, and better understand it. It's aimed at beginning algebra students, advanced students who want to review the basics, and parents and teachers looking for more effective ways of teaching basic math concepts.

Developed at the New York Institute of Technology, the program strives

to teach what an equation is and how it works; understand that a solution is a unique value which, when inserted in the equation, causes its two sides to be equal; and to develop a strategy, or algorithm, for solving equations and to understand how and why the algorithm works.

Available for Apple II and Commodore 64, *Balance!* retails for \$49.

HRM Software, 175 Tompkins Ave., Pleasantville, NY 10570.

Circle Reader Service Number 220.

### SpeedScript Enhancer For 64

Upstart Publishing has released *SpeedMate*, a customization program for COMPUTE! Publications' *SpeedScript* 3.0-3.2 for the Commodore 64. *SpeedMate* lets you control the way text appears on the screen while editing. It also customizes the control commands for *Preview 80*, an 80-column *SpeedScript* page preview program. (*SpeedScript* and *Preview 80* are not included with *SpeedMate*, but are available from COMPUTE! Publications.) *SpeedMate* also includes an optional print preview routine which displays 80 columns of text with no horizontal scrolling.

*SpeedMate* is available for \$15.

Upstart Publishing, Dept. NPMC, P.O. Box 22022, Greensboro, NC 27420.

Circle Reader Service Number 221.

### IBM Graphics Software For Daisywheel Printers

*Daisyfont*, from Einstein's Automation Profiles is a program that provides dot-matrix design and print capabilities for all daisywheel printers and spinwriters with IBM PC computers. No hardware modifications are necessary.

*Daisyfont* resides in memory, and can be called up from within any other application software. The program lets you design and print logos, letterheads, report headlines, borders, special fonts, and custom character sets. Suggested retail price is \$69.95.

Einstein's Automation Profiles, Inc., 184 2nd Ave., #1B, New York, NY 10003.

Circle Reader Service Number 222.

### Commodore, Apple II Integrated Software

Software Resource Group has begun shipping *Brown Bag Software*, an inexpensive integrated word processor/database manager for the Commodore 64 and Apple II (both versions are on flip sides of the same disk). This program lets you incorporate information from your databases into letters and reports easily and quickly. Up to 20 of these merges can be done within any

one document.

Editing features of the word processor include global search and replace, headers, trailers, footers, and delete by character, word, line, and paragraph. The database manager allows you to create your own templates or use the ones provided.

*Brown Bag Software* retails for \$59.95.

Software Resource Group, Inc., 15100 El Camino Grande, Saratoga, CA 95070.

Circle Reader Service Number 223.

### Accelerating The Apple

A new high-speed replacement coprocessor from Titan Technologies can triple the speed of your Apple II, IIe, or II+. Called the Accelerator IIe, it has its own 6502 processor and plugs into any slot. It can be used to increase the speed of *AppleWorks*, *Apple Writer*, *FlashCalc*, *Multipian*, and other business applications. If you need to run a program at normal speed, you can slow the Accelerator IIe down with your preboot disk. Suggested retail price, \$319.

Titan Technologies, Inc., 310 West Ann St., Ann Arbor, MI 48104-1337.

Circle Reader Service Number 224.



The HabaDisk ten-megabyte hard disk drive for the Atari ST sells for \$699.95

### Haba Hard Drive For ST

Haba/Arrays has announced an external ten-megabyte hard disk drive for the Atari ST, priced at \$699.95. The HabaDisk is a plug-in disk and stores the equivalent of more than twelve dual-sided 800K disks. Transfer rate is five megabytes a second.

The drive is self-powered, and an Atari interface cable is included.

Haba/Arrays, Inc., 6711 Valjean Ave., Van Nuys, CA 91406.

Circle Reader Service Number 225.

### Mac Digitized Images On A Disk

*RealArt*, from Electronic Cottage Industries, is a disk for the Macintosh that contains just under 400K of digitized artwork. You can preview the artwork by running the public domain slide

show, and then look more closely at your favorites. Then shrink, move, cut, or copy and print out the desired images for use in letterhead stationery, note paper, drawing education, or framed display.

*RealArt* retails for \$29.95.

Electronic Cottage Industries, P.O. Box 217, Spooner, WI 54801.

Circle Reader Service Number 226.

### Vietnam Strategy Game

MicroProse Software has introduced *Conflict In Vietnam*, a strategic simulation of the crucial battles of the Vietnam War, available for the Commodore 64 and 128, Atari XL/XE series, Apple II family, and IBM PCjr computers.

Five separate games are included in the program, with scenarios ranging from the end of French rule at Dien Bien Phu in 1954 to the North Vietnamese assault on Quang Tri in 1972. The three battles in between illustrate various stages of American involvement: Ia Drang (1965), Khe Sanh (1968), and Cambodia (1970). The scenarios can be played independently or in historical order. Commands can be entered by joystick or from the keyboard.

A 110-page manual is included, with quick-start instructions, detailed information for advanced play, extensive historical background, design notes, play tips, maps, and charts. Two people can play each other, or one person can play against the computer. There is an option to take command of the North Vietnamese side and play against the computer-controlled American forces.

The suggested retail price is \$39.95 for each version.

Microprose Software, Inc., 120 Lakefront Dr., Hunt Valley, MD 21030.

Circle Reader Service Number 227.

### ST Database

Mirage Concepts has introduced *H & D Base*, a relational database management language for the Atari ST computers. The program is a *dBase II* work-alike with almost 300 commands available for the manipulation of data. In addition to regular data storage and retrieval, *H & D Base* can be used for the creation of systems for handling inventories, accounts payable and receivable, client lists, and more.

The suggested retail price is \$99.95, and the program is not copy protected.

Mirage Concepts, Inc., 4055 W. Shaw #108, Fresno, CA 93711.

Circle Reader Service Number 228.

# COMPUTE!'s Guide To Typing In Programs

Computers are precise—type the program *exactly* as listed, including necessary punctuation and symbols, except for special characters noted below. We have provided a special listing convention as well as a program to check your typing—"The Automatic Proofreader."

Programs for the IBM, TI-99/4A, and Atari ST models should be typed exactly as listed; no special characters are used. Programs for Commodore, Apple, and Atari 400/800/XL/XE computers may contain some hard-to-read special characters, so we have a listing system that indicates these control characters. You will find these Commodore and Atari characters in curly braces; *do not type the braces*. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. A complete list of these symbols is shown in the tables below. For Commodore, Apple, and Atari, a single symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CONTROL key and press A. This will produce a reverse video character on the Commodore (in quote mode), a graphics character on the Atari, and an invisible control character on the Apple.

Graphics characters entered with the Commodore logo key are enclosed in a special bracket: [K-A-]. In this case, you would hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed as S. One exception is {SHIFT-SPACE}. When you see this, hold down SHIFT and press the space bar. If a number precedes a symbol, such as {5 RIGHT}, {6 S}, or {8 Q>}, you would enter five cursor rights, six shifted S's, or eight Commodore-Q's. On the Atari, inverse characters (white on black) should be entered with the inverse video

## Atari 400/800/XL/XE

When you see	Type	See
{CLEAR}	ESC SHIFT <	↵ Clear Screen
{UP}	ESC CTRL -	↑ Cursor Up
{DOWN}	ESC CTRL =	↓ Cursor Down
{LEFT}	ESC CTRL +	← Cursor Left
{RIGHT}	ESC CTRL *	→ Cursor Right
{BACK S}	ESC DELETE	⌫ Backspace
{DELETE}	ESC CTRL DELETE	⌫ Delete character
{INSERT}	ESC CTRL INSERT	⌫ Insert character
{DEL LINE}	ESC SHIFT DELETE	⌫ Delete line
{INS LINE}	ESC SHIFT INSERT	⌫ Insert line
{TAB}	ESC TAB	→ TAB key
{CLR TAB}	ESC CTRL TAB	⌫ Clear tab
{SET TAB}	ESC SHIFT TAB	⌫ Set tab stop
{BELL}	ESC CTRL 2	🔔 Ring buzzer
{ESC}	ESC ESC	⌨ ESCape key

## Commodore PET/CBM/VIC/64/128/16/+4

When You Read:	Press:	See:	When You Read:	Press:	See:
{CLR}	SHIFT CLR/HOME	⌫	{ 1 }	COMMODORE 1	1
{HOME}	CLR/HOME	⌫	{ 2 }	COMMODORE 2	2
{UP}	SHIFT ↑ CRSR ↓	⬆	{ 3 }	COMMODORE 3	3
{DOWN}	↑ CRSR ↓	⬇	{ 4 }	COMMODORE 4	4
{LEFT}	SHIFT ← CRSR →	⬅	{ 5 }	COMMODORE 5	5
{RIGHT}	← CRSR →	➡	{ 6 }	COMMODORE 6	6
{RVS}	CTRL 9	⌛	{ 7 }	COMMODORE 7	7
{OFF}	CTRL 0	⌛	{ 8 }	COMMODORE 8	8
{BLK}	CTRL 1	⌛	{ F1 }	f1	⌛
{WHT}	CTRL 2	⌛	{ F2 }	SHIFT f1	⌛
{REO}	CTRL 3	⌛	{ F3 }	f3	⌛
{CYN}	CTRL 4	⌛	{ F4 }	SHIFT f3	⌛
{PUR}	CTRL 5	⌛	{ F5 }	f5	⌛
{GRN}	CTRL 6	⌛	{ F6 }	SHIFT f5	⌛
{BLU}	CTRL 7	⌛	{ F7 }	f7	⌛
{YEL}	CTRL 8	⌛	{ F8 }	SHIFT f7	⌛
				←	⌛



key (Atari logo key on 400/800 models).

Whenever more than two spaces appear in a row, they are listed in a special format. For example, {6 SPACES} means press the space bar six times. Our Commodore listings never leave a single space at the end of a line, instead moving it to the next printed line as {SPACE}.

Amiga program listings contain only one special character, the left arrow (-) symbol. This character marks the end of each program line. Wherever you see a left arrow, press RETURN or move the cursor off the line to enter that line into memory. Don't try to type in the left arrow symbol; it's there only as a marker to indicate where each program line ends.

## The Automatic Proofreader

Type in the appropriate program listed below, then save it for future use. The Commodore Proofreader works on the Commodore 128, 64, Plus/4, 16, and VIC-20. Don't omit any lines, even if they contain unfamiliar commands or you think they don't apply to your computer. When you run the program, it installs a machine language program in memory and erases its BASIC portion automatically (so be sure to save several copies before running the program for the first time). If you're using a Commodore 128, Plus/4 or 16, do not use any GRAPHIC commands while the Proofreader is active. You should disable the Commodore Proofreader before running any other program. To do this, either turn the computer off and on or enter SYS 64738 (for the 64), SYS 65341 (128), SYS 64802 (VIC-20), or SYS 65526 (Plus/4 or 16). To reenables the Proofreader, reload the program and run it as usual. Unlike the original VIC/64 Proofreader, this version works the same with disk or tape.

On the Atari, run the Proofreader to activate it (the Proofreader remains active in memory as a machine language program); you must then enter NEW to erase the BASIC loader. Pressing SYSTEM RESET deactivates the Atari Proofreader; enter PRINT USR(1536) to reenables it.

The Apple Proofreader erases the BASIC portion of itself after you run it, leaving only the machine language portion in memory. It works with either DOS 3.3 or ProDOS. Disable the Apple Proofreader by pressing CTRL-RESET before running another BASIC program.

The IBM Proofreader is a BASIC program that simulates the IBM BASIC line editor, letting you enter, edit, list, save, and load programs that you type. Type RUN to activate. Be sure to leave Caps Lock on, except when typing lowercase characters.

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a hexadecimal number (on the Apple) or a pair of letters (on the Commodore, Atari, or IBM) appears. The number or pair of letters is called a *checksum*.

Compare the value displayed on the screen by the Proofreader with the checksum printed in the program listing in the magazine. The checksum is given to the left of each line number. Just type in the program a line at a time (without the printed checksum), press RETURN or Enter, and compare the checksums. If they match, go on to the next line. If not, check your typing; you've made a mistake. Because of the checksum method used, do not type abbreviations, such as ? for PRINT. On the Atari and Apple Proofreaders, spaces are not counted as part of the checksum, so be sure you type the right number of spaces between quote marks. The Atari Proofreader does not check to see that you've typed the characters in the right order, so if characters are transposed, the checksum still matches the listing. The Commodore Proofreader catches transposition errors and ignores spaces unless they're enclosed in quotation marks. The IBM Proofreader detects errors in spacing and transposition.

## IBM Proofreader Commands

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you enter NEW, the Proofreader prompts you to press Y to be especially sure you mean yes.

Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program as usual (this replaces the Proofreader in memory). You can now run the program, but you may want to re-save it to disk. This will shorten it on disk and make it load faster, but it can no longer be edited with the Proofreader. If you want to convert an existing BASIC program to Proofreader format, save it to disk with SAVE "filename", A.

## Program 1: Atari Proofreader

By Charles Brannon, Program Editor

```
100 GRAPHICS 0
110 FOR I=1536 TO 1700:REA
  O A:POKE I,A:CK=CK+A:N
  EXT I
120 IF CK<>19072 THEN ? "E
  rror in DATA Statement
  s. Check Typing.":END

130 A=USR(1536)
140 ? :? "Automatic Proof
  reader Now Activated."
150 END
160 DATA 104,160,0,185,26,
  3,201,69,240,7
170 DATA 200,200,192,34,20
  8,243,94,200,169,74
180 DATA 153,26,3,200,169,
  6,153,26,3,162
190 DATA 0,189,0,228,157,7
  4,6,232,224,16
200 DATA 208,245,169,93,14
  1,78,6,169,6,141
210 DATA 79,6,24,173,4,228
  1,105,1,141,95
220 DATA 6,173,5,228,105,0
  141,96,6,169
230 DATA 0,133,203,96,247,
  238,125,241,93,6
240 DATA 244,241,115,241,1
  24,241,76,205,238
250 DATA 0,0,0,0,0,32,62,2
  46,8,201
260 DATA 155,240,13,201,32
  240,7,72,24,101
270 DATA 203,133,203,104,4
  0,96,72,152,7,138
280 DATA 72,160,0,169,128,
  145,88,200,92,40
290 DATA 208,249,165,203,7
  4,74,74,24,105
300 DATA 161,160,5,145,88,
  165,203,41,15,24
310 DATA 105,161,200,145,8
  8,169,0,133,203,104
320 DATA 170,104,160,104,4
  0,96
```

## Program 2: IBM Proofreader

By Charles Brannon, Program Editor

```
10 'Automatic Proofreader Vers
  ion 3.0 (Lines 205,206 add
  ed/190 deleted/470,490 chang
  ed from V2.0)
100 DIM L$(500),LNUM(500):COLO
  R 0,7,7:KEY OFF:CLS:MAX=0:
  LNUM(0)=65536!
110 ON ERROR GOTO 120:KEY 15,C
  HR$(4)+CHR$(70):ON KEY(15)
  BOSUB 640:KEY (15):ON GOT
  O 130
120 RESUME 130
130 DEF SEG=&H40:W=PEEK(&H4A)
140 ON ERROR GOTO 650:PRINT:PR
  INT"Proofreader Ready."
150 LINE INPUT L$:Y=CSRLIN-INT
  (LEN(L$)/W)-1:LOCATE Y,1
160 DEF SEG=&0:POKE 1050,30:POK
  E 1052,34:POKE 1054,0:POKE
  1055,79:POKE 1056,13:POKE
  1057,28:LINE INPUT L$:DEF
  SEG:IF L$="" THEN 150
170 IF LEFT$(L$,1)="" THEN L$
  =MID$(L$,2):GOTO 170
```

```

180 IF VAL(LEFT$(L$,2))=0 AND
MIO$(L$,3,1)=" " THEN L$=M
IO$(L$,4)
200 IF ASC(L$)>57 THEN 260 'no
line number, therefore co
mmand
205 BL=INSTR(L$, " ") IF BL=0 T
HEN BL$=L$:GOTO 206 ELSE B
L$=LEFT$(L$,BL-1)
206 LNUM=VAL(BL$):TEXT$=MIO$(L
$,LEN(STR(LNUM))+1)
210 IF TEXT$="" THEN GOSUB 540
:IF LNUM=LNUM(P):THEN GOSU
B 560:GOTO 150 ELSE 150
220 CKSUM=0:FOR I=1 TO LEN(L$)
:CKSUM=(CKSUM+ASC(MIO$(L$,
I)))%1 AND 255:NEXT:LOCATE
Y,1:PRINT CHR$(65+CKSUM/1
6)+CHR$(65+(CKSUM AND 15))
+" "+L$
230 GOSUB 540:IF LNUM(P)=LNUM
THEN L$(P)=TEXT$:GOTO 150
'replace line
240 GOSUB 580:GOTO 150 'insert
the line
260 TEXT$="":FOR I=1 TO LEN(L$)
:A=ASC(MIO$(L$,I)):TEXT$=
TEXT$+CHR$(A+32*(A%96 AND
A<123)):NEXT
270 DELIMITER=INSTR(TEXT$, " ")
:COMMAND$=TEXT$:ARG$="":IF
DELIMITER THEN COMMAND$=L
EFT$(TEXT$,DELIMITER-1):AR
G$=MIO$(TEXT$,DELIMITER+1)
ELSE DELIMITER=INSTR(TEXT$
,CHR$(34)):IF DELIMITER T
HEN COMMAND$=LEFT$(TEXT$,D
ELIMITER-1):ARG$=MIO$(TEXT
$,DELIMITER)
280 IF COMMAND$<>"LIST" THEN 4
10
290 OPEN "scrn:" FOR OUTPUT AS
#1
300 IF ARG$="" THEN FIRST=0:P=
MAX-1:GOTO 340
310 DELIMITER=INSTR(ARG$,"-")
:IF DELIMITER=0 THEN LNUM=V
AL(ARG$):GOSUB 540:FIRST=P
:GOTO 340
320 FIRST=VAL(LEFT$(ARG$,DELIM
ITER)):LAST=VAL(MIO$(ARG$,
DELIMITER+1))
330 LNUM=FIRST:GOSUB 540:FIRST
=P:LNUM=LAST:GOSUB 540:IF
P=0 THEN P=MAX-1
340 FOR X=FIRST TO P:N$=MIO$(S
TR$(LNUM(X)),2)+ " "
350 IF CKFLAG=0 THEN AS$="":GOT
O 370
360 CKSUM=0:A$=N$+L$(X):FOR I=
1 TO LEN(A$):CKSUM=(CKSUM+
ASC(MIO$(A$,I)))%1 AND 255
:NEXT:A$=CHR$(65+CKSUM/16)
+CHR$(65+(CKSUM AND 15))+"
370 PRINT #1,A$+N$+L$(X)
380 IF INKEY$<>" " THEN X=P
390 NEXT :CLOSE #1:CKFLAG=0
400 GOTO 130
410 IF COMMAND$="LIST" THEN O
PEN "lpt1:" FOR OUTPUT AS
#1:GOTO 300
420 IF COMMAND$="CHECK" THEN C
KFLAG=1:GOTO 290
430 IF COMMAND$<>"SAVE" THEN 4
50
440 GOSUB 600:OPEN ARG$ FOR OU
TPUT AS #1:ARG$="":GOTO 30
0
450 IF COMMAND$<>"LOAD" THEN 4
90

```

```

460 GOSUB 600:OPEN ARG$ FOR IN
PUT AS #1:MAX=0:P=0
470 WHILE NOT EOF(1):LINE INPU
T #1,L$:BL=INSTR(L$, " ")
L$=LEFT$(L$,BL-1):LNUM(P)=
VAL(BL$):L$(P)=MIO$(L$,LEN
(STR$(VAL(BL$)))+1):P=P+1:
WEND
480 MAX=P:CLOSE #1:GOTO 130
490 IF COMMAND$="NEW" THEN INP
UT "Erase program - Are yo
u sure":L$:IF LEFT$(L$,1)=
"Y" OR LEFT$(L$,1)="Y" THEN
N MAX=0:LNUM(0)=65536:GOT
O 130:ELSE 130
500 IF COMMAND$="BASIC" THEN C
OLOR 7,0,0:ON ERROR GOTO 0
:CLS:END
510 IF COMMAND$<>"FILES" THEN
520
515 IF ARG$="" THEN ARG$="A:"
ELSE SEL=1:GOSUB 600
517 FILES ARG$:GOTO 130
520 PRINT"Syntax error":GOTO 1
30
540 P=0:WHILE LNUM>LNUM(P) AND
P<MAX:P=P+1:WEND:RETURN
560 MAX=MAX-1:FOR X=P TO MAX:L
NUM(X)=LNUM(X+1):L$(X)=L$(
X+1):NEXT:RETURN
580 MAX=MAX+1:FOR X=MAX TO P+1
STEP -1:LNUM(X)=LNUM(X-1)
:L$(X)=L$(X-1):NEXT:L$(P)=
TEXT$:LNUM(P)=LNUM:RETURN
600 IF LEFT$(ARG$,1)<>CHR$(34)
THEN 520 ELSE ARG$=MIO$(A
RG$,2)
610 IF RIGHT$(ARG$,1)=CHR$(34)
THEN ARG$=LEFT$(ARG$,LEN(A
RG$)-1)
620 IF SEL=0 AND INSTR(ARG$,".
")=0 THEN ARG$=ARG$+".BAS"
630 SEL=0:RETURN
640 CLOSE #1:CKFLAG=0:PRINT"St
opped.":RETURN 150
650 PRINT "Error #":ERR:RESUME
150

```

### Program 3: Commodore Proofreader

By Philip Nelson, Assistant Editor

```

10 VEC=PEEK(772)+256*PEEK(773)
:LO=43:HI=44
20 PRINT "AUTOMATIC PROOFREADER
FOR "
:IF VEC=42364 THEN
{SPACE}PRINT "C-64"
30 IF VEC=50556 THEN PRINT "VI
C-20"
40 IF VEC=35158 THEN GRAPHIC C
LR:PRINT "PLUS/4 & 16"
50 IF VEC=17165 THEN LO=45:HI=
46:GRAPHIC CLR:PRINT"128"
60 SA=(PEEK(LO)+256*PEEK(HI))+
6:ADR=SA
70 FOR J=0 TO 166:READ BYT:POKE
E ADR,BYT:ADR=ADR+1:CHK=CHK
+BYT:NEXT
80 IF CHK<>20570 THEN PRINT "**
ERROR* CHECK TYPING IN DATA
STATEMENTS":END
90 FOR J=1 TO 5:READ RF,LF,HF:
RS=SA+RF:HB=INT(RS/256):LB=
RS-(256*HB)
100 CHK=CHK+RF+LF+HF:POKE SA+L
F,LB:POKE SA+HF,HB:NEXT
110 IF CHK<>22054 THEN PRINT "
*ERROR* RELOAD PROGRAM AND

```

```

{SPACE}CHECK FINAL LINE":EN
D
120 POKE SA+149,PEEK(772):POKE
SA+150,PEEK(773)
130 IF VEC=17165 THEN POKE SA+
14,22:POKE SA+18,23:POKE SA+
29,224:POKE SA+139,224
140 PRINT CHR$(147):CHR$(17):"
PROOFREADER ACTIVE":SYS SA
150 POKE HI,PEEK(HI)+1:POKE (P
EEK(LO)+256*PEEK(HI))-1,0:N
EW
160 DATA 120,169,73,141,4,3,16
9,3,141,5,3
170 DATA 88,96,165,20,133,167,
165,21,133,168,169
180 DATA 0,141,0,255,162,31,18
1,199,157,227,3
190 DATA 202,16,248,169,19,32,
210,255,169,18,32
200 DATA 210,255,160,0,132,180
,132,176,136,230,180
210 DATA 200,185,0,2,240,46,20
1,34,208,8,72
220 DATA 165,176,73,255,133,17
6,104,72,201,32,208
230 DATA 7,165,176,208,3,104,2
08,226,104,166,180
240 DATA 24,165,167,121,0,2,13
3,167,165,168,105
250 DATA 0,133,168,202,208,239
,240,202,165,167,69
260 DATA 168,72,41,15,168,185,
211,3,32,210,255
270 DATA 104,74,74,74,74,168,1
85,211,3,32,210
280 DATA 255,162,31,189,227,3,
149,199,202,16,248
290 DATA 169,146,32,210,255,76
,86,137,65,66,67
300 DATA 68,69,70,71,72,74,75,
77,80,81,82,83,88
310 DATA 13,2,7,167,31,32,151,
116,117,151,128,129,167,136
,137

```

### Program 4: Apple Proofreader

By Tim Victor, Editorial Programmer

```

10 C = 0: FOR I = 768 TO 768 +
68: READ A: C = C + A: POKE I
, A: NEXT
20 IF C < > 7258 THEN PRINT "ER
ROR IN PROOFREADER DATA STA
TEMENTS": END
30 IF PEEK (190 * 256) < > 76 T
HEN POKE 56,0: POKE 57,3: CA
LL 1002: GOTO 50
40 PRINT CHR$(4):"IN#A$300"
50 POKE HI,0: HOME: POKE 34,1:
VTAB 2: PRINT "PROOFREADER
INSTALLED"
60 NEW
100 DATA 216,32,27,253,201,141
110 DATA 208,60,138,72,169,0
120 DATA 72,189,255,1,201,160
130 DATA 240,8,104,10,125,255
140 DATA 1,105,0,72,202,208
150 DATA 238,104,170,41,15,9
160 DATA 48,201,58,144,2,233
170 DATA 57,141,1,4,138,74
180 DATA 74,74,74,41,15,9
190 DATA 48,201,58,144,2,233
200 DATA 57,141,0,4,104,170
210 DATA 169,141,96

```

# MLX Machine Language Entry Program For Commodore 64 and Apple

Ottis Cowper, Technical Editor and Tim Victor, Editorial Programmer

*"MLX" is a labor-saving utility that allows almost fail-safe entry of machine language programs. The Apple version runs on the II, II+, IIe, and IIC, with either DOS 3.3 or ProDOS.*

"MLX" is a new way to enter long machine language (ML) programs without a lot of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter invalid characters or let you continue if there's a mistake in a line. It won't even let you enter a line or digit out of sequence. For the Commodore 64, this new version of MLX was first introduced in the December 1985 issue. No version of 64 MLX published before that date can be used to enter the MLX-format listings in this issue.

## Using MLX

Type in and save some copies of whichever version of MLX is appropriate for your computer (you'll want to use it to enter future ML programs from COMPUTE!). Program 1 is for the Commodore 64, and Program 2 is for the Apple. For Apple MLX, it doesn't matter whether you save the program on a disk formatted for DOS 3.3 or ProDOS. Programs entered with Apple MLX, however, must be saved to a disk formatted with the same operating system as MLX itself. If you have an Apple IIe or IIC, make sure that the key marked *Caps Lock* is in the down position.

When you're ready to enter an ML program, load and run MLX. It asks you for a starting address and an ending address. These addresses appear in the article accompanying the MLX-format program listing you're typing. If you're unfamiliar with machine language, the addresses (and all other values you enter in MLX) may appear strange. Instead of the usual decimal numbers you're accustomed to, these numbers are in *hexadecimal*—a base 16 numbering system commonly used by ML programmers. Hexadecimal—hex for short—includes the numerals 0-9 and the letters A-F. But don't worry—even if you know nothing about ML or hex, you should have no trouble using MLX.

After you enter the starting and ending addresses, the 64 version will offer you the option of clearing the workspace. Choose this option if you're

starting to enter a new listing. If you're continuing a listing that's partially typed from a previous session, don't choose this option.

A functions menu will appear. The first option in the menu is ENTER DATA. If you're just starting to type in a program, pick this. Press the E key, and type the first number in the first line of the program listing. If you've already typed in part of a program, type the line number where you left off typing at the end of the previous session. In any case, make sure the address you enter corresponds to the address of a line in the listing you are entering. Otherwise, you'll be unable to enter the data correctly. In the 64 version, if you pressed E by mistake, you can return to the command menu by pressing RETURN alone when asked for the address. (You can get back to the menu from most options by pressing RETURN with no other input.)

Once you're in Enter mode, MLX prints the address for each program line for you. You then type in all nine numbers on that line, beginning with the first two-digit number after the colon (:). Each line represents eight data bytes and a checksum. Although an MLX-format listing appears similar to the "hex dump" machine language listings you may be accustomed to, the extra checksum number on the end allows MLX to check your typing. (Apple users can enter the data from an MLX listing using the built-in monitor if the right-most column of data is omitted, but we recommend against it. It's much easier to let MLX do the proofreading and error checking for you.)

When you enter a line, MLX recalculates the checksum from the eight bytes and the address and compares this value to the number from the ninth column. If the values match, the data is added to the workspace area, and the prompt for the next line of data appears (the 64 version gives a pleasant beep to indicate that the line was entered correctly). But if MLX detects a typing error, you'll be notified of the mistake. The 64 version will sound a low buzz and display an error message, then re-display the line for editing. Apple MLX sounds a beep to alert you of the error and then erases the incorrect line and prompts you to reenter it correctly.

After you have entered the last number on the last line of the listing,

the Apple version will return to the command menu. At this point you should immediately choose the option S to save your data. The 64 version automatically moves to the Save option after the last number is entered.

## Invalid Characters Banned

In 64 MLX, only a few keys are active while you're entering data, so you may have to unlearn some habits. You *do not* type spaces between the columns; the new MLX automatically inserts these for you. You *do not* press RETURN after typing the last number in a line; the new MLX automatically enters and checks the line after you type the last digit.

Apple MLX is fairly flexible about how you type in the numbers. You can put extra spaces between numbers or leave the spaces out entirely, compressing a line into 18 keypresses. But be careful not to put a space between two digits in the middle of a number. MLX will read two single-digit numbers instead of one two-digit number (F 6 means F and 6, not F6). You must press RETURN to enter the line.

Only the numerals 0-9 and the letters A-F can be typed in. If you press any other key (with some exceptions noted below), nothing happens (the 64 version gives a warning buzz to indicate an invalid keypress). Even better, MLX checks for transposed characters. If you're supposed to type in A0 and instead enter 0A, MLX will catch your mistake.

## Editing Features

To correct typing mistakes before finishing a line in the 64 version, use the INST/DEL key to delete the character to the left of the cursor. (The cursor-left key also deletes.) If you mess up a line really badly, press CLR/HOME to start the line over. The RETURN key is also active, but only before any data is typed on a line. Pressing RETURN at this point returns you to the command menu. After you type a character of data, MLX disables RETURN until the cursor returns to the start of a line. Remember, you can press CLR/HOME to quickly get to a line number prompt.

More editing features are available when correcting lines in which 64 MLX has detected an error. To make corrections in a line that MLX has redisplayed for editing, compare the line on the



screen with the one printed in the listing, then move the cursor to the mistake and type the correct key. The cursor left and right keys provide the normal cursor controls. (The INST/DEL key now works as an alternative cursor-left key.) You cannot move left beyond the first character in the line. If you try to move beyond the rightmost character, you'll reenter the line. During editing, RETURN is active; pressing it tells MLX to recheck the line. You can press the CLR/HOME key to clear the entire line if you want to start from scratch, or if you want to get to a line number prompt to use RETURN to get back to the menu.

Apple MLX also includes some editing features. The left- and right-arrow keys allow you to back up and go forward on the line you're entering so that you can retype data. Pressing the CONTROL (CTRL) and D keys at the same time (*delete*) removes the character under the cursor, shortening the line by one character. Pressing CONTROL-I (*insert*) puts a space under the cursor and shifts the rest of the line to the right, making the line one character longer. If the cursor is at the right end of the line, neither CONTROL-D nor CONTROL-I has any effect. To leave Enter mode, press the RETURN key when MLX prompts you with a new line address.

## Display Data

The second menu choice, DISPLAY DATA, examines memory and shows the contents in the same format as the program listing (including the checksum). When you press D, MLX asks you for a starting address. Be sure that the starting address you give corresponds to a line number in the listing. Otherwise, the checksum display will be meaningless. MLX displays program lines until it reaches the end of the program, at which point the menu is redisplayed. With Apple MLX, you can stop the display and return to the menu by pressing any key. The 64 version allows you to stop the display and get back to the menu by pressing RETURN, or to pause the display by pressing the space bar (press space again to restart the display).

## Other Menu Options

Two more menu selections let you save programs and load them back into the computer. These are SAVE FILE (SAVE DATA in the 64 version) and LOAD FILE; their operation is quite straightforward. When you press S or L, MLX asks you for the filename. The 64 version will follow this by asking you to press either D or T to select disk or tape.

Those using the 64 version will notice the disk drive starting and stop-

ping several times during a load or save. Don't panic; this is normal behavior. MLX opens and reads from or writes to the file instead of using the usual LOAD and SAVE commands. Disk users should also note that the drive prefix 0: is automatically added to the filename (line 750), so this should *not* be included when entering the name. (This also precludes the use of @ for Save-with-Replace, so remember to give each version you save a different name.)

Remember that MLX saves the entire workspace area from the starting address to the ending address, so the save or load may take longer than you might expect if you've entered only a small amount of data from a long listing. When saving a partially completed listing, make sure to note the address where you stopped typing so you'll know where to resume entry when you reload.

MLX reports any errors detected during the save or load. For the 64 version, the standard disk or tape error messages will be displayed. (Tape users should bear in mind that the Commodore 64 is never able to detect errors when saving to tape.) The 64 version also has three special load error messages: INCORRECT STARTING ADDRESS, which means the file you're trying to load does not have the starting address you specified when you ran MLX; LOAD ENDED AT address, which means the file you're trying to load ends before the ending address you specified when you started MLX; and TRUNCATED AT ENDING ADDRESS, which means the file you're trying to load extends beyond the ending address you specified when you started MLX. If you see one of these messages and feel certain that you've loaded the right file, exit and rerun MLX, being careful to enter the correct starting and ending addresses.

The Apple version simply displays the message DISK ERROR if a problem is detected during a Save or Load. If you're not sure why a disk error has occurred, check the drive. Make sure there's a formatted disk in the drive and that it was formatted by the same operating system you're using for MLX (ProDOS or DOS 3.3). If you're trying to save a file and see an error message, the disk might be full. Either save the file on another disk or quit MLX (by pressing the Q key), delete an old file or two, then run MLX again. Your typing should still be safe in memory. If the error message appears during a Load, you may have specified a filename that doesn't exist on the disk.

The Quit menu option has the obvious effect—it stops MLX and enters

BASIC. In the 64 version the RUN/STOP key is disabled, so the Q option lets you exit the program without turning off the computer. (Of course, RUN/STOP-RESTORE for the 64 or CONTROL-RESET for the Apple also gets you out.) The 64 version will ask for verification; press Y to exit to BASIC, or any other key to return to the menu. After quitting, you can type RUN again and reenter MLX without losing your data, as long as you don't use the clear workspace option in 64 MLX.

## The Finished Product

When you've finished typing all the data for an ML program and saved your work, you're ready to see the results. The instructions for loading and using the finished product vary from program to program. Some Commodore 64 ML programs are designed to be loaded and run like BASIC programs, so all you need to type is LOAD "filename",8 for disk or LOAD "filename" for tape, and then RUN. (Such programs usually have 0801 as their MLX starting address.) Others must be reloaded to specific addresses with a command such as LOAD "filename",8,1 for disk or LOAD "filename",1,1 for tape, then started with a SYS to a particular memory address. (On the Commodore 64, the most common starting address for such programs is 49152, which corresponds to MLX address C000.) In either case, you should always refer to the article which accompanies the ML listing for information on loading and running the program. For the Apple, you need to BRUN the program, or you may BLOAD and start the program with a CALL. Again, refer to the article accompanying the machine language program for instructions.

## An Ounce Of Prevention

By the time you finish typing in the data for a long ML program, you'll have several hours invested in the project. Don't take chances—use our "Automatic Proofreader" to type the new MLX, and then test your copy *thoroughly* before first using it to enter any significant amount of data. Make sure all the menu options work as they should. Enter fragments of the program starting at several different addresses, then use the Display option to verify that the data has been entered correctly. And be sure to test the Save and Load options several times to ensure that you can recall your work from disk or tape. Don't let a simple typing error in the new MLX cost you several nights of hard work.

In the Apple version, line 100 traps all errors to line 610. If MLX is typed in correctly, then only disk errors should normally be encountered. A disk error

message when you're not trying to access the drive—for example, when you first start entering data—indicates a typing error in the MLX program itself. If this occurs, hit CONTROL-RESET to break out of MLX and carefully compare your entry against the printed listing.

For instructions on entering these listings, please refer to "COMPUTE's Guide to Typing in Programs" in this issue of COMPUTE.

## Program 1: MLX For Commodore 64

Version by Otis Cowper, Technical Editor

```

100 POKE 56,50:CLR:OIM IN$,I,J
    A=4,B=AS,B$,A(7),N$,I:rem 34
110 C4=48:C6=16:C7=7:Z2=2:Z4=2
    54:Z5=255:Z6=256:Z7=127
    :rem 238
120 FA=PEEK(45)+Z6*PEEK(46):BS
    =PEEK(55)+Z6*PEEK(56):H$="
    0123456789ABCDEF":rem 118
130 R$=CHR$(L3):L$=[LEFT]:S$=
    "":OS=CHR$(20):Z$=CHR$(0)
    :I$=[RIGHT]:rem 173
140 SO=54272:FOR I=SO TO SD+23
    :POKE I,0:NEXT:POKE SO+24,
    15:POKE 788,52:rem 194
150 PRINT "[CLR]"CHR$(142)CHR$(
    8):POKE 53280,15:POKE 5328
    1,15:rem 104
160 PRINT T$ "[RED]"[RVS]
    "[2 SPACES]"[8 @]"[2 SPACES]"
    SPC(28)"[2 SPACES]"[OFF]
    [BLU] MLX II [RED]"[RVS]
    [2 SPACES]"SPC(28)"
    [12 SPACES]"[BLU]:rem 121
170 PRINT "[3 OWN]"[3 SPACES]CO
    MPUTE'S MACHINE LANGUAGE
    [MUTE]BOITR[3 OWN]:rem 135
180 PRINT "[BLK]STARTING AORRES
    S$4$":GOSUB300:SA=AD:GOSU
    B1040:IF F THEN180:rem 113
190 PRINT "[BLK]"[2 SPACES]ENDIN
    G ADDRESS$4$":GOSUB300:EA
    =AO:GOSUB1030:IF F THEN190
    :rem 173
200 INPUT "[3 OWN]"[BLK]CLEAR W
    ORKSPACE [Y/N]4$":AS=IF L
    EFT$(AS,1)<"Y"THEN220
    :rem 9
210 PRINT "[2 DOWN]"[BLU]WORKING
    "...":FORI=BS TO BS+EA-SA+
    7:POKE I,0:NEXT:PRINT "OOOE
    ":rem 139
220 PRINTTAB(10)"[2 DOWN]"[BLK]
    [RVS] MLX COMMAND MENU
    [DOWN]4$":PRINT T$"[RVS]E
    [OFF]INTER DATA":rem 62
230 PRINT T$"[RVS]D[OFF]ISPLAY
    OATA":PRINT T$"[RVS]L
    [OFF]OAO DATA":rem 19
240 PRINT T$"[RVS]S[OFF]AVE FI
    LE":PRINT T$"[RVS]Q[OFF]UI
    T[2 DOWN]"[BLK]:rem 238
250 GET AS:IF AS=N$ THEN250
    :rem 127
260 A=0:FOR I=1 TO 5:IF AS=MID
    S("EDLSQ",I,1)THEN A=I:5=
    :rem 42
270 NEXT:ON A GOTO420,610,690,

```

```

700,280:GOSUB1060:GOTO250
    :rem 97
280 PRINT "[RVS] QUIT ":"INPUT"
    [DOWN]4$ARE YOU SURE [Y/N
    ]":AS=IF LEFT$(AS,1)<"Y"TH
    EN220:rem 189
290 POKE SD+24,0:END:rem 95
300 IN$=N$:AO=0:INPUTIN$:IFLEN
    (IN$)<4THENRETURN:rem 31
310 BS=IN$:GOSUB320:AD=A:BS=MID
    $(IN$,3):GOSUB320:AO=A*0.2
    56+A:RETURN:rem 225
320 A=0:FOR J=1 TO 2:AS=MID$(B
    $,J,1):B=ASC(AS)-C4+(AS)*0
    "C7:A=A*C6+B:rem 143
330 IF B<0 OR B>15 THEN AO=0:A
    =-1:J=2:rem 132
340 NEXT:RETURN:rem 240
350 B=INT(A/C6):PRINT MID$(H$,
    B+1,1):B=A-B*C6:PRINT MID
    $(H$,B+1,1):RETURN:rem 42
360 A=INT(AO/Z6):GOSUB350:A=AO
    -A*Z6:GOSUB350:PRINT":rem 32
370 CK=INT(AO/Z6):CK=AD-Z4*CK+
    Z5*(CK>Z7):GOTO390:rem 131
380 CK=CK*Z2+Z5*(CK>Z7)+A
    :rem 168
390 CK=CK+Z5*(CK>Z5):RETURN:rem 159
400 PRINT "[DOWN]STARTING AT4$
    ":GOSUB300:IF IN$<N$ THE
    N GOSUB1030:IF F THEN400
    :rem 75
410 RETURN:rem 117
420 PRINT "[RVS] ENTER DATA":G
    OSUB400:IF IN$=N$ THEN220
    :rem 85
430 OPEN3,3:PRINT:rem 34
440 POKE198,0:GOSUB360:IF F TH
    EN PRINT IN$:PRINT"[UP]
    [5 RIGHT]":rem 110
450 FOR I=0 TO 24 STEP 3:B$=S$
    :FOR J=1 TO 2:IF F THEN B$
    =MID$(IN$,I+J,1):rem 226
460 PRINT "[RVS]"B$LS$:IF I<24T
    HEN PRINT"[OFF]":rem 15
470 GET AS:IF AS=N$ THEN470
    :rem 135
480 IF (AS$)/"ANOAS<":"OR(AS$)
    @"ANOAS<"G")THEN540
    :rem 100
490 IF AS=R$ ANO((I=0)ANO(J=1)
    OR P)THEN PRINT B$:J=2:NE
    XT:I=24:GOTO550:rem 46
500 IF AS="[HOME]" THEN PRINT
    [SPACE]B$:J=2:NEXT:I=24:NE
    XT:F=0:GOTO440:rem 66
510 IF (AS="[RIGHT]")ANOF THENP
    RINT BSLS$:GOTO540:rem 107
520 IF AS<L$ ANO AS<O$ OR((I=
    0)ANO(J=1))THEN GOSUB1060
    :GOTO470:rem 232
530 AS=LS$+S$+L$:PRINT BSLS$:J=
    2-J:IF J THEN PRINT L$:I=
    I-3:rem 12
540 PRINT AS:NEXT J:PRINT S$:
    :rem 2
550 NEXT I:PRINT:PRINT"[UP]
    [5 RIGHT]":INPUT3,IN$:IF
    IN$=N$ THEN CLOSE3:GOTO22
    0:rem 106
560 FOR I=1 TO 25 STEP3:B$=MID
    $(IN$,I):GOSUB320:IF I<25
    [SPACE]THEN GOSUB380:A(I/3
    )=A:rem 31
570 NEXT:IF A<CK THEN GOSUB10
    60:PRINT "[BLK]"[RVS] ERROR:
    REENTER LINE 4$":F=1:GOT
    O440:rem 161

```

```

580 GOSUB1080:B=BS+AO-SA:FOR I
    =0 TO 7:POKE B+1,A(I):NEXT
    :rem 245
590 AD=AD+8:IF AD>EA THEN CLOS
    E3:PRINT "[DOWN]"[BLU]"** END
    OF ENTRY **"[BLK]"[2 DOWN]"
    :GOTO700:rem 207
600 F=0:GOTO440:rem 84
610 PRINT "[CLR]"[DOWN]"[RVS] OLS
    PLAY OATA":GOSUB400:IF IN
    $=N$ THEN220:rem 146
620 PRINT "[DOWN]"[BLU]PRESS:
    [RVS]SPACE[OFF] TO PAUSE,
    [SPACE]"[RVS]RETURN[OFF] TO
    BREAK4$"[OWN]:rem 241
630 GOSUB360:B=BS+AO-SA:FORI=B
    TO B+7:A=PEEK(I):GOSUB350:
    GOSUB380:PRINT S$:rem 56
640 NEXT:PRINT "[RVS]"":A=CK:GO
    SUB350:PRINT:rem 144
650 F=1:AD=AO+8:IF AO>EA THENP
    RINT "[DOWN]"[BLU]"** END OF
    [SPACE]DATA **":GOTO220
    :rem 170
660 GET AS:IF AS=R$ THEN GOSUB
    1080:GOTO220:rem 65
670 IF AS=S$ THEN F=F+1:GOSUB1
    080:rem 28
680 ONGOTO630,660,630:rem 224
690 PRINT "[DOWN]"[RVS] LOAO DAT
    A":OP=1:GOTO710:rem 31
700 PRINT "[OWN]"[RVS] SAVE FIL
    E":OP=0:rem 32
710 IN$=N$:INPUT "[DOWN]"FILENAM
    E$4$":IN$:IF IN$=N$ THEN22
    0:rem 229
720 F=0:PRINT "[DOWN]"[BLK]"[RVS]
    T[OFF]APE OR [RVS]O[OFF]IS
    K:4$":rem 66
730 GET AS:IF AS="T"THEN PRINT
    "T[DOWN]":GOTOBB0:rem 90
740 IF AS<0"DN"THEN730:rem 90
750 PRINT"O[DOWN]":OPEN15,8,15
    ,"10":B=EA-SA:IN$="0":+IN
    $:IF OP THENB10:rem 163
760 OPEN 1,8,8,IN$,"P,W":GOSU
    BB0:IF A THEN220:rem 66
770 AH=INT(SA/256):AL=SA-(AH*
    256):PRINT1,1,CHR$(AL):CHR$(
    AH):rem 221
780 FOR I=0 TO B:PRINT#1,CHR$(
    PEEK(BS+I)):IF ST THENB00
    :rem 171
790 NEXT:CLOSE1:CLOSE15:GOTO94
    0:rem 230
800 GOSUB1060:PRINT "[OWN]
    [BLK]ERROR OURING SAVE:4$
    ":GOSUBB60:GOTO220:rem 61
810 OPEN 1,8,8,IN$,"P,R":GOSU
    B860:IF A THEN220:rem 15
820 GET#1,AS,B$,AD=ASC(AS+Z$)+
    256*ASC(B$+Z$):IF AD<SA T
    HEN F=1:GOTOB50:rem 155
830 FOR I=0 TO B:GET#1,AS:=POKE
    BS+1,ASC(AS+Z$):IF ST ANO
    (I<B)THEN F=2:AO=I:I=B
    :rem 180
840 NEXT:IF ST<64 THEN F=3
    :rem 20
850 CLOSE1:CLOSE15:ON ABS(F)>0
    +1 GOTO960,970:rem 12
860 INPUT15,A,AS:IF A THEN CL
    OS1:CLOSE15:GOSUB1060:PR
    INT "[RVS]ERROR: A$":rem 114
870 RETURN:rem 127
880 POKE183,PEEK(FA+2):POKE187
    ,PEEK(FA+3):POKE18B,PEEK(F
    A+4):IFOP=0THEN920:rem 178
890 SYS 63466:IFPEEK(783)AND1
    )THEN GOSUB1060:PRINT"
    [DOWN]"[RVS] FILE NOT FOUND

```

```

":GOTO690      :rem 34
900 AD=PEEK(829)+256*PEEK(830)
   IF AD<SA THEN F=1:GOTO97
   :rem 201
910 A=PEEK(831)+256*PEEK(832)-
   1:F=F-2*(A<EA)-3*(A>EA):AD
   =A-AD:GOTO930      :rem 75
920 A=SA:B=EA+1:GOSUB1010:POKE
   780,3:SYS 63338      :rem 107
930 A=BS:B=BS+(EA-SA)+1:GOSUB1
   010:ON OF GOTO950:SYS 6359
   1      :rem 3B
940 GOSUB1080:PRINT"[BLU]** SA
   VE COMPLETED ***:GOTO220
   :rem 139
950 POKE147,0:SYS 63562:IF ST<
   >64 THEN970      :rem 39
960 GOSUB1080:PRINT"[BLU]** LO
   AD COMPLETED ***:GOTO220
   :rem 126
970 GOSUB1060:PRINT"[BLK][RVS]
   ERROR DURING LOAD:[DOWN]
   [4]:ON F GOSUB980,990,I00
   0:GOTO220      :rem 233
980 PRINT"INCORRECT STARTING A
   DDRESS (" :GOSUB360:PRINT"
   )":RETURN      :rem 145
990 PRINT"LOAD ENDED AT " :AD=
   SA+AD:GOSUB360:PRINT DS:RE
   TURN      :rem 159
1000 PRINT"TRUNCATED AT ENDING
   ADDRESS":RETURN:rem 166
1010 AH=INT(A/256):AL=A-(AH*25
   6):POKE193,AL:POKE194,AH
   :rem 95
1020 AH=INT(B/256):AL=B-(AH*25
   6):POKE174,AL:POKE175,AH:
   RETURN      :rem 122
1030 IF AD<SA OR AD>EA THEN105
   0      :rem 135
1040 IF(AD>511 AND AD<40960)OR
   (AD>49151 AND AD<53248)TH
   EN GOSUB1080:F=0:RETURN      :rem 104
1050 GOSUB1060:PRINT"[RVS] INV
   ALID ADDRESS [DOWN][BLK]"
   :P=1:RETURN      :rem 224
1060 POKE SD+5,31:POKE SD+6,20
   8:POKE SD,240:POKE SD+1,4
   :POKE SD+4,33      :rem 19
1070 FOR S=1 TO 100:NEXT:GOTO1
   090      :rem 90
1080 POKE SD+5,8:POKE SD+6,240
   :POKE SD,0:POKE SD+1,90:P
   OKE SD+4,17      :rem 182
1090 FOR S=1 TO 100:NEXT:POKE
   [SPACE]SD+4,0:POKE SD,0:P
   OKE SD+1,0:RETURN      :rem 8

```

## Program 2: MLX For Apple

Version by Tim Victor, Editorial Programmer

```

100 N = 9: HOME = NORMAL: PRIN
   T "APPLE MLX": POKE 34,2: O
   NERR      :GOTO 610
110 VTAB 1: HTAB 20: PRINT "STA
   RT ADDRESS": GOSUB 530: IF
   S = 0 THEN PRINT CHR$(7
   ): GOTO 110
120 S = A
130 VTAB 2: HTAB 20: PRINT "END
   ADDRESS " : GOSUB 530: IF
   S > 0 = A OR A = 0 THEN PR
   INT CHR$(7): GOTO 130
140 E = A
150 PRINT : PRINT "CHOOSE: (E)NT
   ER DATA": HTAB 22: PRINT "
   (O)ISPLAY DATA: HTAB B: PR
   INT "(L)OAD FILE (S)AVE FI

```

```

LE (O)UIT": PRINT
160 GET A$: FOR I = 1 TO 5: IF
   A$ < > MID$ ("EOL$Q",I,1) T
   HEN NEXT : GOTO 160
170 ON I GOTO 270,220,180,200:
   POKE 34,0: ENO
180 INPUT "FILENAME: ";A$: IF A
   $ < > "" THEN PRINT CHR$
   (4):"BLOAD";A$;"A";S
190 GOTO 150
200 INPUT "FILENAME: ";A$: IF A
   $ < > "" THEN PRINT CHR$
   (4):"BSAVE";A$;"A";S;"L"
   :E
210 GOTO 150
220 GOSUB 590: IF B = 0 THEN 15
   0
230 FOR B = B TO E STEP B:L = 4
   :A = B: GOSUB 580: PRINT A$
   : " :L = 2
240 FOR F = 0 TO 7:V(F + 1) = P
   EEK (B + F): NEXT A: GOSUB 5
   60:V(9) = C
250 FOR F = 1 TO N:A = V(F): GO
   SUB 580: PRINT A$ " : NEXT
   : PRINT : IF PEEK (49152) <
   < 128 THEN NEXT
260 POKE 49168,0: GOTO 150
270 GOSUB 590: IF B = 0 THEN 15
   0
280 FOR B = B TO E STEP B
290 HTAB 1:A = B:L = 4: GOSUB 5
   80: PRINT A$": " :CALL 64
   64A$:A$ = "":P = 0: GOSUB 33
   0: IF L = 0 THEN 150
300 GOSUB 470: IF F < > N THEN
   PRINT CHR$(7): GOTO 290
310 IF N = 9 THEN GOSUB 560: IF
   C < > V(9) THEN PRINT CHR$
   (7): GOTO 290
320 FOR F = 1 TO B: POKE B + F
   - 1,V(F): NEXT : PRINT : NE
   XT : GOTO 150
330 IF LEN (A$) = 33 THEN A$ =
   0:P = 0: PRINT CHR$(7):
340 L = LEN (A$):O$ = A$:O = P:
   L$ = "": IF P > 0 THEN L$ =
   LEFT$(A$,P)
350 R$ = "": IF P < L - 1 THEN
   R$ = RIGHT$(A$,L - P - 1)
360 HTAB 7: PRINT L$: FLASH:
   IF P < L THEN PRINT MID$(A
   $,P + 1,1): NORMAL: PRINT
   R$:
370 PRINT " : NORMAL
380 K = PEEK (49152): IF K < 12
   B THEN 380
390 POKE 49168,0:K = K - 12B
400 IF K = 13 THEN HTAB 7: PRIN
   T A$:" : RETURN
410 IF K = 32 OR K > 47 AND K <
   58 OR K > 64 AND K < 71 TH
   EN A$ = L$ + CHR$(K) + R$:
   P = P + 1
420 IF K = 4 THEN A$ = L$ + R$
430 IF K = 9 THEN A$ = L$ + "
   " + MID$(A$,P + 1,1) + R$
440 IF K = B THEN P = P - (P >
   0)
450 IF K = 21 THEN P = P + (P <
   L)
460 GOTO 330
470 F = 1:O = 0: FOR P = 1 TO L
   EN (A$):C$ = MID$(A$,P,1):
   IF F > N AND C$ < > " " TH
   EN RETURN
480 IF C$ < > " " THEN GOSUB 5
   20:V(F) = J + 16 * (O = 1)
   * V(F):O = O + 1
490 IF O > 0 AND C$ = " " OR O
   = 2 THEN O = 0:F = F + 1
500 NEXT : IF O = 0 THEN F = F
   - 1

```

```

510 RETURN
520 J = ASC (C$):J = J - 48 - 7
   * (J > 64): RETURN
530 A = 0: INPUT A$:A$ = LEFT$
   (A$,4): IF LEN (A$) = 0 THE
   N RETURN
540 FOR P = 1 TO LEN (A$):C$ =
   MID$(A$,P,1): IF C$ < "0"
   OR C$ > "9" AND C$ < "A" OR
   C$ > "Z" THEN A = 0: RETUR
   N
550 GOSUB 520:A = A * 16 + J: N
   EXT : RETURN
560 C = INT (B / 256):C = B - 2
   54 * C - 255 * (C > 127):C =
   C - 255 * (C > 255)
570 FOR F = 1 TO B:C$ = C * 2 -
   253 * (C > 127) + V(F):C =
   C - 255 * (C > 255): NEXT :
   RETURN
580 I = FRE (0):A$ = "": FOR I
   = 1 TO L:I = INT (A / 16):
   A$ = MID$ ("0123456789ABCO
   EF",A - 16 * I + 1,1) + A$:
   A = I: NEXT : RETURN
590 PRINT "FROM ADDRESS " : GO
   SUB 530: IF S > A OR E < A O
   R A = 0 THEN B = 0: RETURN
600 B = S + B * INT (A - S) /
   B: RETURN
610 PRINT "DISK ERROR": GOTO 15
   0

```

©

**COMPUTE!**  
TOLL FREE  
Subscription  
Order Line  
**1-800-247-5470**  
In IA 1-800-532-1272

## Attention Programmers

COMPUTE! magazine is currently looking for quality articles on Commodore, Atari, Apple, and IBM computers (including the Commodore Amiga and Atari ST). If you have an interesting home application, educational program, programming utility, or game, submit it to COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines."









# Classified

## SOFTWARE

### FREE APPLE SOFTWARE

Over 1000 Public Domain Programs on 50 diskettes, \$5 ea. + \$1 s/h per order. Send \$1 for catalog (refundable). C&H Enterprises, Box 29243, Memphis, TN 38127

### FREE SOFTWARE CATALOG

Call Toll-Free 1-800-554-1162, Telex, Inc. Save 1/3 off retail prices. We carry SSI, Elect. Arts, Infocom, and many more!

**LOTTO PICKER.** Improve your chances for those Million Dollar Jackpots! Picks LOTTO, WIN-4 and Daily Numbers. All USA & CAN. games incl. Expandable! IBM/C64/T199 \$29.95. Order Now! 1-800-341-1950 ext. 77. Mail Orders: Ridge, 170 B'way, #201C, NY, NY 10038. Catalog.

**FREE SOFTWARE** for C64, C128, IBM, & CPM. For info send large stamped (39¢) return envelope to: PUBLIC DOMAIN USERS GROUP, PO Box 1442-A1, Orange Park, FL 32067

**EXCITING NEW CP/M SOFTWARE PRODUCTS** for C64 and C128 computers! Write for info. Mad Programmer Software, 831 32nd Ave., Seattle, WA 98122 (206) 324-6980

Hebrew, Russian, Greek, Korean, Japanese word processors. C64/128: \$29.95, IBM PC: \$69.95. Also create your own char. sets! Send check to ISRAACOMP, POB 1091, K. of Prussia, PA 19406

**TI-99/4A QUALITY SOFTWARE** for Business, Home and Entertainment \*\*Bonus Software Offer\*\* Send for FREE catalog to MICRO-BIZ HAWAII, BOX 1108, PEARL CITY, HI 96782

**COMMODORE: TRY BEFORE YOU BUY.** Top 25 best-selling games, utilities, new releases, Visa MasterCard. Free brochure. Rent-A-Disk, 908 9th Ave., Huntington, WV 25701 (304) 522-1665

**DISCOUNT SOFTWARE:** Amiga/Apple/Atari/C64-128/IBM PC-PCjr/TRS-80/Timex/Sinclair. Free Catalog: WMJ DATA SYSTEMS, 4 Butterfly Dr., Hauppauge, NY 11788

**CHECKBOOK PLUS** for ATARI 64K computers. Get the features of expensive electronic checkbooks, not the price. \$19.95, A-PLUS, 3790 Blenheim Rd., St. Joseph, MI 49085

**Medical/Dental Accounts Receivable** programs for the C64/128; 900 accounts, 1400 transactions. 2 drives and Epson compatible printer req'd. Full featured. \$100.00 for program or \$200.00 for demo program and manual (credit to purchase) plus \$4.50 P&H. Also: Drug Interactions: \$85.00 (also for IBM PC), California Medi-cal Billing: \$150.00. Free info. Peter Bresler, M.D., 2390 Tierra Dr., Los Osos, Calif. 93402 (805) 528-5234

**TI-99/4A Software/Hardware bargains.** Add to find items. Huge selection. Fast service. Free catalog. D.E.C., Box 690, Hicksville, NY 11801

**ORGANIZE YOUR GENEALOGY** with "FAMILY BRANCHES". For C64 & 1541 or 1571 disk drive. Send \$19.95 + \$2 p/h or \$ASE for free info to: INVENTURE SOFT, 3353 S. Main, Suite 101, Salt Lake City, UT 84115

## DIRECT SALES DISTRIBUTOR'S HELPER - C64

Does inventory, order forms, reports and more. \$59.95. Send SASE for free demo kit. RD3 Box 413, Kunkletown, PA 18058

## DR. T'S MUSIC SOFTWARE

IF YOU CAN USE A WORD PROCESSOR, YOU CAN MAKE MUSIC! MIDI music-composition software for APPLE and COMMODORE computers. Also algorithmic composition programs for computer generation of sequences. Fully editable Bach, Keyboard, Bass and Drum disks. Reviewed in Jan. '85 *COMPUTE!* (617) 244-6954, Dr. T's, Dept. C, 66 LOUISE RD., CHESTNUT HILL, MA 02167

## INTEREST CALCULATIONS.

MAI-2.10 lets your computer help analyze investment decisions. Calc: future value, present value, annuities, sinking funds, loan pymt sched., + more! Menu driven/Simple IBM PC/XT/jr. or compat. Only \$49.95 + \$7.00 s/h/t. ck/mo. Munier Associates, Inc., Dept. A5, P.O. Box 79314, Houston, Texas 77279 (713) 784-4348

**IBM PCjr. OWNERS:** We have the software you want. We also have complete 2nd drive additions or kits. FREE CATALOG. OOWL SOFTWARE, 1435 Burnley Sq. N., Columbus, OH 43229

**NAME & ADDRESS SYSTEM:** IBM PC & XT, \$30. Mailing labels + 7 incs. Free clock pgm with order. Send check to Pratt & Assoc., 218 Orange St., Elgin, IL 61020

**AMIGA OWNERS - NEW TOOL FOR STUDENTS:** EQUATION PLOTTER generates and compares curves of functions. Find roots, home in on local areas...more! 512K exp. RGB. BASIC disk \$29.95. Scientific Software, Dept. C, POB 202, Rextford, NY 12148

## SHERLOCK'S HOUNDS - Greyhound Analysis

Use your computer's power and get the winning edge at the track by quickly timing and rating up to 8 dogs per race with Sherlock's exclusive system. Easy to use disk or cassette for Atari (XL or XE), TI-99/4A. For fast, insured delivery send \$29.95 to Swift Creek Software, Box 1562 (CP), Cambridge, MA 02238

20% OFF retail price of everything. Send \$1.00 for catalog (refundable on 1st order) to: Sonic Software, Box 70, Eagle Lake, MN 56024

## HARDWARE

WE CAN SAVE YOU MONEY on items such as computers, stereos, phones and a lot more! Send \$2.00 to be added to our mailing list! B&J Computer Sales, P.O. Box 18626, Shreveport, LA 71138

**Robot supplies and accessories - Mobile** platform, DC gear motors, CMOS computers, etc. Call or write for free catalog (707) 224-6000 Intrep, POB 5381, Napa, CA 94581

## MISCELLANEOUS

**LEARN TO INVEST - STOCKS, BONDS, OPTIONS AND MUTUAL FUNDS.** Concise but complete explanation on 82 minute cassette, with printed supplement, by investment professional, Harvard MBA, over 20 years experience. Send \$11.40, or write for further information: Berkshire Co., PO Box 3511, Hartford, CT 06103

**IBM PCjr. REPORT: THE NATIONAL NEWS-LETTER** PCjr.-specific articles, reviews, Public Domain from across the nation. \$18/yr. PCjr. CLUB, POB 95067, Schaumburg, IL 60195

## THE LOVE LINE

An exclusive on-line BBS system for just one thing: GETTING GUYS AND GALS TOGETHER. For details send SASE to: THE LOVE LINE, R3 BOX 205D, PANAMA, IL 62557

**RIBBONS for MOST PRINTERS at LOW PRICES!** DELTA MICRONICS BOX 10933, ERIE, PA 16514-0933 (814) 455-5667

**Earn dollars \$\$\$\$\$ for the program** You write on your computer. Brochure \$1. Dalhousie International Software 818 Forest Avenue, Perry, GA 31069

**COMPUTE! Classified is a low-cost way to tell over 350,000 microcomputer owners about your product or service.**

**Rates:** \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines).

**Terms:** Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

**Form:** Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

**General Information:** Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

**Closing:** 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

**Notice:** COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.





# PROFESSIONAL HANDICAPPING SYSTEMS



• PRESENTED BY PROFESSOR JONES •

## GLD. Thoroughbred "Gold" Edition™

A "Full" featured thoroughbred analysis designed for the professional and the serious novice  
\$159.95 complete



## EGLD. Enhanced "Gold" Edition™

"Gold" Edition with complete Master Bet™ system integrated onto the same disk. This powerful program will transfer all horses and scores to the bet analysis with a "single keystroke".  
(Master Bet™ included) \$199.95 complete

## GLTO. Limited "Gold"™

Enables Professional Handicappers to assign specific values to the racing variables they feel are important. Create program weight based on a particular track and time limit if to maximum win percentage. This program is designed for "base of use". The user needs no programming experience.  
(contains Integrated Bet™) \$299.95 complete

## GD. Gold Dog Analysis™

The ONLY professional greyhound analysis available that evaluates ALL variables.  
\$149.95  
w/integrated Bet™ \$199.95  
Limited Version \$299.95

## MHH. Master Harness Handicapper™



Professional software designed to provide a thorough analysis of all trotter and pacer races in the United States and Canada.  
complete \$159.95  
w/integrated Bet™ \$199.95  
Limited \$299.95

## Professor Pix Football™

Complete STATISTICAL ANALYSIS on Data Base allowing "Designated" previous games to be evaluated  
Statistical Series \$99.95  
w/Win-Loss Power Ratings \$149.95

## NBA. Basketball™

NBA \$99.95 w/collage \$129.95  
w/power ratings \$149.95

## LOT. Lottery Analysis™

Statistical comparison program designed to detect subtle patterns in winning numbers and digits.  
Lottery (2-4 digit) \$79.95  
w/Lotto (Max 99 Digit) \$99.95

## PC-3 Portable Computer (4k) w/handicap of Thoroughbred, Greyhound or Trotter™ \$249.95

(Includes portable computer & program)  
M-100 Portable (32k) w/handicap of Thoroughbred, Greyhound, or Trotter and Master Bet™ \$649.95  
(includes portable computer & program)

**FREE CATALOG!**

## ★★★★★

"Your BEST BET in handicapping software..."

Reviewed by: Whole Earth Software Guide  
Corona Data Systems

Prof. Jones  
1940 W. State  
Boise, ID 83702



AMEX

**48 HR. FREE SHIPPING**

**CALL**  
(208) 342-6939

TERMS: Free shipping all software. Add \$6.00 hardware/\$6.00 C.O.D. / UPS Blue 36 000 out of Country. \$9.00 out. Residents 48/49 weeks personal check/cash price only, add 5% Visa, MC, AMEX. Prices subject to change.

# It Talks! It Recognizes! It Writes Music! and more...



## THE AMAZING VOICE MASTER®

Speech and Music Processor

Your computer can talk in your own voice. Not a synthesizer but a true digitizer that records your natural voice quality—and in any language or accent. Words and phrases can be expanded without limit from disk.

And it will understand what you say. A real word recognizer for groups of 32 words or phrases with unlimited expansion from disk memory. Now you can have a two way conversation with your computer!

Easy for the beginning programmer with new BASIC commands. Machine language programs and memory locations for the more experienced software author.

Exciting Music Bonus lets you hum or whistle to write and perform. Notes literally scroll by as you hum! Your composition can be edited, saved, and printed out. You don't have to know one note from another in order to write and compose!

Based upon new technologies invented by COVOX. One low price buys you the complete system—even a voice controlled back-jack game! In addition, you will receive a subscription to COVOX NEWS, a periodic newsletter about speech technology, applications, new products, up-dates, and user contributions. You will never find a better value for your computer.

**ONLY \$89.95** includes all hardware and software.

Available from your dealer or by mail. When ordering by mail add \$4.00 shipping and handling (\$10.00 foreign, \$6.00 Canada).

The Voice Master is available for the Commodore 64, 128, Apple IIc, IIe, II+, and Atari 800, 800XL, 130XE. Specify model when ordering. (Apple II+ owners must have joystick adapter. Available from Covox at only \$9.95.)

Apple IIc and II+ owners: Enhance speech quality and music capabilities with optional Sound Master hardware card. Installs in slot 4 or 5. Available separately for \$39.95 with demo software, or order with Voice Master for only \$119.95 (saves \$10 when ordered separately).

For telephone demo, additional information, or prompt response for your demo and more...

**CALL (503) 342-1271**

Call or write today for FREE audio demo cassette tape and brochure.



**COVOX INC.**

(503) 342-1271

675-D Conger Street, Eugene, OR 97402  
Telex 708017 (AV ALARM UD)

## Save Your Copies of COMPUTE!



Protect your back issues of **COMPUTE!** in durable binders or library cases. Each binder or case is custom-made in flag-blue binding with embossed white lettering. Each holds a year of **COMPUTE!**. Order several and keep your issues of

**COMPUTE!** neatly organized for quick reference. (These binders make great gifts, too!)

### Cases:

\$6.95 each;  
3 for \$20.00;  
6 for \$36.00

### Binders

\$8.50 each;  
3 for \$24.75;  
6 for \$48.00

(Please add \$2.50 per unit for orders outside the U.S.)

Send in your prepaid order with the attached coupon

Mail to: Jesse Jones Industries, P.O. Box 5120,  
Dept. Code COTE, Philadelphia, PA 19141

Please send me ☐ COMPUTE! ☐ cases ☐ binders.  
Enclosed is my check or money order for \$\_\_\_\_\_.  
(U.S. funds only.)

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Satisfaction guaranteed or money refunded.  
Please allow 4-6 weeks for delivery.

# Advertisers Index

Reader Service Number/Advertiser	Page
<b>102</b> Abacus Software	21,23
<b>103</b> Activision	68,69
<b>104</b> Alpha Systems	124
<b>105</b> Artificial Intelligence	84
<b>106</b> Atari	IFC-1
<b>107</b> Blackship Computer Supply	61
<b>108</b> Bowater Computer Forms Inc.	9-10
<b>109</b> Chase Manhattan	65
C.O.M.B. Direct Marketing Corp.	100
Commodore	BC
<b>110</b> CompuServe	14,15
<b>111</b> ComputAbility	125
<b>112</b> Computer Direct	44-45
Computer Mail Order	26-27
Covox Inc.	127
<b>113</b> Davidson & Associates, Inc.	67
<b>114</b> Dow Jones News/Retrieval	19
<b>115</b> Duplicating Technologies	115
Howard W. Sams & Co.	41
<b>116</b> Jason-Ronheim	102
Lycos Computer	38-39
<b>117</b> National Advancement Corporation	84
<b>118</b> Precision Data Products	100

Reader Service Number/Advertiser	Page
<b>119</b> Professor Jones	127
<b>120</b> Protecto	46-47
<b>121</b> Shanner International Corp.	7
<b>122</b> Source Telecomputing Corporation	35
<b>123</b> Springboard Software, Inc.	4
<b>124</b> subLOGIC Corporation	IBC
<b>125</b> Thompson Consumer Products Corp.	2-3
<b>126</b> Tripp Life	40
<b>127</b> Unitech	100
<b>128</b> White House Computer	72

Classified Ads	126
COMPUTE! Disk Subscription	49
COMPUTE! Subscription	33
COMPUTE!'s Amiga Books	57
COMPUTE!'s Apple Applications Special	64
COMPUTE!'s Apple Titles	31,63
COMPUTE!'s First Book of the Commodore	
128 & Electronic Computer Projects	13
Elementary Amiga BASIC and Elementary	
ST BASIC	37
The Turbo Pascal Handbook	43

## To Our Readers:

COMPUTE! Publications is a part of the ABC Consumer Magazines group of ABC Publishing, Inc. and recently we consolidated many of our operations and moved our Customer Service Department to the New York ABC headquarters. If you have any questions regarding back issues, disk orders, book orders, or how to place on order, call toll free **1-800-346-6767**. New York residents should call 212-887-8525.

If you want to order a subscription to COMPUTE!, COMPUTE!'s GAZETTE, COMPUTE!'s GAZETTE DISK, or the COMPUTE! DISK, call **1-800-247-5470** or in Iowa call 1-800-532-1272.

Our Editorial Offices remain in Greensboro, North Carolina. If you wish to submit an article for publication, write us at COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403.

We thank you for your interest and continued support of COMPUTE! Publications.

**COMPUTE!** Publications, Inc. 

Part of ABC Consumer Magazines, Inc.  
One of the ABC Publishing Companies



## Flight Simulator II Scenery Disks

### The Challenge of Accomplished Flight

With a realism comparable to (and in some ways even surpassing) \$100,000 aircraft flight simulators, Flight Simulator II includes full flight instrumentation and avionics, and provides a full-color out-the-window view. Instruments are arranged in the format standard to modern aircraft. All the radios needed for IFR flight are included. Front, rear, left, right, and diagonal views let you look in any direction. Program features are clearly documented in a 96-page Pilot's Operating Handbook.

For training in proper flight techniques, Flight Simulator II includes another 96-page instruction manual, compiled by two professional flight instructors with over 8,000 hours flight time and 12,000 hours of aviation teaching experience. You'll learn correct FAA-recommended flight procedures, from basic aircraft control through instrument approaches. To reward your accomplishments, the manual even includes a section on aerobatic maneuvers.

### The Realism and Beauty of Flight

Go sight-seeing over detailed, realistic United States scenery. High-speed graphic drivers provide an animated out-the-window view in either day, dusk, or night flying modes.

Flight Simulator II features over 80 airports in four different scenery areas: New York, Chicago, Seattle, and Los Angeles. Six additional Scenery Disks covering the entire Western half of the United States are now available in IBM and C64/128 disk formats.

Apple and Atari versions will be released soon. Each disk covers a geographical region of the country in detail, and is very reasonably priced.

### The Pure Fun of "World War I Ace"

When you think you're ready, you can test your flying skills with the "World War I Ace" aerial battle game. This game sends you on a bombing run over heavily-defended enemy territory. Six enemy fighters will attempt to engage you in combat as soon as war is declared. Your aircraft can carry five bombs, and your machine guns are loaded with 100 rounds of ammunition.

**See Your Dealer.** Flight Simulator II is available on disk for the Apple II, Atari XL/XE, and Commodore 64/128 computers for \$49.95. Scenery Disks for the C64 and IBM PC (let or Microsoft Flight Simulator) are \$19.95 each. A complete Western U.S. Scenery six-disk set is also available for \$99.95. For additional product or ordering information, call (800) 637-4983.

Apple II is a trademark of Apple Computer, Inc.  
Atari XL and XE are trademarks of Atari Corp.  
Commodore 64 and 128 are trademarks of Commodore Electronics Ltd.  
IBM PC is a registered trademark of International Business Machines Corp.

**subLOGIC**  
Corporation


713 Edgebrook Drive  
Champaign IL 61820  
(217) 359-8482 Telex 206995

Order Line: (800) 637-4983  
(except in Hawaii, Alaska, and Canada)







**All you need to do this**




graph a spreadsheet



write a novel



fix an engine



compose a song



paint a picture




your banking




learn to fly



organize a data base



tell a story



forecast sales



**is this.**

When it comes to personal computers, you want the smartest you can own. At a price that makes sense.

The new Commodore 128™ system has a powerful 128K memory, expandable to 512K. An 80-column display and 64, 128 and CP/M® modes for easy access to thousands of educational, business and home programs. And a keyboard, with built-in numeric keypad, that operates with little effort.

Discover the personal computer that does more for you. At the price you've been waiting for.

From the company that sells more personal computers than IBM® or Apple®.

**COMMODORE 128 PERSONAL COMPUTER**  
A Higher Intelligence

© 1985 Commodore Electronics Limited  
CP/M is a registered trademark of Digital Research, Inc.  
Apple is a registered trademark of Apple Computer, Inc.  
IBM is a registered trademark of International Business Machines Corporation

# RETROMAGS

**Our goal is to preserve classic video game magazines so that they are not lost permanently.**

**People interested in helping out in any capacity,  
please visit us at [www.retromags.com](http://www.retromags.com).**

**No profit is made from these scans, nor do we offer anything available from the publishers themselves.**

**If you come across anyone selling releases from this site, please do not support them and do let us know.**

# Thank you!

